

Oat







OFS collection | Eton

Pattern	Content	Finish	Backing	Repeat	Abrasion	Tackable		
Eton	98% Polyester, 2% nylon	High performance stain repellant	Polyester	N/A	78,000 Double rubs	Yes		
Width	54"							
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013, NFPA 260, UFAC Class 1, and is compatible with Cal TB-133.							
Maintenance	· ·	ing. Can clean with water based oid over-saturating the fabric.	cleaners, such a	s upholstery sh	ampoo or foam			
Samples	Please contact your local s	ales representative or visit ofs.c	om for samples.					
Reduced	GREENGUARD certified							
environmental impact	PFAS free							





ACT Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 07.25 OFSETONTC







Myst



Whisper



Flare



Lustre



Glint



Veil



Aura



Haze





OFS collection | Halo

Pattern	Content	Repeat	Abrasion	Tackable			
Halo	100% Polyester	N/A	87,000 Double rubs	Yes			
Width	54"						
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.						
Maintenance	W - Vacuum prior to cleaning. Can clean with foam from a mild detergent. Avoid over-satura		as upholstery shampo	oo or			
Samples	Please contact your local sales representative	or visit ofs.com for samples					
Reduced	OEKO TEX Standard 100						
environmental impact	• PFAS free						




*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 07.25 OFSHALOTC







OFS collection | Haven

Pattern	Content	Backing	Repeat	Abrasion	Tackable			
Haven	100% Post-consumer recycled polyester (GRS certified)	N/A	N/A	100,000 Double rubs	Yes			
Width	54"							
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.							
Maintenance	W - Vacuum prior to cleaning. Can clean wi from a mild detergent. Avoid over-saturatin		ers, such as uphol	stery shampoo or fo	am			
Samples	Please contact your local sales representati	ve or visit ofs.com fo	r samples.					
Reduced environmental impact	OEKO TEX Standard 100 PFAS free							



*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSHAVENTC







OFS collection | Jovy

Pattern	Content	Backing	Repeat	Abrasion	Tackable			
Jovy	100% Post-consumer recycled biodegradable polyester	N/A	N/A	100,000 Double rubs	Yes			
Width	54"							
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013, NFPA 260, and is compatible with CAL TB-133.							
Maintenance	WS - Clean with water based cleaning ag brushing is recommended to prevent dus peroxide, alcohol, and quaternary ammo	st and soil buildup. May	also be disinfecte	0 0				
Samples	Please contact your local sales represent	ative or visit ofs.com for	r samples.					
Reduced	Clean Impact Textiles classified fabric							
environmental impact	Biodegrades in landfill conditions within	n 1,278 days (tested und	ler ASTM D5511)					



*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSJOVTC



Coastal



Briar



Heir



District



Royal



Harvest



Urban



Sunset



Dune





OFS collection | Montage

Pattern	Content	Backing	Repeat	Abrasion	Tackable		
Montage	60% Polyester, 40% Repreve® post consumer recycled polyester	Acrylic	N/A	100,000 Double rubs	Yes		
Width	54"						
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.						
Maintenance	WS - Cleanable with solvent based furn or 10% diluted bleach solution if necess	·	l water				
Samples	Please contact your local sales represer	ntative or visit ofs.com fo	r samples.				
Note	Environmentally friendly production pro	ocess. Made in the U.S.A.					
Reduced	There are 28 bottles recycled per yard	of fabric.					
environmental impact	• PFAS free						






ACT Registered Certification Marks
Abrasion test results exceeding ACT
Performance Guidelines are not an indicator
of product lifespan. Multiple factors affect
fabric durability and appearance retention.






ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 08.25 OFSMOTAGTC





Artic

Down








Thorn

Flaxen

Doe





Midnight

Otter

Smoke





Truffle





OFS collection | Monte

Pattern	Content	Backing/finish	Repeat	Abrasion	Tackable			
Monte	94% Polyester, 4% TPU, 2% silicone	Supreen	N/A	100,000 Double rubs	No			
Width	54"							
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.							
Maintenance	WS - Cleanable with solvent based furniture cleaner or soap and water or 10% diluted bleach solution if necessary.							
Samples	Please contact your local sales representa	tive or visit ofs.com for samp	bles.					
Note	Environmentally friendly production proce	ess.						
Reduced	No added flame retardant chemicals – AB2998 compliant							
environmental impact	• No added anti-bacterial / anti-microbial	chemicals						
	DEAC for-							

- PFAS free
- Lead / heavy metal free
- BPA free / tris free / formaldehyde free
- Does not contain conflict minerals





*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 07.25 OFSMONTETC






Stellar



Gala





Comet





Lumi





OFS collection | Neb

Pattern	Content	Finish	Repeat	Abrasion	Tackable
Neb	88% Polyester, 7% viscose, 5% acrylic	Aquaclean + Safeguard	N/A	100,000 Double rubs	Yes
Width	55"				
Flammability	This textile meets all appropriate flamm and is compatible with CAL TB-133.	nability requirements, including	CAL117-2013, NF	FPA 260, UFAC class	1,
Maintenance	W - Vacuum prior to cleaning. Can clea from a mild detergent. Avoid over-satu				回
Samples	Please contact your local sales represer	ntative or visit ofs.com for sam	ples.		
Reduced	GRS certified				
environmental impact	OEKO-TEX standard 100				
iiipoio i	• IMO-B certified				
	PFAS free				




*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSNEBTC








Star




Corn





Quiz



Up





OFS collection | Pop

Pattern	Content	Finish	Repeat	Abrasion	Tackable
Pop	95% Post-consumer recycled polyester, 4% nylon, 1% polyester	Aquaclean + Safeguard	N/A	84,000 Double rubs	No
Width	55"				
Flammability	This textile meets all appropriate flamm and is compatible with CAL TB-133.	ability requirements, including	CAL117-2013, NF	FPA 260, UFAC class	1,
Maintenance	W - Vacuum prior to cleaning. Can clear from a mild detergent. Avoid over-satur				回放回 美装 8 回名表
Samples	Please contact your local sales represer	ntative or visit ofs.com for sam	ples.		
Reduced	GRS certified				
environmental impact	OEKO-TEX standard 100				
	• IMO-B certified				
	PFAS free				



*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.






ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSPOPTC



Denali




Yellowstone



Sequoia




White Sands



Olympic



Everglades



Gunnison



Redwood



Cascades



Rainer





OFS collection | Roam

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable			
Roam	2	60% Polyester, 40% post consumer recycled polyester	N/A	N/A	100,000	Yes			
Width	54"								
Flammability		These textiles meet all appropriate flammability requirements, including California Bulletin #117 and NFPA 260, and are compatible with California Bulletin #133.							
Maintenance		WS - Cleanable with solvent based furniture cleaner or soap and water or 10% diluted bleach solution if necessary.							
Samples	Please contact	t your local sales representative or	visit ofs.com for s	amples.					
Note	Environmenta	lly friendly production process. Ma	ade in the USA.						
Reduced	• All fabrics ar	e recyclable.							
environmental	• There are 22	bottles recycled per yard of fabric	С.						





*ACT® Registered Certification Marks

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





800.521.5381 ofs.com carolina.ofs.com 800.763.0212 04.25 OFSROAMV2TC

OFS collection | Leather

West



Hyde



Cielo



OFS collection | Leather

Specialty textiles







Pattern	Thickness	Finish	
West	1.0 - 1.2 mm	Finished corrected top grain	
Hyde	.9 - 1.1 mm	Semi-aniline	
Cielo	1.1 - 1.3 mm	Finished corrected top grain	
Note	Natural characteristics s	uch as healed scars, insect marks, and other elements of nature may be present on each hide.	





ACT Registered Certification Marks
Abrasion test results exceeding ACT Performance
Guidelines are not an indicator of product lifespan.
Multiple factors affect fabric durability and
appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 10.25 OFSLTHRTC



























OFS collection | Allure

Pattern	Content	Finish	Repeat	Abrasion	Tackable				
Allure	51% Post-consumer recycled polyester, 49% polyester	N/A	N/A	100,000	Yes				
Width	54"								
Flammability		This textile meets all appropriate flammability requirements, including CAL117-2014 and NFPA 260, and is compatible with CAL TB-133.							
Maintenance	SW - Cleanable with solvent be		or soap and water or						
Samples	Please contact your local sales	representative or visit	ofs.com for samples.						
Note	Environmentally friendly produ	uction process. Made in	the USA.						
Reduced	All fabrics are recyclable.								
environmental impact	• There are 31 bottles recycled	per yard of fabric.							






ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 07.25 OFSALLURETC



Ridge





River















Ray

Gravel

Obrina





OFS collection | Arbor

Pattern	Content	Finish	Backing	Repeat	Abrasion	Tackable		
Arbor	85% Polyester, 15% viscose rayon	N/A	Acrylic	N/A	250,000 Double rubs	Yes		
Width	54"							
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013, NFPA 260, UFAC class 1, ASTM E84, and is compatible with CAL TB-133.							
Maintenance	WS - Cleanable with water	er based cleaner.						
Samples	Please contact your local	sales representativ	ve or visit ofs.com for	samples.				
Reduced	GREENGUARD certified							
environmental impact	NSF 336 compliant							







ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 08.25 OFSARBORTC



Limestone



Moonstone




Shale



Sapphire

OFS collection | Flora



Ashen



Bark





OFS collection | Terra

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable		
Terra	2	59% Polyester, 41% Repreve®	None	N/A (0.4" x 0.2")	60,000	Yes		
Width	54"							
Flammability		meet all appropriate flammability req atible with California Bulletin #133.	uirements, inclu	ıding California B	ulletin #117 and NF	PA 260,		
Maintenance	Contact Milliken at MillikenSpecialtyInteriors@milliken.com							
Samples	Please contact your local sales representative for samples.							
Reduce	All fabrics are recyclable.							
environmental impact	• Terra contains Repreve® polyester yarn derived from recycled plastic bottles.							
mpuot	for our associ	are produced by Milliken Specialty Ir iates, our neighbors, our customers a ally-friendly products, using the minin aste.	nd the world we	e share. We are co	ommitted to develo	pping		


OFS collection | Flora

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable		
Flora	2	51% Repreve®, 49% Polyester	None	N/A (0.3" x 0.2")	60,000	Yes		
Width	54"							
Flammability		meet all appropriate flammability req itible with California Bulletin #133.	uirements, inclu	ıding California E	Bulletin #117 and NF	PA 260,		
Maintenance	Contact Milliken at MillikenSpecialtyInteriors@milliken.com							
Samples	Please contact	your local sales representative for sa	mples.					
Reduce	All fabrics are recyclable.							
environmental impact	• Flora contains Repreve® polyester yarn derived from recycled plastic bottles.							
iiipuss	These fabrics are produced by Milliken Specialty Interiors and each yard produced is done with care and respect for our associates, our neighbors, our customers and the world we share. We are committed to developing environmentally-friendly products, using the minimum amount of chemistry required to achieve results and to minimizing waste.							







ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 08.22 OFSTERRATC




Tux

Windsor





Dapper





Hoxton Tweed






OFS collection | Gatsby

Pattern	Content	Finish	Repeat	Abrasion	Tackable		
Gatsby	51% Post consumer recycled polyester, 49% polyester	N/A	N/A	50,000	Yes		
Width	54"						
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.						
Maintenance	SW - Cleanable with solvent based furniture cleaner or soap and water or 10% diluted bleach solution if necessary.						
Samples	Please contact your local sales representative or visit ofs.com for samples.						
Note	Environmentally friendly production process. Made in the USA.						
Reduced	All fabrics are recyclable.						
environmental impact	• There are 20 bottles recycled per yard of fabric	C.					





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSGATSBYTC







OFS collection | Lyric

Pattern	Content	Finish	Backing	Repeat	Abrasion	Tackable			
Lyric	100% Clean vinyl, phthalate free	Protective overcoat	Polyester	N/A	500,000 Double rubs	No			
Width	54"								
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013, NFPA 260, UFAC class 1, and is compatible with CAL TB-133.								
Maintenance	W - Cleanable with water based cleaner or bleach cleanable with 10% diluted bleach solution if necessary.								
Samples	Please contact your local sales representative or visit ofs.com for samples.								
Reduced	Single source fiber content								
environmental impact	GREENGUARD certified								
Πηραστ	NSF 336 compliant								





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 08.25 OFSLYRICTC



Pearl









Dolly Ami





OFS collection | Shep

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable	Acoustic performance		
Shep	3	100% Wool	N/A	N/A	ASTM D4966 40,000 cycles Martindale method	Yes	ASTM C423 1.05 NRC 1.07 SAA		
Width	54"								
Flammability	These textiles meet all appropriate flammability requirements, including California Bulletin #117-2013 and NFPA 260 + UFAC Class 1, ASTM E84, and are compatible with California Bulletin #133.								
Maintenance	W — Water-based cleaning agents only								
Samples	Please contact your local sales representative for samples.								
Note	Non-mulesed wool								
	Certified Oeko-Tex 100 Standard, global certification for environmental and health consciousness.								
	brown, and wh	nite wool - they ar	e not dyed. Th	is is the most env	from the fleece of she rironmentally friendly " ric of rich, multi-color h	coloring" proces	SS		
Reduce	Fully Biodeg	radable							
environmental impact	• 100% Natura	ıl wool							







ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 01.23 OFSSHEPTC



Limestone



Moonstone




Shale



Sapphire

OFS collection | Flora



Ashen



Bark





OFS collection | Terra

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable		
Terra	2	59% Polyester, 41% Repreve®	None	N/A (0.4" x 0.2")	60,000	Yes		
Width	54"							
Flammability		meet all appropriate flammability req atible with California Bulletin #133.	uirements, inclu	ıding California B	ulletin #117 and NF	PA 260,		
Maintenance	Contact Milliken at MillikenSpecialtyInteriors@milliken.com							
Samples	Please contact your local sales representative for samples.							
Reduce	All fabrics are recyclable.							
environmental impact	• Terra contains Repreve® polyester yarn derived from recycled plastic bottles.							
mpuot	for our associ	are produced by Milliken Specialty Ir iates, our neighbors, our customers a ally-friendly products, using the minin aste.	nd the world we	e share. We are co	ommitted to develo	pping		

OFS collection | Flora

Pattern	OFS grade	Content	Finish	Repeat	Abrasion	Tackable		
Flora	2	51% Repreve®, 49% Polyester	None	N/A (0.3" x 0.2")	60,000	Yes		
Width	54"							
Flammability		meet all appropriate flammability req itible with California Bulletin #133.	uirements, inclu	ıding California E	Bulletin #117 and NF	PA 260,		
Maintenance	Contact Milliken at MillikenSpecialtyInteriors@milliken.com							
Samples	Please contact	your local sales representative for sa	mples.					
Reduce	All fabrics are recyclable.							
environmental impact	• Flora contains Repreve® polyester yarn derived from recycled plastic bottles.							
iiipuss	These fabrics are produced by Milliken Specialty Interiors and each yard produced is done with care and respect for our associates, our neighbors, our customers and the world we share. We are committed to developing environmentally-friendly products, using the minimum amount of chemistry required to achieve results and to minimizing waste.							





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 08.22 OFSTERRATC



Mara





Blair









OFS collection | Highlander

Pattern	Content	Backing	Repeat	Abrasion	Tackable		
Highlander	52% Repreve® post-consumer recycled polyester, 19% cotton, 18% rayon, 11% polyester	Acrylic	3.5"h x 3.5"v	100,000 Double rubs	No		
Width	54"						
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013 and is compatible with CAL TB-133.						
Maintenance	S - Use solvent based cleaners only.						
Samples	Please contact your local sales representative or visit ofs.com for samples.						
Note	Environmentally friendly production	on process. Made in	the USA.				
Reduced	There are 36 bottles recycled pe	r yard of fabric.					



• PFAS free





ACT Registered Certification Marks
Abrasion test results exceeding ACT
Performance Guidelines are not an indicator
of product lifespan. Multiple factors affect
fabric durability and appearance retention.





 ofs.com
 800.521.5381
 carolina.ofs.com
 800.763.0212
 09.25
 OFSHIGHTC



Mushroom



Coral



Haze



Wine



Garnet



Olive



Flax



Swell





OFS collection | Reed

Pattern	Content	Backing	Repeat	Abrasion	Tackable		
Reed	51% Repreve® post-consumer recycled polyester, 49% polyester	Acrylic	N/A	100,000 Double rubs	No		
Width	54"						
Flammability	This textile meets all appropriate flammability requirements, including CAL117-2013, NFPA 260, UFAC class 1, and is compatible with CAL TB-133.						
Maintenance	WS - Cleanable with solvent based furniture cleaner or soap and water or 10% diluted bleach solution if necessary.						
Samples	Please contact your local sales representative or visit ofs.com for samples.						
Note	Environmentally friendly production process. Made in the USA.						
Reduced	There are 38 bottles recycled per	yard of fabric.					

impact

- PFAS free





*ACT® Registered Certification Marks Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.





ofs.com 800.521.5381 carolina.ofs.com 800.763.0212 09.25 OFSREEDTC