

Mesh Mid Back Task 1507 - S2 (Swivel Tilt Control)

Overall Dimensions	27.5"w x 27.5"d x 36.25/42.5"h	Weight	38 lbs. Armless 44.5 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16.5/20.5"h	Cubic Feet	14.5	
Seat to Top of Back	20.25/22.25"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26.25/30" (A68), 24/31" (A70), 23.75/30.5" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Mesh Mid Back Task 1507 - E1 (Basic Synchro Tilt Control)

Overall Dimensions	27.5"w x 27.5"d x 35.25/41.5"h	Weight	40 lbs. Armless 46.5 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16.5/20.5"h	Cubic Feet	14.5	
Seat to Top of Back	19.25/21.25"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26/30" (A68), 24/31" (A70), 23.75/30.5" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Mesh Mid Back Task 1507 - (R3 Body Balance Control)

Overall Dimensions	27.5"w x 27.5"d x 35.5/41.75"h	Weight	42 lbs. Armless 48.5 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16/20"h	Cubic Feet	14.5	
Seat to Top of Back	19.25/21.25"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26/31.75" (A68), 24/31.25" (A70), 23.75/30.75" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Standard Features	Options Available
<ul style="list-style-type: none"> • Mid back • Mesh back • Armless • Swivel Tilt Control • Upholstered seat with molded seat foam • Internal back height adjustment • Black nylon base • Hard wheel casters • 300 lbs. weight rated • ANSI/BIFMA X5.1 • CAL TB 117-2013 Conformant 	<ul style="list-style-type: none"> • Three arms: <ul style="list-style-type: none"> - Fixed Arms - Height Adjustable Arms - Height and Width Adjustable Arms • Two controls: <ul style="list-style-type: none"> - Basic Synchro Tilt - Body Balance • Seven mesh colors: deep blue, oasis, pitch, platinum, scarlet, snow, storm • Seat slider • Polished aluminum base • Soft wheel casters • Glides • Fully assembled chair in carton • CAL TB 133 Conformant

Mesh High Back Task 1510 - S2 (Swivel Tilt Control)

Overall Dimensions	27.5"w x 27.5"d x 38.5/44.75"h	Weight	38 lbs. Armless 45 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16.5/20.5"h	Cubic Feet	14.5	
Seat to Top of Back	22.5/24.5"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26.25/30" (A68), 24/31" (A70), 23.75/30.5" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Mesh High Back Task 1510 - E1 (Basic Synchro Tilt Control)

Overall Dimensions	27.5"w x 27.5"d x 37.75/44"h	Weight	40 lbs. Armless 47 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16.5/20.5"h	Cubic Feet	14.5	
Seat to Top of Back	21.75/23.75"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26/30" (A68), 24/31" (A70), 23.75/30.5" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Mesh High Back Task 1510 - R3 (Body Balance Control)

Overall Dimensions	27.5"w x 27.5"d x 38/44.25"h	Weight	42 lbs. Armless 49 lbs. Arms	
Seat Dimensions	20"w x 19.25"d x 16/20"h	Cubic Feet	14.5	
Seat to Top of Back	22/24"	COM	1 yd.	
Back Width	18.25"	COL	19 sq. ft.	
Top of Arm to Floor	26/31.75" (A68), 24/31.25" (A70), 23.75/30.75" (A71)			
Top of Arm to Seat	9" (A68), 7/10" (A70), 6/9" (A71)			

Standard Features	Options Available
<ul style="list-style-type: none"> • High back • Mesh back • Armless • Swivel Tilt Control • Upholstered seat with molded seat foam • Internal back height adjustment • Black nylon base • Hard wheel casters • 300 lbs. weight rated • ANSI/BIFMA X5.1 • CAL TB 117-2013 Conformant 	<ul style="list-style-type: none"> • Three arms: <ul style="list-style-type: none"> - Fixed Arms - Height Adjustable Arms - Height and Width Adjustable Arms • Two controls: <ul style="list-style-type: none"> - Basic Synchro Tilt - Body Balance • Seven mesh colors: deep blue, oasis, pitch, platinum, scarlet, snow, storm • Seat slider • Polished aluminum base • Soft wheel casters • Glides • Fully assembled chair in carton • CAL TB 133 Conformant



Standard Textile Selection

- <https://ofs.com/resources/textiles>
- All textiles meet CAL TB 117-2013

Frame Construction

- Seat
 - ½" Multi-core hardwood plywood
 - Fitted with riveted "T" nuts fixed on both sides of the plywood
- Back
 - Polypropylene and nylon
- Upholstery
 - Mesh: 100% High tenacity polyester
- Arms
 - Fixed
 - Height Adjustable
 - Height and Width Adjustable
- Controls
 - S2 - Swivel Tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment
 - E1 - Basic Synchro Tilt: seat height adjustment, tension control, back height adjustment, synchronized seat and back tilt adjustment - optional SS3 Seat Slider
 - R3 - Body Balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment - optional SS6 Seat Slider
- Base
 - Fiberglass solid injection-molded, glass-reinforced nylon resin
 - Polished Aluminum: manufactured of die-casting process
 - All bases pass the ANSI/BIFMA strength standards
- Cylinder
 - Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters
 - Nylon twin wheel casters manufactured of injection-molded engineer grade nylon
 - 60 mm diameter large pivot barrels
- Assembly
 - Self-locking, hardened steel, Hex/Socket/Phillips head bolts
 - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

- Seat
 - 2" 3D molded foam
 - 1.9 Density
 - 34 IFD
 - CAL TB 117-2013 Conformant