

Straight chair | stand-alone unit glides 982-SS-G

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Cubic Feet	16.75 ft.
Seat to Top of Back	14"	Shipping Weight	42 lbs.
		Weight Rating	400 lbs.



Straight chair | stand-alone unit glides 982-SS-G-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Apron	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.
		Shipping Weight	42 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
• Armless, stand-alone lounge chair • <i>Cannot</i> be ganged to other units • Fully upholstered • Sinuous springs in seat • Black, concealed glides	Power supply: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black
	Moisture barrier: • Seat and back

Straight chair | modular unit glides 982-SM-G

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Cubic Feet	16.75 ft.
Seat to Top of Back	14"	Shipping Weight	42 lbs.
		Weight Rating	400 lbs.



Straight chair | modular unit glides 982-SM-G-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Apron	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.
		Shipping Weight	42 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
• Armless, modular straight chair • <i>Can</i> be ganged to other units • Fully upholstered • Sinuous springs in seat • Black, concealed glides	Power supply and wire management: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black • Left and/or right side facing wire management
	Moisture barrier: • Seat and back

60° Inside corner chair glides 982-60I-G

Single textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54"	2.5 yds.
Seat Dimensions	26"w x 20.5"d x 18"h	Cubic Feet	22 ft.
Seat to Top of Back	14"	Shipping Weight	44 lbs.
		Weight Rating	400 lbs.



60° Inside corner chair glides 982-60I-G-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54" - Seat, Inside Back, and Apron	1.75 yds.
Seat Dimensions	26"w x 20.5"d x 18"h	COM 54" - Outside Back	1.25 yds.
Seat to Top of Back	14"	Cubic Feet	22 ft.
		Shipping Weight	44 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides 60° and 90° wedge units offer flexibility for creating various layouts	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

60° Outside corner chair glides 982-60O-G

Single textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54"	2.25 yds.
Seat Dimensions	32"w x 20.5"d x 18"h	Cubic Feet	22 ft.
Seat to Top of Back	14"	Shipping Weight	39 lbs.
		Weight Rating	400 lbs.



60° Outside corner chair glides 982-60O-G-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 30"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	32"w x 20.5"d x 18"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	22 ft.
		Shipping Weight	39 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides 60° and 90° wedge units offer flexibility for creating various layouts	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left and/or right side facing wire management
	Moisture barrier: Seat and back

90° Inside corner chair glides 982-90I-G

Single textiles

Overall Dimensions	51" w x 29.5" d x 30" h	COM 54"	3.25 yds.
Seat Dimensions	36" w x 20.5" d x 18" h	Cubic Feet	29 ft.
Seat to Top of Back	14"	Shipping Weight	55 lbs.
		Weight Rating	400 lbs.



90° Inside corner chair glides 982-90I-G-MT

Multiple textiles

Overall Dimensions	51" w x 29.5" d x 30" h	COM 54" - Seat, Inside Back, and Apron	2.25 yds.
Seat Dimensions	36" w x 20.5" d x 18" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	29 ft.
		Shipping Weight	55 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides 60° and 90° wedge units offer flexibility for creating various layouts	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

90° Outside corner chair glides 982-90O-G

Single textiles

Overall Dimensions	51" w x 29.5" d x 30" h	COM 54"	3 yds.
Seat Dimensions	45" w x 20.5" d x 18" h	Cubic Feet	29 ft.
Seat to Top of Back	14"	Shipping Weight	54 lbs.
		Weight Rating	400 lbs.



90° Outside corner chair glides 982-90O-G-MT

Multiple textiles

Overall Dimensions	51" w x 29.5" d x 30" h	COM 54" - Seat, Inside Back, and Apron	2.75 yds.
Seat Dimensions	45" w x 20.5" d x 18" h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	29 ft.
		Shipping Weight	54 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides 60° and 90° wedge units offer flexibility for creating various layouts	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left and/or right side facing wire management
	Moisture barrier: Seat and back

Left-facing end unit glides 982-EL-G

Single textiles

Overall Dimensions	30.75"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Cubic Feet	19.5 ft.
Seat to Top of Back	14"	Shipping Weight	51 lbs.
Top of Arm to Floor	30"	Weight Rating	400 lbs.
Top of Arm to Seat	12"		



Left-facing end unit glides 982-EL-G-MT

Multiple textiles

Overall Dimensions	30.75"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	30"	Shipping Weight	51 lbs.
Top of Arm to Seat	12"	Weight Rating	400 lbs.



Right-facing end unit glides 982-ER-G

Single textiles

Overall Dimensions	30.75"w x 26.75"d x 30"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	Cubic Feet	19.5 ft.
Seat to Top of Back	14"	Shipping Weight	51 lbs.
Top of Arm to Floor	30"	Weight Rating	400 lbs.
Top of Arm to Seat	12"		



Right-facing end unit glides 982-ER-G-MT

Multiple textiles

Overall Dimensions	30.75"w x 26.75"d x 30"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	25.5"w x 20.5"d x 18"h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	30"	Shipping Weight	51 lbs.
Top of Arm to Seat	12"	Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left or right side facing wire management
	Moisture barrier: Seat and back

Cafè table unit glides 982-T-G

Single textiles

Overall Dimensions	24"w x 38.75"d x 30"h	COM 54"	1.75 yds.
Top Dimensions	24"w x 24"d x 1"h	Cubic Feet	11.5 ft.
Top of Table to Floor	28.25"h	Shipping Weight	53 lbs.
Top of Table to Seat	9.25"	Weight Rating	400 lbs.



Cafè table unit glides 982-T-G-MT

Multiple textiles

Overall Dimensions	24"w x 38.75"d x 30"h	COM 54" - Seat, Inside Back, and Apron	1.5 yds.
Top Dimensions	24"w x 24"d x 1"h	COM 54" - Outside Back	1 yds.
Top of Table to Floor	28.25"h	Cubic Feet	11.5 ft.
Top of Table to Seat	9.25"	Shipping Weight	53 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Black, concealed glides - For stability, ganging is required on each side (ganging brackets are purchased separately) - Table top requires on-site assembly	Table top: - Square edge: - Veneer or paint (matching 2mm edge) - HPL or TFL (selection required on 2mm edge) - Solid surface - Knife edge: - Veneer (exposed plywood edge with matte clear finish) - HPL (exposed plywood edge with matte clear finish) - Solid surface
	Table column: Veneer or HPL
	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

Stand-alone straight chair plinth base 982-SS-P

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Cubic Feet	16.75 ft.
Seat to Top of Back	14"	Shipping Weight	58 lbs.
		Weight Rating	400 lbs.



Stand-alone straight chair plinth base 982-SS-P-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.
		Shipping Weight	58 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
• Armless, stand-alone lounge chair • <i>Cannot</i> be ganged to other units • Fully upholstered • Sinuous springs in seat • Surrounding plinth base	Plinth base: • Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black
	Moisture barrier: • Seat and back

Modular straight chair plinth base 982-SM-P

Single textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Cubic Feet	16.75 ft.
Seat to Top of Back	14"	Shipping Weight	58 lbs.
		Weight Rating	400 lbs.



Modular straight chair plinth base 982-SM-P-MT

Multiple textiles

Overall Dimensions	25.5"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	2.5 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	16.75 ft.
		Shipping Weight	58 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
• Armless, stand-alone straight chair • <i>Can</i> be ganged to other units • Fully upholstered • Sinuous springs in seat • Surrounding plinth base	Plinth base: • Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply: • One 15 AMP outlet, one USB-A port, and one USB-C port • Left and/or right side facing • Available in white or black
	Moisture barrier: • Seat and back

60° Inside corner chair plinth base 982-60I-P

Single textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54"	2.5 yds.
Seat Dimensions	26"w x 20.5"d x 19.25"h	Cubic Feet	22 ft.
Seat to Top of Back	14"	Shipping Weight	60 lbs.
		Weight Rating	400 lbs.



60° Inside corner chair plinth base 982-60I-P-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	1.75 yds.
Seat Dimensions	26"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1.25 yds.
Seat to Top of Back	14"	Cubic Feet	22 ft.
		Shipping Weight	60 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base 60° and 90° wedge units offer flexibility for creating various layouts	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

60° Outside corner chair plinth base 982-60O-P

Single textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54"	2.25 yds.
Seat Dimensions	32"w x 20.5"d x 19.25"h	Cubic Feet	22 ft.
Seat to Top of Back	14"	Shipping Weight	54 lbs.
		Weight Rating	400 lbs.



60° Outside corner chair plinth base 982-60O-P-MT

Multiple textiles

Overall Dimensions	36"w x 28"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	32"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	22 ft.
		Shipping Weight	54 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base 60° and 90° wedge units offer flexibility for creating various layouts	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left and/or right side facing wire management
	Moisture barrier: Seat and back

90° Inside corner chair plinth base 982-90I-P

Single textiles

Overall Dimensions	51" w x 29.5" d x 31.25" h	COM 54"	3.5 yds.
Seat Dimensions	36" w x 20.5" d x 19.25" h	Cubic Feet	29 ft.
Seat to Top of Back	14"	Shipping Weight	76 lbs.
		Weight Rating	400 lbs.



90° Inside corner chair plinth base 982-90I-P-MT

Multiple textiles

Overall Dimensions	51" w x 29.5" d x 31.25" h	COM 54" - Seat, Inside Back, and Apron	2.25 yds.
Seat Dimensions	36" w x 20.5" d x 19.25" h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	29 ft.
		Shipping Weight	76 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base 60° and 90° wedge units offer flexibility for creating various layouts	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

90° Outside corner chair plinth base 982-90O-P

Single textiles

Overall Dimensions	51" w x 29.5" d x 31.25" h	COM 54"	3 yds.
Seat Dimensions	45" w x 20.5" d x 19.25" h	Cubic Feet	29 ft.
Seat to Top of Back	14"	Shipping Weight	73 lbs.
		Weight Rating	400 lbs.



90° Outside corner chair plinth base 982-90O-P-MT

Multiple textiles

Overall Dimensions	51" w x 29.5" d x 31.25" h	COM 54" - Seat, Inside Back, and Apron	2.75 yds.
Seat Dimensions	45" w x 20.5" d x 19.25" h	COM 54" - Outside Back	1 yds.
Seat to Top of Back	14"	Cubic Feet	29 ft.
		Shipping Weight	73 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base 60° and 90° wedge units offer flexibility for creating various layouts	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left and/or right side facing wire management
	Moisture barrier: Seat and back

Left-facing end unit plinth base 982-EL-P

Single textiles

Overall Dimensions	30.75"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Cubic Feet	19.5 ft.
Seat to Top of Back	14"	Shipping Weight	68 lbs.
Top of Arm to Floor	31.25"	Weight Rating	400 lbs.
Top of Arm to Seat	12"		



Left-facing end unit plinth base 982-EL-P-MT

Multiple textiles

Overall Dimensions	30.75"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	31.25"	Shipping Weight	68 lbs.
Top of Arm to Seat	12"	Weight Rating	400 lbs.



Right-facing end unit plinth base 982-ER-P

Single textiles

Overall Dimensions	30.75"w x 26.75"d x 31.25"h	COM 54"	2.75 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	Cubic Feet	19.5 ft.
Seat to Top of Back	14"	Shipping Weight	68 lbs.
Top of Arm to Floor	31.25"	Weight Rating	400 lbs.
Top of Arm to Seat	12"		



Right-facing end unit plinth base 982-ER-P-MT

Multiple textiles

Overall Dimensions	30.75"w x 26.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	2 yds.
Seat Dimensions	25.5"w x 20.5"d x 19.25"h	COM 54" - Outside Back	1.75 yds.
Seat to Top of Back	14"	Cubic Feet	19.5 ft.
Top of Arm to Floor	31.25"	Shipping Weight	68 lbs.
Top of Arm to Seat	12"	Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base 60° and 90° wedge units offer flexibility for creating various layouts	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Power supply and wire management: - One 15 AMP outlet, one USB-A port, and one USB-C port - Left and/or right side facing - Available in white or black - Left or right side facing wire management
	Moisture barrier: Seat and back

Café table unit plinth base 982-T-P
Single textiles

Overall Dimensions	24"w x 38.75"d x 31.25"h	COM 54"	1.75 yds.
Top Dimensions	24"w x 24"d x 1"h	Cubic Feet	11.5 ft.
Top of Table to Floor	28.25"h	Shipping Weight	53 lbs.
Top of Table to Seat	9.25"	Weight Rating	400 lbs.



Café table unit plinth base 982-T-P-MT
Multiple textiles

Overall Dimensions	24"w x 38.75"d x 31.25"h	COM 54" - Seat, Inside Back, and Apron	1.5 yds.
Top Dimensions	24"w x 24"d x 1"h	COM 54" - Outside Back	1 yds.
Top of Table to Floor	28.25"h	Cubic Feet	11.5 ft.
Top of Table to Seat	9.25"	Shipping Weight	53 lbs.
		Weight Rating	400 lbs.



Standard Features	Options Available
- Fully upholstered - Sinuous springs in seat - Surrounding plinth base - For stability, ganging is required on each side (ganging brackets are purchased separately) - Table top requires on-site assembly	Table top: - Square edge: - Veneer or paint (matching 2mm edge) - HPL or TFL (selection required on 2mm edge) - Solid surface - Knife edge: - Veneer (exposed plywood edge with matte clear finish) - HPL (exposed plywood edge with matte clear finish) - Solid surface Table column: - Veneer or HPL
	Plinth base: Plinth base is available in any of our standard, studio, or super matte powder coats
	Wire management: Left and/or right side facing wire management NOTE: Power is not available on inside units
	Moisture barrier: Seat and back

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

Seat	Equally spaced sinuous springs are covered with a polypropylene cover material
Back	Polypropylene cover material
Frame	Hardwood and plywood assembly has foam and upholstery applied
Upholstery	All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Assembly	The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws, or staples

Foam

Seat Core	3.5" Thick foam 40 lb. Compression 2.2 Density
Seat Overlay	.5" Thick foam 35 lb. Compression 1.8 Density
Back Core	1" Thick foam 35 lb. Compression 1.8 Density
Back Overlay	.5" Thick foam 35 lb. Compression 1.8 Density

Electrical

- Single circuit configuration of up to 8 power supplies with a standard 15 amp plug
- Max 50' total in length of cords (infeed + jumpers + power supplies)
- Single circuit power
- 15 amp power in-feed with 6' cord
- Over current protection
- Up to 8 power supplies
- UL recognized