




**Chair, Exposed Wood Trim Arms EFC1010-1**

<b>Overall Dimensions</b>	30" w x 31" d x 42" h	<b>COM 54"</b>	5 yds.	
<b>Seat Dimensions</b>	26.5" w x 20" d x 20" h	<b>Shipping Weight</b>	95 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	38	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	

**Settee, Exposed Wood Trim Arms EFC1010-2**


<b>Overall Dimensions</b>	57" w x 31" d x 42" h	<b>COM 54"</b>	8 yds.	
<b>Seat Dimensions</b>	54" w x 20" d x 20" h	<b>Shipping Weight</b>	180 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	58	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	

**Sofa, Exposed Wood Trim Arms EFC1010-3**


<b>Overall Dimensions</b>	84" w x 31" d x 42" h	<b>COM 54"</b>	9.75 yds.	
<b>Seat Dimensions</b>	80.5" w x 20" d x 20" h	<b>Shipping Weight</b>	270 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	77	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• European Beech Trimmed Upholstered Arms</li> <li>• Upholstered Seat and Back with Cross Seam Detail on Back</li> <li>• Tight Cushion</li> <li>• European Beech Exposed Wood Skirt with Tapered Legs</li> <li>• Tack-In Non-Marring Glide</li> </ul>	<ul style="list-style-type: none"> <li>• Brushed Aluminum Bumper Rail</li> </ul>


**Chair, Fully Upholstered Arms EFC1011-1**

<b>Overall Dimensions</b>	30" w x 31" d x 42" h	<b>COM 54"</b>	5 yds.	
<b>Seat Dimensions</b>	26.5" w x 20" d x 20" h	<b>Shipping Weight</b>	95 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	38	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	

**Settee, Fully Upholstered Arms EFC1011-2**

<b>Overall Dimensions</b>	57" w x 31" d x 42" h	<b>COM 54"</b>	7.5 yds.	
<b>Seat Dimensions</b>	54" w x 20" d x 20" h	<b>Shipping Weight</b>	180 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	58	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	


**Sofa, Fully Upholstered Arms EFC1011-3**

<b>Overall Dimensions</b>	84" w x 31" d x 42" h	<b>COM 54"</b>	9.75 yds.	
<b>Seat Dimensions</b>	80.5" w x 20" d x 20" h	<b>Shipping Weight</b>	270 lbs.	
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	77	
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech	

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered Arms, Seat and Back</li> <li>• Cross Seam Detail on Back</li> <li>• Tight Cushion</li> <li>• European Beech Exposed Wood Skirt with Tapered Legs</li> <li>• Tack-In Non-Marring Glide</li> </ul>	<ul style="list-style-type: none"> <li>• Brushed Aluminum Bumper Rail</li> </ul>


**Chair, Open Arms EFC1012-1**

<b>Overall Dimensions</b>	30"w x 31"d x 42"h	<b>COM 54"</b>	4.75 yds.
<b>Seat Dimensions</b>	26.5"w x 20"d x 20"h	<b>Shipping Weight</b>	90 lbs.
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	38
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech




**Settee, Open Arms EFC1012-2**

<b>Overall Dimensions</b>	57"w x 31"d x 42"h	<b>COM 54"</b>	7.5 yds.
<b>Seat Dimensions</b>	54"w x 20"d x 20"h	<b>Shipping Weight</b>	180 lbs.
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	58
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



**Sofa, Open Arms EFC1012-3**


<b>Overall Dimensions</b>	84"w x 31"d x 42"h	<b>COM 54"</b>	9.5 yds.
<b>Seat Dimensions</b>	80.5"w x 20"d x 20"h	<b>Shipping Weight</b>	270 lbs.
<b>Seat to Top of Back</b>	25"	<b>Cubic Feet</b>	77
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



Standard Features	Options Available
<ul style="list-style-type: none"> <li>Upholstered Seat and Back with Cross Seam Detail on Back</li> <li>Tight Cushion</li> <li>European Beech Trimmed Arms with an Open Arm Frame</li> <li>European Beech Exposed Wood Skirt with Tapered Legs</li> <li>Tack-In Non-Marring Glide</li> </ul>	<ul style="list-style-type: none"> <li>Brushed Aluminum Bumper Rail</li> </ul>


**Chair, Exposed Wood Trim Arms EFC1020-1**

<b>Overall Dimensions</b>	30"w x 31"d x 36"h	<b>COM 54"</b>	5 yds.
<b>Seat Dimensions</b>	26.5"w x 20"d x 20"h	<b>Shipping Weight</b>	90 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	27
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech




**Settee, Exposed Wood Trim Arms EFC1020-2**

<b>Overall Dimensions</b>	57"w x 31"d x 36"h	<b>COM 54"</b>	8 yds.
<b>Seat Dimensions</b>	54"w x 20"d x 20"h	<b>Shipping Weight</b>	170 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	53
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



**Sofa, Exposed Wood Trim Arms EFC1020-3**


<b>Overall Dimensions</b>	84"w x 31"d x 36"h	<b>COM 54"</b>	9.75 yds.
<b>Seat Dimensions</b>	80.5"w x 20"d x 20"h	<b>Shipping Weight</b>	260 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	66
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



Standard Features	Options Available
<ul style="list-style-type: none"> <li>European Beech Trimmed Upholstered Arms</li> <li>Upholstered Back</li> <li>Tight Cushion</li> <li>Waterfall Upholstered Seat and Front Panel with European Beech Exposed Wood Skirt on Sides and Back</li> <li>Tapered European Beech Legs</li> <li>Tack-In Non-Marring Glide</li> </ul>	<ul style="list-style-type: none"> <li>Brushed Aluminum Bumper Rail</li> </ul>


**Chair, Fully Upholstered Arms** EFC1021-1

<b>Overall Dimensions</b>	30"w x 31"d x 36"h	<b>COM 54"</b>	5 yds.
<b>Seat Dimensions</b>	26.5"w x 20"d x 20"h	<b>Shipping Weight</b>	90 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	27
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech




**Settee, Fully Upholstered Arms** EFC1021-2

<b>Overall Dimensions</b>	57"w x 31"d x 36"h	<b>COM 54"</b>	8 yds.
<b>Seat Dimensions</b>	54"w x 20"d x 20"h	<b>Shipping Weight</b>	170 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	53
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



**Sofa, Fully Upholstered Arms** EFC1021-3


<b>Overall Dimensions</b>	84"w x 31"d x 36"h	<b>COM 54"</b>	9.75 yds.
<b>Seat Dimensions</b>	80.5"w x 20"d x 20"h	<b>Shipping Weight</b>	260 lbs.
<b>Seat to Top of Back</b>	17.5"	<b>Cubic Feet</b>	66
<b>Top of Arm to Floor</b>	25"	<b>Exposed Wood</b>	European Beech



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered Arms and Back</li> <li>• Tight Cushion</li> <li>• Waterfall Upholstered Seat and Front Panel with European Beech Exposed Wood Skirt on Sides and Back</li> <li>• Tapered European Beech Legs</li> <li>• Tack-In Non-Marring Glide</li> </ul>	<ul style="list-style-type: none"> <li>• Brushed Aluminum Bumper Rail</li> </ul>


**Bench with Fixed Table** EFC1051

<b>Overall Dimensions</b>	60"w x 24"d x 19"h	<b>COM 54"</b>	2.25 yds.
<b>Seat Dimensions</b>	24"w x 25"d x 18.5"h	<b>Shipping Weight</b>	130 lbs.
<b>Top of Arm to Floor</b>	25"	<b>Cubic Feet</b>	26
		<b>Exposed Wood</b>	European Beech




**Bench with Sliding Table** EFC1052

<b>Overall Dimensions</b>	60"w x 28"d x 24.5"h	<b>COM 54"</b>	2 yds.
<b>Seat Dimensions</b>	57"w x 25"d x 18.5"h	<b>Shipping Weight</b>	125 lbs.
<b>Top of Arm to Floor</b>	24.5"	<b>Cubic Feet</b>	32
		<b>Exposed Wood</b>	European Beech



**Bench with Bolsters** EFC1059

<b>Overall Dimensions</b>	60"w x 28"d x 24.5"h	<b>COM 54"</b>	2.5 yds.
<b>Seat Dimensions</b>	57"w x 25"d x 18.5"h	<b>Shipping Weight</b>	125 lbs.
<b>Top of Arm to Floor</b>	24.5"	<b>Cubic Feet</b>	32
		<b>Exposed Wood</b>	European Beech



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• European Beech End Panels with Tapered Legs</li> <li>• European Beech Fixed Table with Tapered Legs on EFC105</li> <li>• European Beech Sliding Table with Four Brushed Aluminum Non-Locking Casters on EFC1052</li> <li>• Bolsters Attached with D-Ring and Elastic Straps on EFC1059</li> <li>• Nail in Chrome Glide</li> </ul>	<ul style="list-style-type: none"> <li>• Brushed Aluminum Bumper Rail</li> </ul>

## Standard Textile & Finish Selection

---

<http://carolina.ofs.com/resources/textiles>  
<http://carolina.ofs.com/resources/finishes>

## Frame Construction

---

- |            |   |
|------------|---|
| Seat       | <ul style="list-style-type: none"> <li>• Front and back rail: 5/4 WHAD kiln dried maple</li> <li>• End rail: 5/4 WHAD kiln dried maple</li> <li>• Stretcher rail: 5/4 WHAD Kiln dried maple (loveseat and sofa only)</li> </ul>   |
| Back       | <ul style="list-style-type: none"> <li>• Top rail: 5/4 WHAD kiln dried maple</li> <li>• Outside bottom rail: 5/4 WHAD kiln dried maple</li> <li>• Inside bottom back rail: 5/4 WHAD Kiln dried maple</li> </ul>   |
| Upholstery | <ul style="list-style-type: none"> <li>• 1010-1, 2, 3: 4.75 yds. (chair), 7.75 yds. (loveseat), 9.5 yds. (sofa) required based on 54" wide, plain goods</li> <li>• 1011-1, 2, 3: 5 yds. (chair), 7.5 yds. (loveseat), 9.75 yds. (sofa) required based on 54" wide, plain goods</li> <li>• 1012-1, 2, 3: 4.5 yds. (chair), 7 yds. (loveseat), 9.25 yds. (sofa) required based on 54" wide, plain goods</li> <li>• 1020-1, 2, 3: 4.5 yds. (chair), 7 yds. (loveseat), 9.25 yds. (sofa) required based on 54" wide, plain goods</li> <li>• 1021-1, 2, 3: 4.75 yds. (chair), 7.25 yds. (loveseat), 9.5 yds. (sofa) required based on 54" wide, plain goods</li> <li>• 1051-1052- 1059: 2.5 yds. (bench with bolsters), 2.25 yds. (bench with fixed table), 2 yds. (bench with sliding table) required based on 54" wide, plain goods</li> <li>• Covers are upholstered to the frame using 1/2" stainless steel staples</li> </ul> |
| Arms       | <ul style="list-style-type: none"> <li>• Front rail, 8/4 kiln dried European Beech</li> <li>• Curved top rail, 8/4 kiln dried European Beech</li> <li>• Bottom rail, 8/4 kiln dried European Beech</li> </ul>   |
| Assembly   | <ul style="list-style-type: none"> <li>• Joints on seat, back and arms are assembled using dowels, glue and narrow and wide crown staples</li> </ul>  |

## Foam

---

- |      |   |
|------|---|
| Seat | <ul style="list-style-type: none"> <li>• 4.5" premium grade foam</li> <li>• CAL TB 117 Certified Fire Retardant</li> <li>• 25 compression</li> <li>• 2.2 lb. density</li> <li>• Bonded glue front back</li> </ul> |
| Back | <ul style="list-style-type: none"> <li>• 2" premium grade foam</li> <li>• CAL TB 117 Certified Fire Retardant</li> <li>• 25 compression</li> <li>• 2.2 lb. density</li> <li>• Bonded glue front back</li> </ul>   |

## Suspension System

---

- |      |   |
|------|---|
| Seat | <ul style="list-style-type: none"> <li>• ECOS clips</li> <li>• 9Ga 14 D arc springs</li> <li>• 2" seat helical springs</li> <li>• Applied with 5/16 stainless steel staples</li> </ul>  |
| Back | <ul style="list-style-type: none"> <li>• ECOS clips</li> <li>• No sag high loop springs</li> <li>• 2" seat helical springs</li> <li>• 2430 propex (applied to backs)</li> <li>• 100% polypropylene</li> <li>• Latex coating is pranol acrylic 763</li> <li>• Applied with 5/16 stainless steel staples</li> </ul> |
| Arm  | <ul style="list-style-type: none"> <li>• 2430 propex (applied to backs)</li> <li>• 100% polypropylene</li> <li>• Latex coating is paranol acrylic 763</li> <li>• Applied with 5/16 stainless steel staples</li> </ul>   |