

## CONFIGURING AND ORDERING

The following information uses examples that apply to all of our multiple seating series. By following these **three easy steps**, your multiple seating order will be clearly indicated and correctly entered. Multiple seating units are shipped assembled up to four components per carton.

### 1-2-3 STEP-BY-STEP ORDERING

• **Step 1**

Choose the series that you wish to order.

• **Step 2**

Design a seating layout that meets the requirements of your specific space. Configure components from left to right (facing). Remember when middle or hang tables are positioned between two chairs, both of those chairs must be base chair units.


• **Step 3**

On your Purchase Order configure the components in order as they should be assembled. The following examples are for the Orchestra 1408 series, but works in the same fashion for all multiple seating series.

### EXAMPLES


**EXAMPLE A**

Qty. 1      1408-2-A-A A4-MNW-X9 -5/Momentum, Row, Breeze  
 Arm Caps: Poly Arm Cap (A4)  
 Finish: Natural Walnut (MNW)  
 Removable Covers: None (X9)  
 Fabric: Grade 5, Momentum, Row, Breeze  
 Qty. 1      Indicates the quantity ordered  
**1408»**      Indicates the series required  
**2-A-A»**      Indicates the assembly order



**EXAMPLE B**

Qty. 1      1408-C-E A4-MNW-X9 -5/Momentum, Row, Breeze  
 Arm Caps: Poly Arm Cap (A4)  
 Finish: Natural Walnut (MNW)  
 Removable Covers: None (X9)  
 Fabric: Grade 5, Momentum, Row, Breeze  
 Qty. 1      Indicates the quantity ordered  
**1408»**      Indicates the series required  
**C-E»**      Indicates the assembly order



To ensure accuracy please provide Customer Service with a diagram of your specific configuration requirements at time of order.

**INTERLUDE UPHOLSTERED BACK WITH UPHOLSTERED ARMS MULTIPLE STANDARD FEATURES**

- Clean-Thru Design
- Upholstered Seat and Back
- Upholstered Arm Panel with European Beech Arm Cap
- Wallsaver Design
- Legs made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness)
- Field Replaceable Components
- Non-Marring Adjustable Glides


**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, BASE CHAIR**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
25	24.5	36.75	20.5	18	19	17.75	25.5	35	27

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-C	2.25	n/a	1,624	1,661	1,703	1,756	1,830	1,936	2,042	2,148	2,254	2,359	2,465	2,571	2,677	2,783	2,888	2,091	2,197	2,302


**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, BASE LOVESEAT**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
46	24.5	36.75	41.5	18	19	17.75	25.5	63	40

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-2	3.25	n/a	2,144	2,197	2,259	2,335	2,442	2,595	2,748	2,900	3,053	3,206	3,359	3,512	3,665	3,817	3,970	2,806	2,960	3,111

**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, BASE BARIATRIC**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
34.5	24.5	36.75	30	18	19	17.75	25.5	47	27

• Rated for 500 lbs.

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-OB	2.75	n/a	1,727	1,772	1,824	1,889	1,979	2,108	2,238	2,367	2,496	2,626	2,755	2,884	3,014	3,143	3,272	2,291	2,422	2,550

**OPTIONS**

Arm Caps	Powder Coat	Removable Covers	Fabric 1
Standard	Selection Required	Standard	Selection Required
A3 Wood (specify finish)		X9 No Selection of Option	
A4 Poly (black) \$231 pair	BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze HIF Warm Grey	H7 Removable Seat and Back Covers \$196 B1L Removable Seat Cover only \$98 B1M Removable Back Cover only \$98	Fabric: Grade, Vendor, Pattern, Color  NOTE: For multiple fabric applications see page 14 for information and pricing

**HOW TO ORDER**

SPECIFY: Arm caps | arm cap finish (if applicable) | powder coat | removable covers | textile pattern and color. See pages 5-14 for information and options on moisture barrier, CAL133, upholstery applications, a complete offering of finishes and ordering details.

**MODEL NUMBER**

1922-C

Arm Caps	Powder Coat	Removable Covers	Fabric 1
A4	BWT	H7	Grade 5, Momentum, Row, Breeze

**INTERLUDE UPHOLSTERED BACK WITH UPHOLSTERED ARMS MULTIPLE STANDARD FEATURES**

- Clean-Thru Design
- Upholstered Seat and Back
- Upholstered Arm Panel with European Beech Arm Cap
- Wallsaver Design
- Legs made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness)
- Field Replaceable Components
- Non-Marring Adjustable Glides


**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, ADD ON CHAIR**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
23	24.5	36.75	20.5	18	19	17.75	25.5	35	27

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-A	2	n/a	1,337	1,370	1,408	1,455	1,520	1,614	1,708	1,803	1,897	1,991	2,085	2,179	2,273	2,367	2,461	1,755	1,850	1,943

**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, ADD ON LOVESEAT**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
44	24.5	36.75	41.5	18	19	17.75	25.5	58	40

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-2A	2.75	n/a	1,825	1,870	1,922	1,987	2,077	2,206	2,336	2,465	2,594	2,724	2,853	2,982	3,112	3,241	3,370	2,389	2,520	2,648

**UPHOLSTERED BACK W/ UPHOLSTERED ARM PANELS, ADD ON BARIATRIC**



w	outside d	h	sw	seat sd	sh	seat to top of back	arm height	weight lbs.	cubic feet
32.5	24.5	36.75	30	18	19	17.75	25.5	47	27

• Rated for 500 lbs.

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922-OBA	2.75	n/a	1,457	1,502	1,554	1,619	1,709	1,838	1,968	2,097	2,226	2,356	2,485	2,614	2,744	2,873	3,002	2,021	2,152	2,280

**OPTIONS**

Arm Caps	Powder Coat	Removable Covers	Fabric 1
Standard	Selection Required	Standard	Selection Required
A3 Wood (specify finish)		X9 No Selection of Option	
A4 Poly (black) \$115 per arm cap	BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze HIF Warm Grey	H7 Removable Seat and Back Covers \$196 B1L Removable Seat Cover only \$98 B1M Removable Back Cover only \$98	Fabric: Grade, Vendor, Pattern, Color  NOTE: For multiple fabric applications see page 14 for information and pricing

**HOW TO ORDER**

SPECIFY: Arm caps | arm cap finish (if applicable) | powder coat | removable covers | textile pattern and color. See pages 5-14 for information and options on moisture barrier, CAL133, upholstery applications, a complete offering of finishes and ordering details.

**MODEL NUMBER**

1922-A

Arm Caps	Powder Coat	Removable Covers	Fabric 1
A4	BWT	H7	Grade 5, Momentum, Row, Breeze

**INTERLUDE UPHOLSTERED BACK WITH OPEN ARMS MULTIPLE STANDARD FEATURES**

- Clean-Thru Design
- Upholstered Seat and Back
- European Beech Open Arm Frame with Arm Cap
- Wallsaver Design
- Legs made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness)
- Field Replaceable Components
- Non-Marring Adjustable Glides


**UPHOLSTERED BACK W/ OPEN ARMS BASE CHAIR**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
25	24.5	36.75		20.5	18	19		17.75	25.5	35	27

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-C	1.5	n/a	1,649	1,674	1,702	1,737	1,787	1,857	1,928	1,998	2,069	2,139	2,210	2,280	2,351	2,421	2,492	1,969	2,041	2,110


**UPHOLSTERED BACK W/ OPEN ARMS BASE LOVESEAT**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
46	24.5	36.75		41.5	18	19		17.75	25.5	63	40

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-2	2.75	n/a	2,211	2,256	2,308	2,373	2,463	2,592	2,722	2,851	2,980	3,110	3,239	3,368	3,498	3,627	3,756	2,775	2,906	3,034

**UPHOLSTERED BACK W/ OPEN ARMS BASE BARIATRIC**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
34.5	24.5	36.75		30	18	19		17.75	25.5	47	27

• Rated for 500 lbs.

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-OB	2	n/a	1,747	1,780	1,818	1,865	1,930	2,024	2,118	2,213	2,307	2,401	2,495	2,589	2,683	2,777	2,871	2,165	2,260	2,353

**OPTIONS**

Arm Caps	Finish	Powder Coat	Removable Covers	Fabric 1
Standard	Selection Required	Selection Required	Standard	Selection Required
A3 Wood (specify finish)			X9 No Selection of Option	
A4 Poly (black) \$231 pair	See page 9 for full list of finish options	BWT Bone White BUFF Buff CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey H1P Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze H1F Warm Grey	H7 Removable Seat and Back Covers \$196 B1L Removable Seat Cover only \$98 B1M Removable Back Cover only \$98	Fabric: Grade, Vendor, Pattern, Color  NOTE: For multiple fabric applications see page 14 for information and pricing

**HOW TO ORDER**

SPECIFY: Arm caps | wood finish | powder coat | removable covers | textile pattern and color. See pages 5-14 for information and options on moisture barrier, CAL133, upholstery applications, a complete offering of finishes and ordering details.

**MODEL NUMBER**

1922OA-C

Arm Caps	Finish	Powder Coat	Removable Covers	Fabric 1
A4	MLC	BWT	H7	Grade 5, Momentum, Row, Breeze

**INTERLUDE UPHOLSTERED BACK WITH OPEN ARMS MULTIPLE STANDARD FEATURES**

- Clean-Thru Design
- Upholstered Seat and Back
- European Beech Open Arm Frame with Arm Cap
- Wallsaver Design
- Legs made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness)
- Field Replaceable Components
- Non-Marring Adjustable Glides


**UPHOLSTERED BACK W/ OPEN ARMS ADD ON CHAIR**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
23	24.5	36.75		20.5	18	19	17.75	25.5	35	27	

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-A	1.5	n/a	1,327	1,352	1,380	1,415	1,465	1,535	1,606	1,676	1,747	1,817	1,888	1,958	2,029	2,099	2,170	1,647	1,719	1,788

**UPHOLSTERED BACK W/ OPEN ARMS ADD ON LOVESEAT**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
44	24.5	36.75		41.5	18	19	17.75	25.5	58	40	

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-2A	2.75	n/a	1,915	1,960	2,012	2,077	2,167	2,296	2,426	2,555	2,684	2,814	2,943	3,072	3,202	3,331	3,460	2,479	2,610	2,738

**UPHOLSTERED BACK W/ OPEN ARMS ADD ON BARIATRIC**



w	outside			sw	seat			seat to top of back	arm height	weight lbs.	cubic feet
	d	h			sd	sh					
32.5	24.5	36.75		30	18	19	17.75	25.5	42	27	

• Rated for 500 lbs.

model	yds com (54")	sq ft col	com 1	col 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1922OA-OBA	2	n/a	1,446	1,479	1,517	1,564	1,629	1,723	1,817	1,912	2,006	2,100	2,194	2,288	2,382	2,476	2,570	1,864	1,959	2,052

**OPTIONS**

Arm Caps	Finish	Powder Coat	Removable Covers	Fabric 1
Standard A3 Wood (specify finish)	Selection Required	Selection Required	Standard X9 No Selection of Option	Selection Required
A4 Poly (black) \$115 per arm cap	See page 9 for full list of finish options	<b>BWT</b> Bone White <b>BUFF</b> Buff <b>CHLK</b> Chalk <b>SGLD</b> Gold <b>GRPH</b> Graphite <b>MSL</b> Luster Grey <b>H1P</b> Oiled Bronze <b>BKO</b> Onyx <b>POLR</b> Polar <b>SBRZ</b> Soft Bronze <b>H1F</b> Warm Grey	<b>H7</b> Removable Seat and Back Covers \$196 <b>B1L</b> Removable Seat Cover only \$98 <b>B1M</b> Removable Back Cover only \$98	<b>Fabric:</b> Grade, Vendor, Pattern, Color  NOTE: For multiple fabric applications see page 14 for information and pricing

**HOW TO ORDER**

SPECIFY: Arm caps | wood finish | powder coat | removable covers | textile pattern and color. See pages 5-14 for information and options on moisture barrier, CAL133, upholstery applications, a complete offering of finishes and ordering details.

**MODEL NUMBER**

1922OA-A

Arm Caps	Finish	Powder Coat	Removable Covers	Fabric 1
A4	MLC	BWT	H7	Grade 5, Momentum, Row, Breeze

**INTERLUDE GANGING TABLE STANDARD FEATURES**

- Top Options - European Beech Veneer, HPL or TFL with Stain Matched MDF Filled Edge or Solid Surface
- Visible Powder Coated Support Bar under Table Surface
- Legs made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness) on 1921-E
- Wallsaver Design on 1921-E
- Non-Marring Adjustable Glides on 1921-E

**MIDDLE TABLE**



model		w	d	h	wt	cu ft	list
1921-M	VENEER/LAMINATE	21	21	17	30	15	\$ 583
	SOLID SURFACE						\$ 1,791

**END TABLE**



model		w	d	h	wt	cu ft	list
1921-E	VENEER/LAMINATE	21	21	17	50	15	\$ 639
	SOLID SURFACE						\$ 1,848

**CORNER 45° HANG TABLE**



model		w	d	h	wt	cu ft	list
1921-45	VENEER/LAMINATE	21.75	21.75	17	50	15	\$ 710
	SOLID SURFACE						\$ 1,813

**CORNER 90° HANG TABLE**



model		w	d	h	wt	cu ft	list
1921-90	VENEER/LAMINATE	28.75	28.75	17	50	15	\$ 1,105
	SOLID SURFACE						\$ 3,468

**OPTIONS**

Powder Coat	Top
<b>Selection Required</b>	<b>Selection Required</b>
<b>BWT</b> Bone White <b>BUFF</b> Buff <b>CHLK</b> Chalk <b>SGLD</b> Gold <b>GRPH</b> Graphite <b>MSL</b> Luster Grey <b>HIP</b> Oiled Bronze <b>BKO</b> Onyx <b>POLR</b> Polar <b>SBRZ</b> Soft Bronze <b>HIF</b> Warm Grey	<b>Veneer</b> (Lumberband Edge) <b>HPL</b> (Stain Matched MDF Filled Edge) <b>TFL</b> (Stain Matched MDF Filled Edge) Solid Surface  See pages 9-10 for full list of finish, HPL, TFL and Solid Surface options

**HOW TO ORDER**

SPECIFY: Base - Powder coat | Top - Veneer finish, HPL, TFL or solid surface. See pages 5-14 for a complete offering of finishes and ordering details.

**MODEL NUMBER**

1921-M

Powder Coat	Top
BWT	NWP