



Upholstered Back with Upholstered Arm Panels, Base Chair 1922-C

Overall Dimensions	25" w x 24.5" d x 36.75" h	COM 54"	2.25 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	35 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Upholstered Arm Panels, Base Loveseat 1922-2

Overall Dimensions	25" w x 24.5" d x 36.75" h	COM 54"	3.25 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	35 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		



Upholstered Back with Upholstered Arm Panels, Base Bariatric 1922-OB

Overall Dimensions	32.5" w x 24.5" d x 36.75" h	COM 54"	2.75 yds.
Seat Dimensions	30" w x 18" d x 19" h	Shipping Weight	47 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Upholstered Arm Panels, Add On Chair 1922-A

Overall Dimensions	23" w x 24.5" d x 36.75" h	COM 54"	2 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	30 lbs.
Seat to Top of Back	17.75"	Cubic Feet	26/27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		



Upholstered Back with Upholstered Arm Panels, Add On Loveseat 1922-2A

Overall Dimensions	44" w x 24.5" d x 36.75" h	COM 54"	2.75 yds.
Seat Dimensions	41.5" w x 18" d x 19" h	Shipping Weight	58 lbs.
Seat to Top of Back	17.75"	Cubic Feet	40
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		



Upholstered Back with Upholstered Arm Panels, Add On Bariatric 1922-OBA

Overall Dimensions	32.5" w x 24.5" d x 36.75" h	COM 54"	2.75 yds.
Seat Dimensions	30" w x 18" d x 19" h	Shipping Weight	42 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Open Arms, Base Chair 1922OA-C

Overall Dimensions	25" w x 24.5" d x 36.75" h	COM 54"	1.5 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	35 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Open Arms, Base Loveseat 1922OA-2

Overall Dimensions	25" w x 24.5" d x 36.75" h	COM 54"	2.75 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	35 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		



Upholstered Back with Open Arms, Base Bariatric 1922OA-OB

Overall Dimensions	32.5" w x 24.5" d x 36.75" h	COM 54"	2 yds.
Seat Dimensions	30" w x 18" d x 19" h	Shipping Weight	47 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Open Arms, Add On Chair 1922OA-A

Overall Dimensions	23" w x 24.5" d x 36.75" h	COM 54"	2 yds.
Seat Dimensions	20.5" w x 18" d x 19" h	Shipping Weight	30 lbs.
Seat to Top of Back	17.75"	Cubic Feet	26/27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		



Upholstered Back with Open Arms, Add On Loveseat 1922OA-2A

Overall Dimensions	46" w x 24.5" d x 36.75" h	COM 54"	2 yds.
Seat Dimensions	41.5" w x 18" d x 19" h	Shipping Weight	63 lbs.
Seat to Top of Back	17.75"	Cubic Feet	40
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Upholstered Back with Open Arms, Add On Bariatric 1922OA-OBA

Overall Dimensions	32.5" w x 24.5" d x 36.75" h	COM 54"	2 yds.
Seat Dimensions	30" w x 18" d x 19" h	Shipping Weight	42 lbs.
Seat to Top of Back	17.75"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Wood	European Beech
Exposed Metal	Powder Coat		




Standard Features	Options Available
<ul style="list-style-type: none"> Clean-Thru Design Upholstered Seat and Back Upholstered Arm Panel with European Beech Arm Cap Wall-Saver Design Legs Made of 1 x 2 16 Gauge Tubing (.06" Wall Thickness) Field Replaceable Components Non-Marring Adjustable Glides 	<ul style="list-style-type: none"> Poly Arm Caps Removable Covers


Ganging Middle Table 1921-M / 1922-M

Overall Dimensions	21" w x 21" d x 17" h	Cubic Feet	15	
Shipping Weight	30 lbs.	Exposed Wood	European Beech	
Exposed Metal	Powder Coat			


Ganging End Table 1921-E / 1922-E

Overall Dimensions	21" w x 21" d x 17" h	Cubic Feet	15	
Shipping Weight	50 lbs.	Exposed Wood	European Beech	
Exposed Metal	Powder Coat			

Corner 45° Hang Table 1921-45 / 1922-45

Overall Dimensions	21.75" w x 21.75" d x 17" h	Cubic Feet	15	
Shipping Weight	50 lbs.			

Corner 90° Hang Table 1921-90 / 1922-90

Overall Dimensions	28.75" w x 28.75" d x 17" h	Cubic Feet	15	
Shipping Weight	50 lbs.			

Standard Features

- Top options - Beech Veneer, HPL or TFL with Stain Matched MDF Filled Edge or Solid Surface
- Visible powder coated support bar under table surface
- 1 x 2 16 gauge metal legs available in standard powder coats
- Wall-saver leg (1921-E)
- Non-marring adjustable glide (1921-E)

Standard Textile & Finish Selection

<http://carolina.ofs.com/design-resources/textiles>
<http://carolina.ofs.com/design-resources/finishes>

Frame Construction

- Seat • ¾" plywood frame panel with contour cut foam applied
- Back • Upholstered Back: Sewn cover and foam applied over steel back frame consisting of 5/8" diameter hollow steel tube rod for the side posts and 1/4" thick bent steel top and bottom frame rails
- Arms • Open arm: Mitered European Beech hardwoods
 • Closed arm: ½" plywood arm assembly covered with foam and fabric
- Legs • 1" x 2" 16 gauge tubing (.06" wall thickness)
- Upholstery • All fabric and leather pieces are cut with automated cutters that utilize precise patterns
- Assembly • Back: Metal frame connected to base using (4) 5/16-18 steel bolts
 • Arms: Connected using ¼ - 20 flat head connector bolts
 • Legs: Connected to seat frame using (8) ¼ - 20 connector bolts

Foam

- Seat • 2" premium grade foam
 • CAL TB 117 Certified Fire Retardant
 • 45 lb. compression
 • 1.8 density
- Back • 2" premium grade foam
 • CAL TB 117 Certified Fire Retardant

Suspension

- Seat • ECOS clips
 - No sag high loop springs
 - Helicals
 - SYSTEX III sheet webbing
 - 100% Polyester with a tensile strength of 200 lbs. per inch
 - 100% Polypropylene
 - Latex coating in Paranol Acrylic 763
 - Applied with 5/16 stainless steel staples
- Back • Lexus webbing
 - Polypropylene/latex/rubber
 - Latex webbing encapsulated by Polypropylene yarn
 - 2430 Propex applied to backs
 - 100% Polypropylene
 - Latex coating in Paranol Acrylic 763
 - Applied with 5/16 stainless steel staples
- Arm • 2430 Propex applied to backs
 - 100% Polypropylene
 - Latex coating in Paranol Acrylic 763
 - Applied with 5/16 stainless steel staples