


Base Chair, Open Arm 1600-C

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	1.5 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Add on Chair, Open Arm 1600-A

Overall Dimensions	22.25"w x 26"d x 34.5"h	COM 54"	1.5 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Loveseat, Open Arm 1600-2

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Shipping Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Loveseat Add On, Open Arm 1600-2A

Overall Dimensions	43.75"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	41"w x 22.25"d x 19"h	Shipping Weight	64 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Bariatric Base Chair, Open Arm 1600-OB

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Add on Bariatric Chair, Open Arm 1600-OBA

Overall Dimensions	31.25"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	51 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Chair/Chair, Open Arm 1600T-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	42.25"w x 22.25"d x 19"h	Shipping Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Chair/Chair/Chair, Open Arm 1600T-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Loveseat/Chair, Open Arm 1600T-LC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Tandem Chair/Loveseat, Open Arm 1600T-CL

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Tandem Chair/Table/Chair, Open Arm 1600T-CMC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	82 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Standard Features	Options Available
<ul style="list-style-type: none"> • 500 lbs. weight rating (1600-OB) • European Beech or American Ash frame • Spring seat construction • Wall-saver design • Wood arm cap • Clean-Thru design • Upholstered seat and back • Non-marring adjustable glides • Field Replaceable Components • SCS Indoor Advantage Gold Certified • Limited lifetime warranty 	<ul style="list-style-type: none"> • Poly arm caps (black, grey or taupe) • Solid surface arm caps (cameo white, modern white, concrete, or deep milk) • Removable covers • Moisture barrier • Multiple textile application • CAL TB 133 Certified

Standard Textile & Finish Selection

<http://carolina.ofs.com/design-resources/textiles>
<http://carolina.ofs.com/design-resources/finishes>

Frame Construction

Seat	<ul style="list-style-type: none"> • Made of WHAD kiln dried maple • Plywood seat EZ frame
Back	<ul style="list-style-type: none"> • All components WHAD kiln dried maple
Upholstery	<ul style="list-style-type: none"> • All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Arms	<ul style="list-style-type: none"> • Kiln dried European Beech or American Ash
Assembly	<ul style="list-style-type: none"> • Joints are assembled using glue, Mortise-and-Tenons, corner blocks, glue and #8/#10 screws


Foam

Seat	<ul style="list-style-type: none"> • 2.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 45 lb. compression • 2.5 density
Back	<ul style="list-style-type: none"> • 1.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 55 lb. compression • 2.5 density


Suspension

Back	<ul style="list-style-type: none"> • 2430 Propex <ul style="list-style-type: none"> • 100% Polypropylene • "D" arc springs and spring clips • Applied with 5/16" stainless steel staples
------	---


Ganging Middle Table 1600-M

Overall Dimensions	20.25" w x 21" d x 2.5" h	Cubic Feet	15	
Shipping Weight	12 lbs.	Exposed Wood	European Beech or American Ash	

Ganging Corner 90° Table 1600-90

Overall Dimensions	35.75" w x 22.5" d x .75" h	Cubic Feet	15	
Shipping Weight	18 lbs.	Exposed Wood	European Beech or American Ash	


Ganging End Table 1600-E

Overall Dimensions	12" w x 18" d x 16.5" h	Cubic Feet	10	
Shipping Weight	15 lbs.	Exposed Wood	European Beech or American Ash	

Standard Features	Options Available
<ul style="list-style-type: none"> • European Beech or American Ash exposed wood • Top options - veneer, HPL, TFL, 3D laminate or solid surface • Non-marring adjustable glide (1600-E) • Field replaceable components • SCS Indoor Advantage Gold Certified • Limited lifetime warranty 	<ul style="list-style-type: none"> • 3D or solid surface spill groove top

Base Chair, Panel Arm 1610-C

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	2.25 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	42 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Add on Chair, Panel Arm 1610-A

Overall Dimensions	22.25"w x 26"d x 34.5"h	COM 54"	2.25 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Loveseat, Panel Arm 1610-2

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3.25 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Shipping Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Loveseat Add On, Panel Arm 1610-2A

Overall Dimensions	43.75"w x 26"d x 34.5"h	COM 54"	3.25 yds.
Seat Dimensions	41"w x 22.25"d x 19"h	Shipping Weight	68 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Bariatric Base Chair, Panel Arm 1610-OB

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2.75 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	59 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Add on Bariatric Chair, Panel Arm 1610-OBA

Overall Dimensions	31.25"w x 26"d x 34.5"h	COM 54"	2.75 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Chair/Chair, Panel Arm 1610T-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	5.25 yds.
Seat Dimensions	42.25"w x 22.25"d x 19"h	Shipping Weight	75 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Chair/Chair/Chair, Panel Arm 1610T-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	7.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	98 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Loveseat/Chair, Panel Arm 1610T-LC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	7.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	98 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash




Tandem Chair/Loveseat, Panel Arm 1610T-CL

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	7.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	98 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Tandem Chair/Table/Chair, Panel Arm 1610T-CMC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	5.25 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	86 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"	Exposed Wood	European Beech or American Ash



Standard Features	Options Available
<ul style="list-style-type: none"> • 500 lbs. weight rating (1610-OB) • European Beech or American Ash frame • Spring seat construction • Wall-saver design • Wood arm cap • Clean-Thru design • Upholstered seat and back • Non-marring adjustable glides • Field Replaceable Components • SCS Indoor Advantage Gold Certified • Limited lifetime warranty 	<ul style="list-style-type: none"> • Poly arm caps (black, grey or taupe) • Solid surface arm caps (cameo white, modern white, concrete, or deep mink) • Removable covers • Moisture barrier • Multiple textile application • CAL TB 133 Certified

Standard Textile & Finish Selection

<http://carolina.ofs.com/design-resources/textiles>
<http://carolina.ofs.com/design-resources/finishes>

Frame Construction

Seat	<ul style="list-style-type: none"> • Made of WHAD kiln dried maple • Plywood seat EZ frame
Back	<ul style="list-style-type: none"> • All components WHAD kiln dried maple
Upholstery	<ul style="list-style-type: none"> • All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Arms	<ul style="list-style-type: none"> • Kiln dried European Beech or American Ash
Assembly	<ul style="list-style-type: none"> • Joints are assembled using glue, Mortise-and-Tenons, corner blocks, glue and #8/#10 screws


Foam

Seat	<ul style="list-style-type: none"> • 2.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 45 lb. compression • 2.5 density
Back	<ul style="list-style-type: none"> • 1.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 55 lb. compression • 2.5 density


Suspension

Back	<ul style="list-style-type: none"> • 2430 Propex <ul style="list-style-type: none"> • 100% Polypropylene • "D" arc springs and spring clips • Applied with 5/16" stainless steel staples
------	---


Ganging Middle Table 1610-M

Overall Dimensions	20.25" w x 21" d x 2.5" h	Cubic Feet	15	
Shipping Weight	12 lbs.	Exposed Wood	European Beech or American Ash	

Ganging Corner 90° Table 1610-90

Overall Dimensions	35.75" w x 22.5" d x .75" h	Cubic Feet	15	
Shipping Weight	18 lbs.	Exposed Wood	European Beech or American Ash	

Ganging End Table 1610-E

Overall Dimensions	12" w x 18" d x 16.5" h	Cubic Feet	10	
Shipping Weight	15 lbs.	Exposed Wood	European Beech or American Ash	

Standard Features	Options Available
<ul style="list-style-type: none"> • European Beech or American Ash exposed wood • Top options - veneer, HPL, TFL, 3D laminate or solid surface • Non-marring adjustable glide (1610-E) • Field replaceable components • SCS Indoor Advantage Gold Certified • Limited lifetime warranty 	<ul style="list-style-type: none"> • 3D or solid surface spill groove top