


Base chair, open arm 1600-C

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	1.5 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"		




Base loveseat, open arm 1600-2

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Shipping Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"		




Base bariatric chair, open arm 1600-OB

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"		




Chair/chair, open arm 1600-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	2.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		




Chair/chair/chair, open arm 1600-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Chair/chair/chair/chair, open arm 1600-CCCC

Overall Dimensions	88.5"w x 26"d x 34.5"h	COM 54"	5.25 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	128 lbs.
Seat to Top of Back	15"	Cubic Feet	64
Top of Arm to Floor	26.75"		




Chair/bariatric, open arm 1600-COB

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	20.25/29.25"w x 22.25"d x 19"h	Shipping Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		



Bariatric/chair, open arm 1600-OBC


Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	29.25/20.25"w x 22.25"d x 19"h	Shipping Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers


Bariatric/chair/chair, open arm 1600-OBCC

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	29.25/20.25/20.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		




Chair/chair/bariatric, open arm 1600-CCOB

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	20.25/20.25/29.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		



Chair/bariatric/chair, open arm 1600-COBC

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	20.25/29.25/20.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		




Loveseat/chair, open arm 1600-2C

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	41.75/20.25"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Chair/loveseat, open arm 1600-C2

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	20.25/41.75"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		



Chair/table/chair, open arm 1600-CTC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers Top options - veneer, HPL, 3DL, or solid surface (1600-CTC only) Spill groove available on 3DL and solid surface top (1600-CTC only)


Tandem chair/chair, open arm 1600T-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3 yds.	
Seat Dimensions	42.25"w x 22.25"d x 19"h	Shipping Weight	71 lbs.	
Seat to Top of Back	15"	Cubic Feet	33	
Top of Arm to Floor	26.75"			

Tandem chair/chair/chair, open arm 1600T-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.	
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.	
Seat to Top of Back	15"	Cubic Feet	48	
Top of Arm to Floor	26.75"			

Tandem loveseat/chair, open arm 1600T-2C

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.	
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.	
Seat to Top of Back	15"	Cubic Feet	48	
Top of Arm to Floor	26.75"			

Tandem chair/loveseat, open arm 1600T-C2

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.	
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.	
Seat to Top of Back	15"	Cubic Feet	48	
Top of Arm to Floor	26.75"			

Tandem chair/table/chair, open arm 1600T-CTC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3 yds.	
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	82 lbs.	
Seat to Top of Back	15"	Cubic Feet	48	
Top of Arm to Floor	26.75"			

Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers Top options - veneer, HPL, 3DL, or solid surface (1600T-CTC only) Spill groove available on 3DL and solid surface top (1600T-CTC only)

Base chair, panel arm 1610-C

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Shipping Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	18
Top of Arm to Floor	26.75"		




Base oveseat, panel arm 1610-2

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Shipping Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		



Base bariatric chair, panel arm 1610-OB

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Shipping Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	28
Top of Arm to Floor	26.75"		




Chair/chair, panel arm 1610-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		




Chair/chair/chair, panel arm 1610-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Chair/chair/chair/chair, panel arm 1610-CCCC

Overall Dimensions	88.5"w x 26"d x 34.5"h	COM 54"	6.25 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	128 lbs.
Seat to Top of Back	15"	Cubic Feet	64
Top of Arm to Floor	26.75"		




Chair/bariatric, panel arm 1610-COB

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25/29.25"w x 22.25"d x 19"h	Shipping Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		



Bariatric/chair, panel arm 1610-OB


Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	29.25/20.25"w x 22.25"d x 19"h	Shipping Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers


Bariatric/chair/chair, panel arm 1610-OBCC

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	29.25/20.25/20.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		




Chair/chair/bariatric, panel arm 1610-CCOB

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25/20.25/29.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		




Chair/bariatric/chair, panel arm 1610-COBC

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25/29.25/20.25"w x 22.25"d x 19"h	Shipping Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		




Loveseat/chair, panel arm 1610-2C

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	41.75/20.25"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Chair/loveseat, panel arm 1610-C2

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	20.25/41.75"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		



Chair/table/chair, panel arm 1610-CTC


Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Shipping Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers Top options - veneer, HPL, 3DL, or solid surface (1610-CTC only) Spill groove available on 3DL and solid surface top (1610-CTC only)


Tandem chair/chair, panel arm 1610T-CC

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	42.25"w x 22.25"d x 19"h	Shipping Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"		




Tandem chair/chair/chair, panel arm 1610T-CCC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Tandem loveseat/chair, panel arm 1610T-2C

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Tandem chair/loveseat, panel arm 1610T-C2

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Tandem chair/table/chair, panel arm 1610T-CTC

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Shipping Weight	82 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		




Standard Features	Options Available
<ul style="list-style-type: none"> Upholstered seat and back Spring seat construction Clean-thru design Wall-saver design European Beech or American Ash Wood arm cap is standard Non-marring adjustable glides Field replaceable components Single and multiple textile application models available 	<ul style="list-style-type: none"> Left or right facing ganging Wood arm caps - standard Poly arm caps Solid surface arm caps Removable covers Top options - veneer, HPL, 3DL, or solid surface (1610T-CTC only) Spill groove available on 3DL and solid surface top (1610T-CTC only)


Ganging End Table 1600-E

Overall Dimensions	12"w x 18"d x 16"h	Cubic Feet	5	
Shipping Weight	15 lbs.			

Ganging Middle Table 1600-M

Overall Dimensions	20.25"w x 21"d x 16"h	Cubic Feet	3	
Shipping Weight	12 lbs.			

Ganging Corner 90° Table 1600-90

Overall Dimensions	25.5"w x 25.5"d x 16"h	Cubic Feet	4	
Shipping Weight	18 lbs.			

Standard Features	Options Available
<ul style="list-style-type: none">• European Beech or American Ash• Non-marring adjustable glides (1600-E only)• Field replaceable components	<ul style="list-style-type: none">• Left or right facing ganging• Top options - veneer, HPL, 3DL, or solid surface• Spill groove available on 3DL and solid surface top

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|------------|--|
| Seat | <ul style="list-style-type: none"> • Made of WHAD kiln dried maple • Plywood seat EZ frame |
| Back | <ul style="list-style-type: none"> • All components WHAD kiln dried maple |
| Upholstery | <ul style="list-style-type: none"> • All fabric and leather pieces are cut with automated cutters that utilize precise patterns |
| Arms | <ul style="list-style-type: none"> • Kiln dried European Beech or American Ash |
| Assembly | <ul style="list-style-type: none"> • Joints are assembled using glue, Mortise-and-Tenons, corner blocks, glue and #8/#10 screws |

Foam

- | | |
|------|--|
| Seat | <ul style="list-style-type: none"> • 2.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 45 lb. compression • 2.5 density |
| Back | <ul style="list-style-type: none"> • 1.25" premium grade foam • CAL TB 117 Certified Fire Retardant • 55 lb. compression • 2.5 density |

Suspension

- | | |
|------|---|
| Back | <ul style="list-style-type: none"> • 2430 Propex <ul style="list-style-type: none"> • 100% Polypropylene • "D" arc springs and spring clips • Applied with 5/16" stainless steel staples |
|------|---|