



**Base chair, open arm** 1600-C / 1600-C-MT

<b>Overall Dimensions</b>	24" w x 26" d x 34.5" h	<b>COM 54"</b>	1.5 yds.
<b>Seat Dimensions</b>	20.75" w x 22.25" d x 19" h	<b>Weight</b>	38 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	19
<b>Top of Arm to Floor</b>	26.75"		



**Base loveseat, open arm** 1600-2 / 1600-2-MT

<b>Overall Dimensions</b>	45.5" w x 26" d x 34.5" h	<b>COM 54"</b>	2.5 yds.
<b>Seat Dimensions</b>	43.75" w x 26" d x 19" h	<b>Weight</b>	72 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	33
<b>Top of Arm to Floor</b>	26.75"		




**Base bariatric chair, open arm** 1600-OBB / 1600-OBB-MT

<b>Overall Dimensions</b>	33" w x 26" d x 34.5" h	<b>COM 54"</b>	2 yds.
<b>Seat Dimensions</b>	29.75" w x 22.25" d x 19" h	<b>Weight</b>	55 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	26
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair, open arm** 1600-CC / 1600-CC-MT

<b>Overall Dimensions</b>	45.5" w x 26" d x 34.5" h	<b>COM 54"</b>	2.75 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	71 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	39
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair/chair, open arm** 1600-CCC / 1600-CCC-MT

<b>Overall Dimensions</b>	67" w x 26" d x 34.5" h	<b>COM 54"</b>	4 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair/chair/chair, open arm** 1600-CCCC / 1600-CCCC-MT

<b>Overall Dimensions</b>	88.5" w x 26" d x 34.5" h	<b>COM 54"</b>	5.25 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	128 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	64
<b>Top of Arm to Floor</b>	26.75"		




**Chair/bariatric, open arm** 1600-COB / 1600-COB-MT

<b>Overall Dimensions</b>	54.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3 yds.
<b>Seat Dimensions</b>	20.25/29.25" w x 22.25" d x 19" h	<b>Weight</b>	93 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	44
<b>Top of Arm to Floor</b>	26.75"		



**Bariatric/chair, open arm** 1600-OBC / 1600-OBC-MT


<b>Overall Dimensions</b>	54.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3 yds.
<b>Seat Dimensions</b>	29.25/20.25" w x 22.25" d x 19" h	<b>Weight</b>	93 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	44
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>Upholstered seat and back</li> <li>Spring seat construction</li> <li>Clean-thru design</li> <li>Wall-saver design</li> <li>European Beech or American Ash</li> <li>Wood arm cap is standard</li> <li>Non-marring adjustable glides</li> <li>Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>Left or right facing ganging</li> <li>Wood arm caps - standard</li> <li>Poly arm caps</li> <li>Solid surface arm caps</li> <li>Removable covers</li> </ul>


**Bariatric/chair/chair, open arm** 1600-OBCC / 1600-OBCC-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.25 yds.
<b>Seat Dimensions</b>	29.25/20.25/20.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair/bariatric, open arm** 1600-CCOB / 1600-CCOB-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.25 yds.
<b>Seat Dimensions</b>	20.25/20.25/29.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61
<b>Top of Arm to Floor</b>	26.75"		




**Chair/bariatric/chair, open arm** 1600-COBC / 1600-COBC-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.25 yds.
<b>Seat Dimensions</b>	20.25/29.25/20.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61
<b>Top of Arm to Floor</b>	26.75"		




**Loveseat/chair, open arm** 1600-2C / 1600-2C-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3.75 yds.
<b>Seat Dimensions</b>	41.75/20.25"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		




**Chair/loveseat, open arm** 1600-C2 / 1600-C2-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3.75 yds.
<b>Seat Dimensions</b>	20.25/41.75"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



**Chair/table/chair, open arm** 1600-CTC / 1600-CTC-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3.75 yds.
<b>Seat Dimensions</b>	20.25"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered seat and back</li> <li>• Spring seat construction</li> <li>• Clean-thru design</li> <li>• Wall-saver design</li> <li>• European Beech or American Ash</li> <li>• Wood arm cap is standard</li> <li>• Non-marring adjustable glides</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Wood arm caps - standard</li> <li>• Poly arm caps</li> <li>• Solid surface arm caps</li> <li>• Removable covers</li> <li>• Top options - veneer, HPL, 3DL, or solid surface (1600-CTC only)</li> <li>• Spill groove available on 3DL and solid surface top (1600-CTC only)</li> </ul>


**Tandem chair/chair, open arm** 1600T-CC / 1600T-CC-MT

<b>Overall Dimensions</b>	45.5"w x 26"d x 34.5"h	<b>COM 54"</b>	3 yds.
<b>Seat Dimensions</b>	42.25"w x 22.25"d x 19"h	<b>Weight</b>	71 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	33
<b>Top of Arm to Floor</b>	26.75"		




**Tandem chair/chair/chair, open arm** 1600T-CCC / 1600T-CCC-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		




**Tandem loveseat/chair, open arm** 1600T-2C / 1600T-2C-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



**Tandem chair/loveseat, open arm** 1600T-C2 / 1600T-C2-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered seat and back</li> <li>• Spring seat construction</li> <li>• Clean-thru design</li> <li>• Wall-saver design</li> <li>• European Beech or American Ash</li> <li>• Wood arm cap is standard</li> <li>• Non-marring adjustable glides</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Wood arm caps - standard</li> <li>• Poly arm caps</li> <li>• Solid surface arm caps</li> <li>• Removable covers</li> </ul>

**Tandem chair/table/chair, open arm** 1600T-CTC / 1600T-CTC-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	82 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered seat and back</li> <li>• Spring seat construction</li> <li>• Clean-thru design</li> <li>• Wall-saver design</li> <li>• European Beech or American Ash</li> <li>• Wood arm cap is standard</li> <li>• Non-marring adjustable glides</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Wood arm caps - standard</li> <li>• Poly arm caps</li> <li>• Solid surface arm caps</li> <li>• Removable covers</li> <li>• Top options - veneer, HPL, 3DL, or solid surface</li> <li>• Spill groove available on 3DL and solid surface top</li> </ul>


**Base chair, panel arm** 1610-C / 1610-C-MT

<b>Overall Dimensions</b>	24" w x 26" d x 34.5" h	<b>COM 54"</b>	2 yds.
<b>Seat Dimensions</b>	20.75" w x 22.25" d x 19" h	<b>Weight</b>	38 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	18
<b>Top of Arm to Floor</b>	26.75"		



**Base oveseat, panel arm** 1610-2 / 1610-2-MT

<b>Overall Dimensions</b>	45.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3 yds.
<b>Seat Dimensions</b>	43.75" w x 26" d x 19" h	<b>Weight</b>	72 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	39
<b>Top of Arm to Floor</b>	26.75"		




**Base bariatric chair, panel arm** 1610-OBB / 1610-OBB-MT

<b>Overall Dimensions</b>	33" w x 26" d x 34.5" h	<b>COM 54"</b>	2.5 yds.
<b>Seat Dimensions</b>	29.75" w x 22.25" d x 19" h	<b>Weight</b>	55 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	28
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair, panel arm** 1610-CC / 1610-CC-MT

<b>Overall Dimensions</b>	45.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3.5 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	71 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	39
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair/chair, panel arm** 1610-CCC / 1610-CCC-MT

<b>Overall Dimensions</b>	67" w x 26" d x 34.5" h	<b>COM 54"</b>	4.75 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		




**Chair/chair/chair/chair, panel arm** 1610-CCCC / 1610-CCCC-MT

<b>Overall Dimensions</b>	88.5" w x 26" d x 34.5" h	<b>COM 54"</b>	6.25 yds.
<b>Seat Dimensions</b>	20.25" w x 22.25" d x 19" h	<b>Weight</b>	128 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	64
<b>Top of Arm to Floor</b>	26.75"		




**Chair/bariatric, panel arm** 1610-COB / 1610-COB-MT

<b>Overall Dimensions</b>	54.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3.5 yds.
<b>Seat Dimensions</b>	20.25/29.25" w x 22.25" d x 19" h	<b>Weight</b>	93 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	44
<b>Top of Arm to Floor</b>	26.75"		




**Bariatric/chair, panel arm** 1610-OBC / 1610-OBC-MT

<b>Overall Dimensions</b>	54.5" w x 26" d x 34.5" h	<b>COM 54"</b>	3.5 yds.
<b>Seat Dimensions</b>	29.25/20.25" w x 22.25" d x 19" h	<b>Weight</b>	93 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	44
<b>Top of Arm to Floor</b>	26.75"		




Standard Features	Options Available
<ul style="list-style-type: none"> <li>Upholstered seat and back</li> <li>Spring seat construction</li> <li>Clean-thru design</li> <li>Wall-saver design</li> <li>European Beech or American Ash</li> <li>Wood arm cap is standard</li> <li>Non-marring adjustable glides</li> <li>Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>Left or right facing ganging</li> <li>Wood arm caps - standard</li> <li>Poly arm caps</li> <li>Solid surface arm caps</li> <li>Removable covers</li> </ul>


**Bariatric/chair/chair, panel arm** 1610-OBCC / 1610-OBCC-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.75 yds.	
<b>Seat Dimensions</b>	29.25/20.25/20.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61	
<b>Top of Arm to Floor</b>	26.75"			


**Chair/chair/bariatric, panel arm** 1610-CCOB / 1610-CCOB-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.75 yds.	
<b>Seat Dimensions</b>	20.25/20.25/29.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61	
<b>Top of Arm to Floor</b>	26.75"			


**Chair/bariatric/chair, panel arm** 1610-COBC / 1610-COBC-MT

<b>Overall Dimensions</b>	76"w x 26"d x 34.5"h	<b>COM 54"</b>	4.75 yds.	
<b>Seat Dimensions</b>	20.25/29.25/20.25"w x 22.25"d x 19"h	<b>Weight</b>	131 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	61	
<b>Top of Arm to Floor</b>	26.75"			

**Loveseat/chair, panel arm** 1610-2C / 1610-2C-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.	
<b>Seat Dimensions</b>	41.75/20.25"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48	
<b>Top of Arm to Floor</b>	26.75"			

**Chair/loveseat, panel arm** 1610-C2 / 1610-C2-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.	
<b>Seat Dimensions</b>	20.25/41.75"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48	
<b>Top of Arm to Floor</b>	26.75"			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered seat and back</li> <li>• Spring seat construction</li> <li>• Clean-thru design</li> <li>• Wall-saver design</li> <li>• European Beech or American Ash</li> <li>• Wood arm cap is standard</li> <li>• Non-marring adjustable glides</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Wood arm caps - standard</li> <li>• Poly arm caps</li> <li>• Solid surface arm caps</li> <li>• Removable covers</li> </ul>


**Chair/table/chair, panel arm** 1610-CTC / 1610-CTC-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3.5 yds.	
<b>Seat Dimensions</b>	20.25"w x 22.25"d x 19"h	<b>Weight</b>	102 lbs.	
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48	
<b>Top of Arm to Floor</b>	26.75"			

Standard Features	Options Available
<ul style="list-style-type: none"> <li>• Upholstered seat and back</li> <li>• Spring seat construction</li> <li>• Clean-thru design</li> <li>• Wall-saver design</li> <li>• European Beech or American Ash</li> <li>• Wood arm cap is standard</li> <li>• Non-marring adjustable glides</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Wood arm caps - standard</li> <li>• Poly arm caps</li> <li>• Solid surface arm caps</li> <li>• Removable covers</li> <li>• Top options - veneer, HPL, 3DL, or solid surface</li> <li>• Spill groove available on 3DL and solid surface top</li> </ul>


**Tandem chair/chair, panel arm** 1610T-CC / 1610T-CC-MT

<b>Overall Dimensions</b>	45.5"w x 26"d x 34.5"h	<b>COM 54"</b>	3.5 yds.
<b>Seat Dimensions</b>	42.25"w x 22.25"d x 19"h	<b>Weight</b>	71 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	33
<b>Top of Arm to Floor</b>	26.75"		




**Tandem chair/chair/chair, panel arm** 1610T-CCC / 1610T-CCC-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.75 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		




**Tandem loveseat/chair, panel arm** 1610T-2C / 1610T-2C-MT

<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



**Tandem chair/loveseat, panel arm** 1610T-C2 / 1610T-C2-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	4.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	94 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>Upholstered seat and back</li> <li>Spring seat construction</li> <li>Clean-thru design</li> <li>Wall-saver design</li> <li>European Beech or American Ash</li> <li>Wood arm cap is standard</li> <li>Non-marring adjustable glides</li> <li>Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>Left or right facing ganging</li> <li>Wood arm caps - standard</li> <li>Poly arm caps</li> <li>Solid surface arm caps</li> <li>Removable covers</li> </ul>

**Tandem chair/table/chair, panel arm** 1610T-CTC / 1610T-CTC-MT


<b>Overall Dimensions</b>	67"w x 26"d x 34.5"h	<b>COM 54"</b>	3.5 yds.
<b>Seat Dimensions</b>	63.75"w x 22.25"d x 19"h	<b>Weight</b>	82 lbs.
<b>Seat to Top of Back</b>	15"	<b>Cubic Feet</b>	48
<b>Top of Arm to Floor</b>	26.75"		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>Upholstered seat and back</li> <li>Spring seat construction</li> <li>Clean-thru design</li> <li>Wall-saver design</li> <li>European Beech or American Ash</li> <li>Wood arm cap is standard</li> <li>Non-marring adjustable glides</li> <li>Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>Left or right facing ganging</li> <li>Wood arm caps - standard</li> <li>Poly arm caps</li> <li>Solid surface arm caps</li> <li>Removable covers</li> <li>Top options - veneer, HPL, 3DL, or solid surface</li> <li>Spill groove available on 3DL and solid surface top</li> </ul>


**Ganging End Table 1600-E**

<b>Overall Dimensions</b>	12"w x 18"d x 16"h	<b>Cubic Feet</b>	5
<b>Weight</b>	15 lbs.		



**Ganging Middle Table 1600-M**

<b>Overall Dimensions</b>	20.25"w x 21"d x 16"h	<b>Cubic Feet</b>	3
<b>Weight</b>	12 lbs.		



**Ganging Corner 90° Table 1600-90**

<b>Overall Dimensions</b>	25.5"w x 25.5"d x 16"h	<b>Cubic Feet</b>	4
<b>Weight</b>	18 lbs.		



Standard Features	Options Available
<ul style="list-style-type: none"> <li>• European Beech or American Ash</li> <li>• Non-marring adjustable glides (1600-E only)</li> <li>• Field replaceable components</li> </ul>	<ul style="list-style-type: none"> <li>• Left or right facing ganging</li> <li>• Top options - veneer, HPL, 3DL, or solid surface</li> <li>• Spill groove available on 3DL and solid surface top</li> </ul>

## Standard Textile & Finish Selection

---

<http://carolina.ofs.com/resources/textiles>  
<http://carolina.ofs.com/resources/finishes>

## Frame Construction

---

- Seat
  - Made of WHAD kiln dried maple
  - Plywood seat EZ frame
- Back
  - All components WHAD kiln dried maple
- Upholstery
  - All fabric and leather pieces are cut with automated cutters that utilize precise patterns
- Arms
  - Kiln dried European Beech or American Ash
- Assembly
  - Joints are assembled using glue, Mortise-and-Tenons, corner blocks, glue and #8/#10 screws

## Foam

---

- Seat
  - 2.25" premium grade foam
  - CAL TB 117 Certified Fire Retardant
  - 45 lb. compression
  - 2.5 density
- Back
  - 1.25" premium grade foam
  - CAL TB 117 Certified Fire Retardant
  - 55 lb. compression
  - 2.5 density

## Suspension

---

- Back
  - 2430 Propex
    - 100% Polypropylene
    - "D" arc springs and spring clips
    - Applied with <sup>5</sup>/<sub>16</sub>" stainless steel staples