

Base chair, open arm 1600-C / 1600-C-MT

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	1.5 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	19
Top of Arm to Floor	26.75"		

Base loveseat, open arm 1600-2 / 1600-2-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"		

Base bariatric chair, open arm 1600-OBB / 1600-OBB-MT

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	26
Top of Arm to Floor	26.75"		

Chair/chair, open arm 1600-CC / 1600-CC-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	2.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		

Chair/chair/chair, open arm 1600-CCC / 1600-CCC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Chair/chair/chair/chair, open arm 1600-CCCC / 1600-CCCC-MT

Overall Dimensions	88.5"w x 26"d x 34.5"h	COM 54"	5.25 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	128 lbs.
Seat to Top of Back	15"	Cubic Feet	64
Top of Arm to Floor	26.75"		

Chair/bariatric, open arm 1600-COB / 1600-COB-MT

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	20.25/29.25"w x 22.25"d x 19"h	Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		

Bariatric/chair, open arm 1600-OBC / 1600-OBC-MT

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	29.25/20.25"w x 22.25"d x 19"h	Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		

Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers

Bariatric/chair/chair, open arm 1600-OBCC / 1600-OBCC-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	29.25/20.25/20.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Chair/chair/bariatric, open arm 1600-CCOB / 1600-CCOB-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	20.25/20.25/29.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Chair/bariatric/chair, open arm 1600-COBC / 1600-COBC-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.25 yds.
Seat Dimensions	20.25/29.25/20.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Loveseat/chair, open arm 1600-2C / 1600-2C-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	41.75/20.25"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Chair/loveseat, open arm 1600-C2 / 1600-C2-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	20.25/41.75"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Chair/table/chair, open arm 1600-CTC / 1600-CTC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers • Top options - veneer, HPL, 3DL, or solid surface (1600-CTC only) • Spill groove available on 3DL and solid surface top (1600-CTC only)

Tandem chair/chair, open arm 1600T-CC / 1600T-CC-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	42.25"w x 22.25"d x 19"h	Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"		

Tandem chair/chair/chair, open arm 1600T-CCC / 1600T-CCC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Tandem loveseat/chair, open arm 1600T-2C / 1600T-2C-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Tandem chair/loveseat, open arm 1600T-C2 / 1600T-C2-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers

Tandem chair/table/chair, open arm 1600T-CTC / 1600T-CTC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	82 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers • Top options - veneer, HPL, 3DL, or solid surface • Spill groove available on 3DL and solid surface top

Base chair, panel arm 1610-C / 1610-C-MT

Overall Dimensions	24"w x 26"d x 34.5"h	COM 54"	2 yds.
Seat Dimensions	20.75"w x 22.25"d x 19"h	Weight	38 lbs.
Seat to Top of Back	15"	Cubic Feet	18
Top of Arm to Floor	26.75"		

Base oveseat, panel arm 1610-2 / 1610-2-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3 yds.
Seat Dimensions	43.75"w x 26"d x 19"h	Weight	72 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		

Base bariatric chair, panel arm 1610-OBG / 1610-OBG-MT

Overall Dimensions	33"w x 26"d x 34.5"h	COM 54"	2.5 yds.
Seat Dimensions	29.75"w x 22.25"d x 19"h	Weight	55 lbs.
Seat to Top of Back	15"	Cubic Feet	28
Top of Arm to Floor	26.75"		

Chair/chair, panel arm 1610-CC / 1610-CC-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	39
Top of Arm to Floor	26.75"		

Chair/chair/chair, panel arm 1610-CCC / 1610-CCC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Chair/chair/chair/chair, panel arm 1610-CCCC / 1610-CCCC-MT

Overall Dimensions	88.5"w x 26"d x 34.5"h	COM 54"	6.25 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	128 lbs.
Seat to Top of Back	15"	Cubic Feet	64
Top of Arm to Floor	26.75"		

Chair/bariatric, panel arm 1610-COB / 1610-COB-MT

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25/29.25"w x 22.25"d x 19"h	Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		

Bariatric/chair, panel arm 1610-OBG / 1610-OBG-MT

Overall Dimensions	54.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	29.25/20.25"w x 22.25"d x 19"h	Weight	93 lbs.
Seat to Top of Back	15"	Cubic Feet	44
Top of Arm to Floor	26.75"		

Standard Features	Options Available
- Upholstered seat and back - Spring seat construction - Clean-thru design - Wall-saver design - European beech - Wood arm cap is standard - Non-marring adjustable glides - Field replaceable components	- Left or right facing ganging - Wood arm caps - standard - Poly arm caps - Solid surface arm caps - Removable covers

Bariatric/chair/chair, panel arm 1610-OBCC / 1610-OBCC-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	29.25/20.25/20.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Chair/chair/bariatric, panel arm 1610-CCOB / 1610-CCOB-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25/20.25/29.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Chair/bariatric/chair, panel arm 1610-COBC / 1610-COBC-MT

Overall Dimensions	76"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	20.25/29.25/20.25"w x 22.25"d x 19"h	Weight	131 lbs.
Seat to Top of Back	15"	Cubic Feet	61
Top of Arm to Floor	26.75"		

Loveseat/chair, panel arm 1610-2C / 1610-2C-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	41.75/20.25"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Chair/loveseat, panel arm 1610-C2 / 1610-C2-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	20.25/41.75"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
- Upholstered seat and back - Spring seat construction - Clean-thru design - Wall-saver design - European beech - Wood arm cap is standard - Non-marring adjustable glides - Field replaceable components	- Left or right facing ganging - Wood arm caps - standard - Poly arm caps - Solid surface arm caps - Removable covers

Chair/table/chair, panel arm 1610-CTC / 1610-CTC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	20.25"w x 22.25"d x 19"h	Weight	102 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
- Upholstered seat and back - Spring seat construction - Clean-thru design - Wall-saver design - European beech - Wood arm cap is standard - Non-marring adjustable glides - Field replaceable components	- Left or right facing ganging - Wood arm caps - standard - Poly arm caps - Solid surface arm caps - Removable covers - Top options - veneer, HPL, 3DL, or solid surface - Spill groove available on 3DL and solid surface top

Tandem chair/chair, panel arm 1610T-CC / 1610T-CC-MT

Overall Dimensions	45.5"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	42.25"w x 22.25"d x 19"h	Weight	71 lbs.
Seat to Top of Back	15"	Cubic Feet	33
Top of Arm to Floor	26.75"		

Tandem chair/chair/chair, panel arm 1610T-CCC / 1610T-CCC-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.75 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Tandem loveseat/chair, panel arm 1610T-2C / 1610T-2C-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Tandem chair/loveseat, panel arm 1610T-C2 / 1610T-C2-MT

Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	4.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	94 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		


Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers

Tandem chair/table/chair, panel arm 1610T-CTC / 1610T-CTC-MT


Overall Dimensions	67"w x 26"d x 34.5"h	COM 54"	3.5 yds.
Seat Dimensions	63.75"w x 22.25"d x 19"h	Weight	82 lbs.
Seat to Top of Back	15"	Cubic Feet	48
Top of Arm to Floor	26.75"		

Standard Features	Options Available
• Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • European beech • Wood arm cap is standard • Non-marring adjustable glides • Field replaceable components	• Left or right facing ganging • Wood arm caps - standard • Poly arm caps • Solid surface arm caps • Removable covers • Top options - veneer, HPL, 3DL, or solid surface • Spill groove available on 3DL and solid surface top


Ganging End Table 1600-E

Overall Dimensions	12"w x 18"d x 16"h	Cubic Feet	5	
Weight	15 lbs.			

Ganging Middle Table 1600-M

Overall Dimensions	20.25"w x 21"d x 16"h	Cubic Feet	3	
Weight	12 lbs.			

Ganging Corner 90° Table 1600-90

Overall Dimensions	25.5"w x 25.5"d x 16"h	Cubic Feet	4	
Weight	18 lbs.			

Standard Features	Options Available
• European beech • Non-marring adjustable glides (1600-E only) • Field replaceable components	• Left or right facing ganging • Top options - veneer, HPL, 3DL, or solid surface • Spill groove available on 3DL and solid surface top

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|------------|--|
| Seat | <ul style="list-style-type: none">• Made of WHAD kiln dried maple• Plywood seat EZ frame |
| Back | <ul style="list-style-type: none">• All components WHAD kiln dried maple |
| Upholstery | <ul style="list-style-type: none">• All fabric and leather pieces are cut with automated cutters that utilize precise patterns |
| Arms | <ul style="list-style-type: none">• Kiln dried European beech |
| Assembly | <ul style="list-style-type: none">• Joints are assembled using glue, Mortise-and-Tenons, corner blocks, glue and #8/#10 screws |

Foam

- | | |
|------|---|
| Seat | <ul style="list-style-type: none">• 2.25" premium grade foam• CAL TB 117 Certified Fire Retardant• 45 lb. compression• 2.5 density |
| Back | <ul style="list-style-type: none">• 1.25" premium grade foam• CAL TB 117 Certified Fire Retardant• 55 lb. compression• 2.5 density |

Suspension

- | | |
|------|--|
| Back | <ul style="list-style-type: none">• 2430 Propex<ul style="list-style-type: none">• 100% Polypropylene• "D" arc springs and spring clips• Applied with $\frac{5}{16}$" stainless steel staples |
|------|--|