

Base guest chair 1460-C

Single textiles

Overall Dimensions	25"w x 25"d x 34"h	COM 54"	1.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	Cubic Feet	20 ft.
Seat to Top of Back	15.75"	Shipping Weight	42.5 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Base guest chair 1460-C-MT

Multiple textiles

Overall Dimensions	25"w x 25"d x 34"h	COM 54" - Seat	1 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1 yds.
Seat to Top of Back	15.75"	Cubic Feet	20 ft.
Top of Arm to Floor	26"	Shipping Weight	42.5 lbs.
Top of Arm to Seat	7.5"		



Base guest loveseat 1460-2

Single textiles

Overall Dimensions	44.25"w x 25"d x 34"h	COM 54"	2.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	Cubic Feet	32.5 ft.
Seat to Top of Back	15.75"	Shipping Weight	60 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Base guest loveseat 1460-2-MT

Multiple textiles

Overall Dimensions	44.25"w x 25"d x 34"h	COM 54" - Seat	1.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	32.5 ft.
Top of Arm to Floor	26"	Shipping Weight	60 lbs.
Top of Arm to Seat	7.5"		



Base bariatric chair 1460-OB

Single textiles

Overall Dimensions	32.25"w x 25"d x 34"h	COM 54"	2.25 yds.
Seat Dimensions	27.75"w x 20.25"d x 18.5"h	Cubic Feet	24.75 ft.
Seat to Top of Back	15.75"	Shipping Weight	49 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Base bariatric chair 1460-OB-MT

Multiple textiles

Overall Dimensions	32.25"w x 25"d x 34"h	COM 54" - Seat	1 yds.
Seat Dimensions	27.75"w x 20.25"d x 18.5"h	COM 54" - Back	1.25 yds.
Seat to Top of Back	15.75"	Cubic Feet	24.75 ft.
Top of Arm to Floor	26"	Shipping Weight	49 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
- Open arm metal frame - Upholstered seat and back - Molded plywood back and webbed plywood seat construction - Molded foam seat and back - Fully welded, powder-coated metal frame - Rounded arm caps are available in resin or solid surface - Protective under-seat shroud (standard in black) - White nylon non-marring glides - Wall-saver design - Clean-thru design - Field-replaceable components - Bariatric chair is weight rated to 600 lbs.	Arm caps - Resin (Black, Shadow, and Folkstone Grey) - Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame Powder-coated (standard, studio, and super matte powder coats)
	Additional options - Moisture barrier (seat and/or back) - Removable covers (seat only)

Chair/chair 1460-CC
Single textiles

Overall Dimensions	48"w x 25"d x 34"h	COM 54"	2.75 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	Cubic Feet	34.75 ft.
Seat to Top of Back	15.75"	Shipping Weight	71.5 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/chair 1460-CC-MT
Multiple textiles

Overall Dimensions	48"w x 25"d x 34"h	COM 54" - Seat	1 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1 yds.
Seat to Top of Back	15.75"	Cubic Feet	34.75 ft.
Top of Arm to Floor	26"	Shipping Weight	71.5 lbs.
Top of Arm to Seat	7.5"		



Chair/chair/chair 1460-CCC
Single textiles

Overall Dimensions	70.5"w x 25"d x 34"h	COM 54"	3.75 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	Cubic Feet	49.5 ft.
Seat to Top of Back	15.75"	Shipping Weight	103.5 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/chair/chair 1460-CCC-MT
Multiple textiles

Overall Dimensions	70.5"w x 25"d x 34"h	COM 54" - Seat	1.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	49.5 ft.
Top of Arm to Floor	26"	Shipping Weight	103.5 lbs.
Top of Arm to Seat	7.5"		



Chair/chair/chair/chair 1460-CCCC
Single textiles

Overall Dimensions	93.5"w x 25"d x 34"h	COM 54"	5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	Cubic Feet	64.5 ft.
Seat to Top of Back	15.75"	Shipping Weight	135.5 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/chair/chair/chair 1460-CCCC-MT
Multiple textiles

Overall Dimensions	93.5"w x 25"d x 34"h	COM 54" - Seat	1.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	64.5 ft.
Top of Arm to Floor	26"	Shipping Weight	135.5 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	Arm caps • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame • Powder-coated (standard, studio, and super matte powder coats)
	Additional options • Moisture barrier (seat and/or back) • Removable covers (seat only)

Chair/loveseat 1460-C2
Single textiles

Overall Dimensions	67"w x 25"d x 34"h	COM 54"	3.5 yds.
Seat Dimensions	20.5/39.75"w x 20.25"d x 18.5"h	Cubic Feet	47.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	87.9 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/loveseat 1460-C2-MT
Multiple textiles

Overall Dimensions	67"w x 25"d x 34"h	COM 54" - Seat	2 yds.
Seat Dimensions	20.5/39.75"w x 20.25"d x 18.5"h	COM 54" - Back	2.25 yds.
Seat to Top of Back	15.75"	Cubic Feet	47.25 ft.
Top of Arm to Floor	26"	Shipping Weight	87.9 lbs.
Top of Arm to Seat	7.5"		



Loveseat/chair 1460-2C
Single textiles

Overall Dimensions	67"w x 25"d x 34"h	COM 54"	3.5 yds.
Seat Dimensions	39.75/20.5"w x 20.25"d x 18.5"h	Cubic Feet	47.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	87.9 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Loveseat/chair 1460-2C-MT
Multiple textiles

Overall Dimensions	67"w x 25"d x 34"h	COM 54" - Seat	2 yds.
Seat Dimensions	39.75/20.5"w x 20.25"d x 18.5"h	COM 54" - Back	2.25 yds.
Seat to Top of Back	15.75"	Cubic Feet	47.25 ft.
Top of Arm to Floor	26"	Shipping Weight	87.9 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	Arm caps • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame • Powder-coated (standard, studio, and super matte powder coats)
	Additional options • Moisture barrier (seat and/or back) • Removable covers (seat only)

Chair/bariatric 1460-COB
Single textiles

Overall Dimensions	55"w x 25"d x 34"h	COM 54"	2.75 yds.
Seat Dimensions	20.5/27.75"w x 20.25"d x 18.5"h	Cubic Feet	39.5 ft.
Seat to Top of Back	15.75"	Shipping Weight	83 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/bariatric 1460-COB-MT
Multiple textiles

Overall Dimensions	55"w x 25"d x 34"h	COM 54" - Seat	1.75 yds.
Seat Dimensions	20.5/27.75"w x 20.25"d x 18.5"h	COM 54" - Back	1.75 yds.
Seat to Top of Back	15.75"	Cubic Feet	39.5 ft.
Top of Arm to Floor	26"	Shipping Weight	83 lbs.
Top of Arm to Seat	7.5"		



Bariatric/chair 1460-OBC
Single textiles

Overall Dimensions	55"w x 25"d x 34"h	COM 54"	2.75 yds.
Seat Dimensions	27.75/20.5"w x 20.25"d x 18.5"h	Cubic Feet	39.5 ft.
Seat to Top of Back	15.75"	Shipping Weight	83 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Bariatric/chair 1460-OBC-MT
Multiple textiles

Overall Dimensions	55"w x 25"d x 34"h	COM 54" - Seat	1.75 yds.
Seat Dimensions	27.75/20.5"w x 20.25"d x 18.5"h	COM 54" - Back	1.75 yds.
Seat to Top of Back	15.75"	Cubic Feet	39.5 ft.
Top of Arm to Floor	26"	Shipping Weight	83 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	Arm caps • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame • Powder-coated (standard, studio, and super matte powder coats)
	Additional options • Moisture barrier (seat and/or back) • Removable covers (seat only)

Chair/chair/bariatric 1460-CCOB

Single textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54"	3.75 yds.
Seat Dimensions	20.5/20.5/27.75"w x 20.25"d x 18.5"h	Cubic Feet	54.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	104 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/chair/bariatric 1460-CCOB-MT

Multiple textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54" - Seat	2.25 yds.
Seat Dimensions	20.5/20.5/27.75"w x 20.25"d x 18.5"h	COM 54" - Back	2.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	54.25 ft.
Top of Arm to Floor	26"	Shipping Weight	104 lbs.
Top of Arm to Seat	7.5"		



Bariatric/chair/chair 1460-OBCC

Single textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54"	3.75 yds.
Seat Dimensions	27.75/20.5/20.5"w x 20.25"d x 18.5"h	Cubic Feet	54.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	104 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Bariatric/chair/chair 1460-OBCC-MT

Multiple textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54" - Seat	2.25 yds.
Seat Dimensions	27.75/20.5/20.5"w x 20.25"d x 18.5"h	COM 54" - Back	2.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	54.25 ft.
Top of Arm to Floor	26"	Shipping Weight	104 lbs.
Top of Arm to Seat	7.5"		



Chair/bariatric/chair 1460-COBC

Single textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54"	3.75 yds.
Seat Dimensions	20.5/27.75/20.5"w x 20.25"d x 18.5"h	Cubic Feet	54.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	104 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/bariatric/chair 1460-COBC-MT

Multiple textiles

Overall Dimensions	77.75"w x 25"d x 34"h	COM 54" - Seat	2.25 yds.
Seat Dimensions	20.5/27.75/20.5"w x 20.25"d x 18.5"h	COM 54" - Back	2.5 yds.
Seat to Top of Back	15.75"	Cubic Feet	54.25 ft.
Top of Arm to Floor	26"	Shipping Weight	104 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	Arm caps • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame • Powder-coated (standard, studio, and super matte powder coats)
	Additional options • Moisture barrier (seat and/or back) • Removable covers (seat only)

Chair/12" table/chair 1460-C12C

Single textiles

Overall Dimensions	61.5" w x 25" d x 34" h	COM 54"	2.75 yds.
Seat Dimensions	20.5" w x 20.25" d x 18.5" h	Cubic Feet	43.75 ft.
Seat to Top of Back	15.75"	Shipping Weight	93 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/12" table/chair 1460-C12C-MT

Multiple textiles

Overall Dimensions	61.5" w x 25" d x 34" h	COM 54" - Seat	1.5 yds.
Seat Dimensions	20.5" w x 20.25" d x 18.5" h	COM 54" - Back	1.75 yds.
Seat to Top of Back	15.75"	Cubic Feet	43.75 ft.
Top of Arm to Floor	26"	Shipping Weight	93 lbs.
Top of Arm to Seat	7.5"		



Chair/22" table/chair 1460-C22C

Single textiles

Overall Dimensions	77.75" w x 25" d x 34" h	COM 54"	2.75 yds.
Seat Dimensions	20.5/27.75/20.5" w x 20.25" d x 18.5" h	Cubic Feet	50.25 ft.
Seat to Top of Back	15.75"	Shipping Weight	99 lbs.
Top of Arm to Floor	26"		
Top of Arm to Seat	7.5"		



Chair/22" table/chair 1460-C22C-MT

Multiple textiles

Overall Dimensions	77.75" w x 25" d x 34" h	COM 54" - Seat	1.5 yds.
Seat Dimensions	20.5/27.75/20.5" w x 20.25" d x 18.5" h	COM 54" - Back	1.75 yds.
Seat to Top of Back	15.75"	Cubic Feet	50.25 ft.
Top of Arm to Floor	26"	Shipping Weight	99 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	Arm caps • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Frame • Powder-coated (standard, studio, and super matte powder coats)
	Table • HPL (standard finish offering) with 2mm PVC edge banding • TFL (standard finish offering) with 2mm PVC edge banding • Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Additional options • Moisture barrier (seat and/or back) • Removable covers (seat only)

12" middle table 1460-12M

Overall Dimensions	12.75"w x 22.25"d x 15.5"h	Cubic Feet	1 ft.	
		Shipping Weight	8 lbs.	

22" middle table 1460-22M

Overall Dimensions	22.75"w x 22.25"d x 15.5"h	Cubic Feet	1.75 ft.	
		Shipping Weight	17 lbs.	

Standard Features	Options Available
- Protective under-seat shroud (standard in black) - Field-replaceable components	Table top - HPL (standard finish offering) with 2mm PVC edge banding - TFL (standard finish offering) with 2mm PVC edge banding - Solid surface (Cameo White, Modern White, Medea, and Polaris)

12" end table 1460-12E

Overall Dimensions	12.75"w x 22.25"d x 15.5"h	Cubic Feet	3.5 ft.	
		Shipping Weight	12 lbs.	

22" end table 1460-22E

Overall Dimensions	22.75"w x 22.25"d x 15.5"h	Cubic Feet	6 ft.	
		Shipping Weight	18 lbs.	

90° corner table 1460-90

Overall Dimensions	26.5"w x 26.5"d x 15.5"h	Cubic Feet	8 ft.	
		Shipping Weight	16 lbs.	

Standard Features	Options Available
- Fully welded, powder-coated metal frame - Protective under-seat shroud (standard in black) - White nylon non-marring glides - Field-replaceable components	Frame Powder-coated (standard, studio, and super matte powder coats)
	Table top - HPL (standard finish offering) with 2mm PVC edge banding - TFL (standard finish offering) with 2mm PVC edge banding - Solid surface (Cameo White, Modern White, Medea, and Polaris)

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

Seat	.875" plywood covered by Sytex sheet webbing
Back	.750" molded plywood
Frame	- Chair/table legs: 1.125" diameter, 11 gauge steel, .125" wall - Chair mating tabs: .625" diameter solid steel - Chair stretcher rails: 1.00" diameter, 11 gauge steel, .125" wall - Chair arm top straps: 1.125" x .250" thick steel - Chair back attachment brackets: 3" x 1.75" x .25" thick steel - Glides: White 1/4-20 thread, 5/8" diameter base x 1" threaded stem with nylon patch
Arm Caps	- Solid surface: .472" thick - Resin: .5" thick
Tables	- Solid surface: .955" thick - TFL: 1" thick - HPL: 1.075" thick
Upholstery	All fabric and leather pieces are cut with automated cutters that utilize precise patterns

Foam

Seat Cushion	3 lb compression 40 density molded foam
Back Cushion	3 lb compression 40 density molded foam
Outside back	1.8 lb compression 50 density molded foam