

Lounge chair CL-1
Single textiles

Overall Dimensions	29"w x 28.5"d x 32.5"h	COM 54"	3 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	20
Top of Arm to Floor	25"	Shipping Weight	88 lbs.
Top of Arm to Seat	7.5"	Weight Rating	400 lbs.
Arm Width	3"		



Lounge chair CL-1-MT
Multiple textiles

Overall Dimensions	29"w x 28.5"d x 32.5"h	COM 54" - Seat	1 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	1.5 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	20
Arm Width	3"	Shipping Weight	88 lbs.
		Weight Rating	400 lbs.



Loveseat CL-2
Single textiles

Overall Dimensions	51"w x 28.5"d x 32.5"h	COM 54"	4 yds.
Seat Dimensions	45"w x 20"d x 18.5"h	Cubic Feet	34
Top of Arm to Floor	25"	Shipping Weight	120 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		



Loveseat CL-2-MT
Multiple textiles

Overall Dimensions	51"w x 28.5"d x 32.5"h	COM 54" - Seat	1.75 yds.
Seat Dimensions	45"w x 20"d x 18.5"h	COM 54" - Back	2 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	34
Arm Width	3"	Shipping Weight	120 lbs.
		Weight Rating	300 lbs. (per seat)



Sofa CL-3
Single textiles

Overall Dimensions	73"w x 28.5"d x 32.5"h	COM 54"	5 yds.
Seat Dimensions	67"w x 20"d x 18.5"h	Cubic Feet	48
Top of Arm to Floor	25"	Shipping Weight	150 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		



Sofa CL-3-MT
Multiple textiles

Overall Dimensions	73"w x 28.5"d x 32.5"h	COM 54" - Seat	2 yds.
Seat Dimensions	67"w x 20"d x 18.5"h	COM 54" - Back	2.75 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	48
Arm Width	3"	Shipping Weight	150 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered arm with no arm cap Spring seat construction 360° clean-thru design Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Arm caps <ul style="list-style-type: none"> Resin (Black, Shadow, and Folkstone Grey) Wood (Standard finish offering) Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Power <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

One-seat | right-side facing end table CL-1CT

Single textiles

Overall Dimensions	38.25"w x 28.5"d x 32.5"h	COM 54"	2.25 yds.	
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	26	
Top of Arm to Floor	25"	Shipping Weight	102 lbs.	
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)	
Arm Width	3"			
Table Dimensions	12.25"w x 28.25"d x 13.5"h			

One-seat | right-side facing end table CL-1CT-MT

Multiple textiles

Overall Dimensions	38.25"w x 28.5"d x 32.5"h	COM 54" - Seat	1 yds.	
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	1.5 yds.	
Top of Arm to Floor	25"	COM 54" - Arm	1.25 yds.	
Top of Arm to Seat	7.5"	Cubic Feet	26	
Arm Width	3"	Shipping Weight	102 lbs.	
Table Dimensions	12.25"w x 28.25"d x 13.5"h	Weight Rating	300 lbs. (per seat)	

One-seat | left-side facing end table CL-1TC

Single textiles

Overall Dimensions	38.25"w x 28.5"d x 32.5"h	COM 54"	2.25 yds.	
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	26	
Top of Arm to Floor	25"	Shipping Weight	102 lbs.	
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)	
Arm Width	3"			
Table Dimensions	12.25"w x 28.25"d x 13.5"h			

One-seat | left-side facing end table CL-1TC-MT

Multiple textiles

Overall Dimensions	38.25"w x 28.5"d x 32.5"h	COM 54" - Seat	1 yds.	
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	1.5 yds.	
Top of Arm to Floor	25"	COM 54" - Arm	1.25 yds.	
Top of Arm to Seat	7.5"	Cubic Feet	26	
Arm Width	3"	Shipping Weight	102 lbs.	
Table Dimensions	12.25"w x 28.25"d x 13.5"h	Weight Rating	300 lbs. (per seat)	

Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered arm with no arm cap Table surface is standard in HPL or TFL Spring seat construction 360° clean-thru design Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Arm caps <ul style="list-style-type: none"> Resin (Black, Shadow, and Folkstone Grey) Wood (Standard finish offering) Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Table surface <ul style="list-style-type: none"> Laminate (Standard HPL/TFL offering) Veneer (Standard veneer offering) Solid surface (Cameo White, Modern White, Medea, and Polaris) Solid surface table is available with a spill groove
	Power module <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

Two-seat | (1) center table CL-2CT

Single textiles

Overall Dimensions	64.5"w x 28.5"d x 32.5"h	COM 54"	4.25 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	42
Top of Arm to Floor	25"	Shipping Weight	166 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		
Table Dimensions	12.25"w x 28.25"d x 13.5"h		



Two-seat | (1) center table CL-2CT-MT

Multiple textiles

Overall Dimensions	64.5"w 28.5"d x 32.5"h	COM 54" - Seat	1.5 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	2.25 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	42
Arm Width	3"	Shipping Weight	166 lbs.
Table Dimensions	12.25"w x 28.25"d x 13.5"h	Weight Rating	300 lbs. (per seat)



Three-seat | (2) center tables CL-3CT

Single textiles

Overall Dimensions	100"w x 28.5"d x 32.5"h	COM 54"	5.75 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	65
Top of Arm to Floor	25"	Shipping Weight	220 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		
Table Dimensions	12.25"w x 28.25"d x 13.5"h		



Three-seat | (2) center tables CL-3CT-MT

Multiple textiles

Overall Dimensions	100"w 28.5"d x 32.5"h	COM 54" - Seat	2.25 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	3 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	65
Arm Width	3"	Shipping Weight	220 lbs.
Table Dimensions	12.25"w x 28.25"d x 13.5"h	Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered arms with no arm caps Table surfaces are standard in HPL or TFL Spring seat construction 360° clean-thru design Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Arm caps <ul style="list-style-type: none"> Resin (Black, Shadow, and Folkstone Grey) Wood (Standard finish offering) Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Table surface <ul style="list-style-type: none"> Laminate (Standard HPL/TFL offering) Veneer (Standard veneer offering) Solid surface (Cameo White, Modern White, Medea, and Polaris) Solid surface table is available with a spill groove
	Power module <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

Two-seat | (1) center arm CL-2CA

Single textiles

Overall Dimensions	55"w x 28.5"d x 32.5"h	COM 54"	4.75 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	36
Top of Arm to Floor	25"	Shipping Weight	152 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		



Two-seat | (1) center arm CL-2CA-MT

Multiple textiles

Overall Dimensions	55"w x 28.5"d x 32.5"h	COM 54" - Seat	1.5 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	2.25 yds.
Top of Arm to Floor	25"	COM 54" - Arms	2 yds.
Top of Arm to Seat	7.5"	Cubic Feet	36
Arm Width	3"	Shipping Weight	152 lbs.
		Weight Rating	300 lbs. (per seat)



Three-seat | (2) center arms CL-3CA

Single textiles

Overall Dimensions	81"w x 28.5"d x 32.5"h	COM 54"	6.75 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	Cubic Feet	53
Top of Arm to Floor	25"	Shipping Weight	209 lbs.
Top of Arm to Seat	7.5"	Weight Rating	300 lbs. (per seat)
Arm Width	3"		



Three-seat | (2) center arms CL-3CA-MT

Multiple textiles

Overall Dimensions	81"w x 28.5"d x 32.5"h	COM 54" - Seat	2.25 yds.
Seat Dimensions	23"w x 20"d x 18.5"h	COM 54" - Back	3 yds.
Top of Arm to Floor	25"	COM 54" - Arms	3.5 yds.
Top of Arm to Seat	7.5"	Cubic Feet	53
Arm Width	3"	Shipping Weight	209 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered arms with no arm caps Spring seat construction 360° clean-thru design Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Arm caps <ul style="list-style-type: none"> Resin (Black, Shadow, and Folkstone Grey) Wood (Standard finish offering) Solid surface (Cameo White, Modern White, Medea, and Polaris)
	Power module <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

Two-seat bench CL-44B

Overall Dimensions	44.5"w x 20.5"d x 18.5"h	COM 54"	1.75 yds.
Seat Dimensions	44"w x 21"d x 18.5"h	Cubic Feet	18
		Shipping Weight	42 lbs.
		Weight Rating	300 lbs. (per seat)



Three-seat bench CL-66B

Overall Dimensions	66.5"w x 20.5"d x 18.5"h	COM 54"	2.25 yds.
Seat Dimensions	66"w x 21"d x 18.5"h	Cubic Feet	26
		Shipping Weight	64 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
<ul style="list-style-type: none"> Spring seat construction Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Power module <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

Three-seat bench | (1) center table CL-66BT
Single textiles

Overall Dimensions	66.5"w x 20.5"d x 18.5"h	COM 54"	2 yds.
Seat Dimensions	22"w x 21"d x 18.5"h	Cubic Feet	26
Table Dimensions	21"w x 20.25"d x 13.5"h	Shipping Weight	80.5 lbs.
		Weight Rating	300 lbs. (per seat)



Three-seat bench | (1) center table CL-66BT-MT
Multiple textiles

Overall Dimensions	66.5"w x 20.5"d x 18.5"h	COM 54"	2 yds.
Seat Dimensions	22"w x 21"d x 18.5"h	Cubic Feet	26
Table Dimensions	21"w x 20.25"d x 13.5"h	Shipping Weight	80.5 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
<ul style="list-style-type: none"> Spring seat construction Cast legs and extruded aluminum frame provide durability and longevity 10" High base design ensures easy access for floor cleaning and reduces maintenance efforts 	Table surface <ul style="list-style-type: none"> Laminate (Standard HPL/TFL offering) Veneer (Standard veneer offering) Solid surface (Cameo White, Modern White, Medea, and Polaris) Solid surface table is available with a spill groove
	Power module <ul style="list-style-type: none"> (1) Power outlet and (2) USB-A outlets Available in Silver, Deep Space, and Black The cord is 10' long
	Miscellaneous <ul style="list-style-type: none"> Wall-saver bumpers are available on all four legs or rear legs only

Standard Textile & Finish Selection

<http://carolina.ofs.com/design/textiles>
<http://carolina.ofs.com/design/finishes>

Frame Construction

Seat	• 1.25" thick solid wood assembled frame with equally spaced 8 ga sinuous springs
Back	• 0.875" Plywood assembled frame
Upholstered Arms	• 0.500" Plywood assembled arm frame
Upholstery	• All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Assembly	• The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws, or staples

Base Frame

Side / End Rails	• 1.25" thick solid wood assembled frame with equally spaced 8 ga sinuous springs
Legs	• Powder-coated Casted Aluminum
Casters	• 2" diameter dual wheel with (red) brake pedal
Glides	• 1.0" diameter x 0.5" thick black rubber glide with 1/4-20 x 1" threaded stem

Foam

Seat	<ul style="list-style-type: none"> • 3.0" Thick core foam 40 lb. compression / 2.3 density with 1.25" thick topper foam 30 lb. compression / 2.3 density • 0.5" thick Front & Top overlay foam 30 lb. compression / 2.3 density • 0.25" thick Ends & Back overlay foam 45 lb. compression / 1.8 density
Back	<ul style="list-style-type: none"> • 2.0" Thick core foam 35 lb. compression / 2.5 density with 1.0" thick Memory Foam topper • 0.5" thick overlay foam 35 lb. compression / 2.5 density
Box Arm	• 0.25" thick overlay foam 90 lb. compression / 1.8 density

Power Supply

- One 15 amp AC outlet, One USB-A 1.5 amp outlet, One USB-C 60 watt in same power unit
- All tamper resistant outlets
- 10' Black PVC Power Cord
- UL Listed
- Material: Powder-coated Aluminum
- Colors: (Frame) Silver, Black, Deep Space. (Outlets) Linen