carolina
an OFS company

Offshore pull up
SPEC SHEET

Pull-up table CL-TBL

Overall Dimensions	12″w x 18″d x 27.5″h	**Cubic Feet**	32
Top Dimensions	12″w x 18″d	**Shipping Weight**	32



Standard Features	Options Available
• Coordinating pull-up table adds extra flexibility for visitors • The small footprint allows it to be easily stowed away when not in use • Top is available in HPL, TFL, and solid surface	**Base** • Powder-coat (Standard, studio, and super matte powder coats)
	Top • Laminate (Standard HPL/TFL offering) • Solid surface (Cameo White, Modern White, Medea, and Polaris)

Standard Textile & Finish Selection

http://carolina.ofs.com/design/textiles
http://carolina.ofs.com/design/finishes

Frame Construction

Base	• Powder-coated welded frame consisting of: 0.25″ thick steel top plate 1.5″ x .59″ steel tubing with 2.0mm thick walls 0.375″ thick bottom plate.
Top	• Solid surface: 0.75″ thick • HPL/TFL: 0.75″ thick
Floor Glides	• 1.5″ diameter x .375″ thick adhesive UHMW floor glides (4x)

carolina
an OFS company

Offshore occasional

SPEC SHEET

Round end table 1460-22RD

Overall Dimensions	22″w x 22″d x 19″h	**Cubic Feet**	9
Top Dimensions	22″w x 22″d	**Shipping Weight**	14



Square end table 1460-22SQ

Overall Dimensions	19″w x 19″d x 19″h	**Cubic Feet**	7.5
Top Dimensions	19″w x 19″d	**Shipping Weight**	13



Round coffee table 1460-36RD

Overall Dimensions	36″w x 36″d x 15″h	**Cubic Feet**	15.25
Top Dimensions	36″w x 36″d	**Shipping Weight**	26



Square coffee table 1460-36SQ

Overall Dimensions	30″w x 30″d x 15″h	**Cubic Feet**	11.25
Top Dimensions	30″w x 30″d	**Shipping Weight**	27



Oval coffee table 1460-OVAL

Overall Dimensions	48″w x 26″d x 15″h	**Cubic Feet**	13.5
Top Dimensions	48″w x 26″d	**Shipping Weight**	23



Standard Features	Options Available
• Laminate or solid surface top • Fully welded, powder-coated metal frame • White nylon non-marring glides • Field-replaceable components	**Base** • Powder-coat (Standard, studio, and super matte powder coats) **Top** • Laminate with 2 mm PVC edge banding (Standard HPL/TFL offering) • Solid surface (Cameo White, Modern White, Medea, and Polaris)

carolina
an OFS company

Offshore occasional

SPEC SHEET

Standard Textile & Finish Selection

http://carolina.ofs.com/design/textiles
http://carolina.ofs.com/design/finishes

Frame Construction

Frame	• Table legs: 1.125″ diameter, 11 gauge steel, .125″ wall • Cross stretcher rails: .75″ diameter, 11 gauge steel, .125″ wall • Top stretcher rail: 1.125″ x .125″ thick, 11 gauge steel • Glides: White 1/4-20 thread, 5/8″ diameter base x 1″ threaded stem with nylon patch
Top	• Solid surface: 0.944″ thick • HPL: 1.075″ thick • TFL: 1″ thick