

Pull-up table CL-TBL

Overall Dimensions	12"w x 18"d x 27.5"h	Cubic Feet	32
Top Dimensions	12"w x 18"d	Shipping Weight	32



Standard Features	Options Available
- Coordinating pull-up table adds extra flexibility for visitors - The small footprint allows it to be easily stowed away when not in use - Top is available in HPL, TFL, and solid surface	Base Powder-coat (Standard, studio, and super matte powder coats)
	Top - Laminate (Standard HPL/TFL offering) - Solid surface (Cameo White, Modern White, Medea, and Polaris)

Standard Textile & Finish Selection

<http://carolina.ofs.com/design/textiles>
<http://carolina.ofs.com/design/finishes>

Frame Construction

Base	Powder-coated welded frame consisting of: 0.25" thick steel top plate 1.5" x .59" steel tubing with 2.0mm thick walls 0.375" thick bottom plate.
Top	- Solid surface: 0.75" thick - HPL/TFL: 0.75" thick
Floor Glides	1.5" diameter x .375" thick adhesive UHMW floor glides (4x)

Round end table 1460-22RD

Overall Dimensions	22" w x 22" d x 19" h	Cubic Feet	9	
Top Dimensions	22" w x 22" d	Shipping Weight	14	

Square end table 1460-22SQ

Overall Dimensions	19" w x 19" d x 19" h	Cubic Feet	7.5	
Top Dimensions	19" w x 19" d	Shipping Weight	13	

Round coffee table 1460-36RD

Overall Dimensions	36" w x 36" d x 15" h	Cubic Feet	15.25	
Top Dimensions	36" w x 36" d	Shipping Weight	26	

Square coffee table 1460-36SQ

Overall Dimensions	30" w x 30" d x 15" h	Cubic Feet	11.25	
Top Dimensions	30" w x 30" d	Shipping Weight	27	

Oval coffee table 1460-OVAL

Overall Dimensions	48" w x 26" d x 15" h	Cubic Feet	13.5	
Top Dimensions	48" w x 26" d	Shipping Weight	23	

Standard Features	Options Available
	Base • Powder-coat (Standard, studio, and super matte powder coats)
	Top • Laminate (Standard HPL/TFL offering) • Solid surface (Cameo White, Modern White, Medea, and Polaris)

Standard Textile & Finish Selection

<http://carolina.ofs.com/design/textiles>
<http://carolina.ofs.com/design/finishes>

Frame Construction

- | | |
|-------|---|
| Frame | <ul style="list-style-type: none">• Table legs: 1.125" diameter, 11 gauge steel, .125" wall• Cross stretcher rails: .75" diameter, 11 gauge steel, .125" wall• Top stretcher rail: 1.125" x .125" thick, 11 gauge steel• Glides: White 1/4-20 thread, 5/8" diameter base x 1" threaded stem with nylon patch |
| Top | <ul style="list-style-type: none">• Solid surface: 0.944" thick• HPL: 1.075" thick• TFL: 1" thick |