

Armless Chair 391-1

Overall Dimensions	25.75"w x 27"d x 32"h	COM 54"	2.75 yds.
Seat Dimensions	22"w x 20"d x 18"h	Weight	36 lbs.
Seat to Top of Back	14"	Cubic Feet	12
Top of Arm to Floor	17.5"	Exposed Metal	Luster Grey Powder Coat



Armless Loveseat 391-2

Overall Dimensions	48"w x 27"d x 32"h	COM 54"	4 yds.
Seat Dimensions	44"w x 20"d x 18"h	Weight	50 lbs.
Seat to Top of Back	14"	Cubic Feet	24
Top of Arm to Floor	17.5"	Exposed Metal	Luster Grey Powder Coat



Armless 48" Bench 391-B48

Overall Dimensions	48"w x 24"d x 18.5"h	COM 54"	2.5 yds.
Seat Dimensions	44"w x 24"d x 18.5"h	Weight	45 lbs.
Top of Arm to Floor	17.5"	Cubic Feet	12
		Exposed Metal	Luster Grey Powder Coat



Standard Features	Options Available
<ul style="list-style-type: none"> • Armless • Upholstered seat and back • Spring seat construction • Clean-out between seat and back (available on chair and loveseat) • Wallsaver leg (available on chair and loveseat) • Tight cushion • 3/4" tubular bent luster grey powder coated metal frame inset into upholstered end panel • White plastic glide fitted into the bottom of tubular leg 	<ul style="list-style-type: none"> • Removable seat and back covers • Removable seat and back cover only


Open Arm Chair 392-1

Overall Dimensions	25.75"w x 27"d x 32"h	COM 54"	3 yds.
Seat Dimensions	22"w x 20"d x 18"h	Weight	35 lbs.
Seat to Top of Back	14"	Cubic Feet	12
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat



Open Arm Loveseat 392-2


Overall Dimensions	48"w x 27"d x 32"h	COM 54"	4.25 yds.
Seat Dimensions	44"w x 20"d x 18"h	Weight	50 lbs.
Seat to Top of Back	14"	Cubic Feet	24
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat




Standard Features	Options Available
-------------------	-------------------

<ul style="list-style-type: none"> • Upholstered open arm frame • Upholstered seat and back • Spring seat construction • Clean-out between seat and back (available on chair and loveseat) • Wallsaver leg (available on chair and loveseat) • Tight cushion • 3/4" tubular bent luster grey powder coated metal frame inset into upholstered end panel • White plastic glide fitted into the bottom of tubular leg 	<ul style="list-style-type: none"> • Black resin arm cap • Removable seat and back covers • Removable seat and back cover only
---	---

Panel Arm Chair 393-1


Overall Dimensions	25.75"w x 27"d x 32"h	COM 54"	4.25 yds.	
Seat Dimensions	22"w x 20"d x 18"h	Weight	35 lbs.	
Seat to Top of Back	14"	Cubic Feet	12	
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat	

Panel Arm Loveseat 393-2


Overall Dimensions	48"w x 27"d x 32"h	COM 54"	5.5 yds.	
Seat Dimensions	44"w x 20"d x 18"h	Weight	50 lbs.	
Seat to Top of Back	14"	Cubic Feet	24	
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat	

Standard Features	Options Available
<ul style="list-style-type: none"> • Upholstered arm frame fitted with upholstered panel • Upholstered seat and back • Spring seat construction • Clean-out between seat and back (available on chair and loveseat) • Wallsaver leg (available on chair and loveseat) • Tight cushion • 3/4" tubular bent luster grey powder coated metal frame inset into upholstered end panel • White plastic glide fitted into the bottom of tubular leg 	<ul style="list-style-type: none"> • Black resin arm cap • Removable seat and back covers

Wood Arm Chair 394-1

Overall Dimensions	25.75"w x 27"d x 32"h	COM 54"	3 yds.	
Seat Dimensions	22"w x 20"d x 18"h	Weight	35 lbs.	
Seat to Top of Back	14"	Cubic Feet	12	
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat	

Wood Arm Loveseat 394-2

Overall Dimensions	48"w x 27"d x 32"h	COM 54"	4.25 yds.	
Seat Dimensions	44"w x 20"d x 18"h	Weight	50 lbs.	
Seat to Top of Back	14"	Cubic Feet	24	
Top of Arm to Floor	25"	Exposed Metal	Luster Grey Powder Coat	

Standard Features	Options Available
<ul style="list-style-type: none"> • Wood open arm frame • Upholstered seat and back • Spring seat construction • Clean-out between seat and back (available on chair and loveseat) • Wallsaver leg (available on chair and loveseat) • Tight cushion • 3/4" tubular bent luster grey powder coated metal frame inset into upholstered end panel • White plastic glide fitted into the bottom of tubular leg 	<ul style="list-style-type: none"> • Black resin arm cap • Removable seat and back covers

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|------------|--|
| Seat | <ul style="list-style-type: none">• 3/4" plywood seat frame panel with seat springs spanning the openings in plywood frame• Topped with contour cut foam |
| Back | <ul style="list-style-type: none">• 3/4" plywood assembled back frame (chair and loveseat)• Covered with stretch webbing and foam is applied to the face |
| Upholstery | <ul style="list-style-type: none">• Required based on 54" wide, plain goods• Covers are upholstered to the frame using 1/2" stainless steel staples |
| Arms | <ul style="list-style-type: none">• Upholstered: 1 3/4" wide x 1 1/2" thick molded plywood frame<ul style="list-style-type: none">• Metal 3/4" (13 gauge) diameter bent tube frame exposing 1/2 of the powder coated tubular leg• Wrapped in a thin layer of foam then upholstered• Wood: 1 3/4" wide x 1 1/2" thick molded European Beech frame<ul style="list-style-type: none">• Metal 3/4" (13 gauge) diameter bent tube frame exposing 1/2 of the powder coated tubular leg• Resin arm cap: 3/16" black resin arm cap attaches to the arm via machine screws from underneath |
| Seat | <ul style="list-style-type: none">• Attached to a 3/4" x 3/4" (16 ga.) powder coated tube frame via 1/4" - 20 connector bolts |
| Back | <ul style="list-style-type: none">• 1/4" thick powder coated metal back brackets attached to the wood frame underneath the foam<ul style="list-style-type: none">• Brackets and back assembly are then attached to the 3/4" x 3/4" powder coated tube frame via 1/4" - 20 connector bolts underneath the seat |

Foam

- | | |
|-----------|--|
| Seat/Back | <ul style="list-style-type: none">• Premium grade foam• CAL TB 117 Certified Fire Retardant |
|-----------|--|