



Base chair 1392-C / 1392-C-MT

Overall Dimensions	27"w x 25"d x 31.75"h	COM 54"	1.5 yds.
Seat Dimensions	21.25"w x 18.5"d x 18.5"h	Weight	35 lbs.
Seat to Top of Back	13.5"	Cubic Feet	27
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Base loveseat 1392-2 / 1392-2-MT

Overall Dimensions	43.75"w x 25"d x 31.75"h	COM 54"	2.5 yds.
Seat Dimensions	41.5"w x 28.5"d x 18.5"h	Weight	62 lbs.
Seat to Top of Back	13.5"	Cubic Feet	33
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Chair/chair 1392-CC / 1392-CC-MT

Overall Dimensions	45.5"w x 25"d x 31.75"h	COM 54"	2.5 yds.
Seat Dimensions	42.5"w x 28.5"d x 18.5"h	Weight	70 lbs.
Seat to Top of Back	13.5"	Cubic Feet	31
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Chair/chair/chair 1392-CCC / 1392-CCC-MT

Overall Dimensions	68"w x 25"d x 31.75"h	COM 54"	3.75 yds.
Seat Dimensions	63.75"w x 28.5"d x 18.5"h	Weight	105 lbs.
Seat to Top of Back	13.5"	Cubic Feet	44
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Chair/chair/chair/chair 1392-CCCC / 1392-CCCC-MT

Overall Dimensions	90.25"w x 25"d x 31.75"h	COM 54"	4.75 yds.
Seat Dimensions	85"w x 28.5"d x 18.5"h	Weight	140 lbs.
Seat to Top of Back	13.5"	Cubic Feet	59
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Chair/loveseat 1392-C2 / 1392-C2-MT

Overall Dimensions	43.75"w x 25"d x 31.75"h	COM 54"	3.75 yds.
Seat Dimensions	21.25/41.5"w x 28.5"d x 18.5"h	Weight	97 lbs.
Seat to Top of Back	13.5"	Cubic Feet	44
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Loveseat/chair 1392-2C / 1392-2C-MT

Overall Dimensions	66"w x 25"d x 31.75"h	COM 54"	3.5 yds.
Seat Dimensions	41.5/21.25"w x 28.5"d x 18.5"h	Weight	97 lbs.
Seat to Top of Back	13.5"	Cubic Feet	44
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Chair/table/chair 1392-CTC / 1392-CTC-MT

Overall Dimensions	66"w x 25"d x 31.75"h	COM 54"	3.5 yds.
Seat Dimensions	41.5/21.25"w x 28.5"d x 18.5"h	Weight	90 lbs.
Seat to Top of Back	13.5"	Cubic Feet	44
Top of Arm to Floor	25.5"	Exposed Metal	Powder Coat




Standard Features	Options Available
<ul style="list-style-type: none"> • 3/4" tubular bent metal Luster Grey powder coated frame • Black resin arm cap is standard • Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • Tight cushion • White plastic glide fitted into the bottom of tubular leg • Field replaceable components 	<ul style="list-style-type: none"> • Left or right side facing ganging • Resin arm caps (black, taupe, or folkstone grey) • Wood arm caps • Removable covers


Armless base chair 1393-C / 1393-C-MT

Overall Dimensions	27" w x 25" d x 31.75" h	COM 54"	1.5 yds.	
Seat Dimensions	21.25" w x 18.5" d x 18.5" h	Weight	35 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	27	
		Exposed Metal	Powder Coat	


Armless base loveseat 1393-2 / 1393-2-MT

Overall Dimensions	43.75" w x 25" d x 31.75" h	COM 54"	2.5 yds.	
Seat Dimensions	41.5" w x 28.5" d x 18.5" h	Weight	62 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	33	
		Exposed Metal	Powder Coat	


Armless chair/chair 1393-CC / 1393-CC-MT

Overall Dimensions	45.5" w x 25" d x 31.75" h	COM 54"	2.5 yds.	
Seat Dimensions	42.5" w x 28.5" d x 18.5" h	Weight	70 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	31	
		Exposed Metal	Powder Coat	


Armless chair/chair/chair 1393-CCC / 1393-CCC-MT

Overall Dimensions	68" w x 25" d x 31.75" h	COM 54"	3.75 yds.	
Seat Dimensions	63.75" w x 28.5" d x 18.5" h	Weight	105 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	44	
		Exposed Metal	Powder Coat	


Armless chair/chair/chair/chair 1393-CCCC / 1393-CCCC-MT

Overall Dimensions	90.25" w x 25" d x 31.75" h	COM 54"	4.75 yds.	
Seat Dimensions	85" w x 28.5" d x 18.5" h	Weight	140 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	59	
		Exposed Metal	Powder Coat	


Armless chair/loveseat 1393-C2 / 1393-C2-MT

Overall Dimensions	43.75" w x 25" d x 31.75" h	COM 54"	3.75 yds.	
Seat Dimensions	21.25/41.5" w x 28.5" d x 18.5" h	Weight	97 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	44	
		Exposed Metal	Powder Coat	

Armless loveseat/chair 1393-2C / 1393-2C-MT



Overall Dimensions	66" w x 25" d x 31.75" h	COM 54"	3.5 yds.	
Seat Dimensions	41.5/21.25" w x 28.5" d x 18.5" h	Weight	97 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	44	
		Exposed Metal	Powder Coat	

Armless chair/table/chair 1393-CTC / 1393-CTC-MT



Overall Dimensions	66" w x 25" d x 31.75" h	COM 54"	3.5 yds.	
Seat Dimensions	41.5/21.25" w x 28.5" d x 18.5" h	Weight	90 lbs.	
Seat to Top of Back	13.5"	Cubic Feet	44	
		Exposed Metal	Powder Coat	

Standard Features	Options Available
<ul style="list-style-type: none"> • 3/4" tubular bent metal Luster Grey powder coated frame • Black resin arm cap is standard • Upholstered seat and back • Spring seat construction • Clean-thru design • Wall-saver design • Tight cushion • White plastic glide fitted into the bottom of tubular leg • Field replaceable components 	<ul style="list-style-type: none"> • Left or right side facing ganging • Resin arm caps (black, taupe, or folkstone grey) • Wood arm caps • Removable covers



Middle Table 1392-M

Overall Dimensions	21"w x 21"d x 16.25"h	Cubic Feet	15		
Weight	20 lbs.	Exposed Metal	Powder Coat		

90° Table 1392-90

Overall Dimensions	44"w x 21"d x 16.25"h	Cubic Feet	13		
Weight	20 lbs.	Exposed Metal	Powder Coat		

End Table 1392-E

Overall Dimensions	21"w x 21"d x 16.25"h	Cubic Feet	15		
Weight	20 lbs.	Exposed Metal	Powder Coat		

Standard Features	Options Available
<ul style="list-style-type: none"> • Top Options - Beech Veneer, 3DL or Solid Surface • Non-marring adjustable glides on 1392-E • Field replaceable components • 3/4" tubular bent metal frame Luster Grey powder coated metal frame on 1392-E • White plastic glide fitted into the bottom of tubular leg on 1392-E 	<ul style="list-style-type: none"> • Left or right side facing ganging • Veneer, 3DL or Solid Surface top • Spill groove is available on 3DL or Solid Surface top

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|------------|---|
| Seat | <ul style="list-style-type: none"> • ¾" Plywood seat frame panel • Seat springs spanning the openings in the plywood frame • Topped with contour cut foam |
| Back | <ul style="list-style-type: none"> • ¾" Plywood assembled back frame • Stretch webbing and foam applied to face |
| Arms | <ul style="list-style-type: none"> • ¾" (13 gauge) diameter bent powder coated metal tube • 1" thick black resin or beech wood arm cap attached along the top edge via machine screws from underneath |
| Upholstery | <ul style="list-style-type: none"> • All fabric and leather pieces are cut with automated cutters that utilize precise patterns |
| Assembly | <ul style="list-style-type: none"> • Seat: Attached to a ¾" x ¾" (16 gauge) powder coated tube frame via ¼" - 20 connector bolts underneath the seat • Back: ¼" thick powder coated metal back brackets attached to the wood frame underneath the foam. Brackets and back assembly are then attached to the ¾" x ¾" powder coated tube frame via ¼" - 20 connector bolts under seat |

Foam

- | | |
|------|---|
| Seat | <ul style="list-style-type: none"> • 2.5" premium grade foam • CAL TB 117 Certified Fire Retardant • 45 lb. compression • 1.8 density |
| Back | <ul style="list-style-type: none"> • Premium grade foam • CAL TB 117 Certified Fire Retardant |

Suspension

- | | |
|------|--|
| Seat | <ul style="list-style-type: none"> • LEXUS webbing: Polypropylene/latex/rubber |
| Back | <ul style="list-style-type: none"> • 2430 Propex <ul style="list-style-type: none"> • 100% Polypropylene • Latex coating in Paranol Acrylic 763 • Applied with 5/16 stainless steel staples |