


Lounge Chair 470-1

Overall Dimensions	29"w x 28"d x 31"h	COM 54"	2 yds.
Seat Dimensions	25"w x 21"d x 18"h	Shipping Weight	75 lbs.
Seat to Top of Back	13"	Cubic Feet	22
Top of Arm to Floor	25"	Exposed Wood	European Beech
Exposed Metal	Warm Grey Powder Coat		




Loveseat 470-2

Overall Dimensions	53.5"w x 28"d x 31"h	COM 54"	4 yds.
Seat Dimensions	49"w x 21"d x 18"h	Shipping Weight	90 lbs.
Seat to Top of Back	13"	Cubic Feet	44
Top of Arm to Floor	25"	Exposed Wood	European Beech
Exposed Metal	Warm Grey Powder Coat		



Sofa 470-3

Overall Dimensions	79"w x 28"d x 31"h	COM 54"	6 yds.
Seat Dimensions	74"w x 21"d x 18"h	Shipping Weight	120 lbs.
Seat to Top of Back	13"	Cubic Feet	66
Top of Arm to Floor	25"	Exposed Wood	European Beech
Exposed Metal	Warm Grey Powder Coat		



Standard Features	Options Available
<ul style="list-style-type: none"> Clean-Thru design Upholstered seat and back Tight cushion Warm Grey (with Silver Ion Antimicrobial) powder coat on all exposed metal is standard European Beech arm caps and overlay on legs Non-marring adjustable glides 	<ul style="list-style-type: none"> Poly arm caps (black, grey or taupe) Pair of wood arm panels Pair of upholstered arm panels Multiple textile application CAL TB 133 Certified

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction


Seat	<ul style="list-style-type: none"> Plywood seat EZ frame
Back	<ul style="list-style-type: none"> Plywood seat EZ frame
Upholstery	<ul style="list-style-type: none"> 2 yds. (chair), 4 yds. (loveseat), 6 yds. (sofa) required based on 54" wide, plain goods Covers are upholstered to the frame using 1/2" stainless steel staples
Metal Frame	<ul style="list-style-type: none"> 1" 16 gauge C1018 steel posts 3/4" x 1/2" 12 gauge C1018 steel rails
Assembly	<ul style="list-style-type: none"> All welded joints are full penetration mig/tig welds All bolted connections are 1/4" 20 grade 5 hardware

Foam

Seat/Back	<ul style="list-style-type: none"> Premium grade foam CAL TB 117 Certified Fire Retardant
------------------	---

36" Bench, Solid Seat 1470-36SS

Overall Dimensions	36.5"w x 21.75"d x 25"h	COM 54"	.75 yds.
Seat Dimensions	32.5"w x 20"d x 19"h	Shipping Weight	40 lbs.
Seat to Top of Back	25"	Cubic Feet	24
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech




48" Bench, Solid Seat 1470-48SS

Overall Dimensions	48.5"w x 21.75"d x 25"h	COM 54"	1.5 yds.
Seat Dimensions	44"w x 20"d x 19"h	Shipping Weight	65 lbs.
Seat to Top of Back	25"	Cubic Feet	31
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech




70" Bench, Solid Seat 1440-70SS

Overall Dimensions	70.5"w x 21.75"d x 25"h	COM 54"	2 yds.
Seat Dimensions	66.5"w x 20"d x 19"h	Shipping Weight	90 lbs.
Seat to Top of Back	25"	Cubic Feet	44
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech




48" Bench, Divided Seat 1470-48IS

Overall Dimensions	48.5"w x 21.75"d x 25"h	COM 54"	1.5 yds.
Seat Dimensions	44"w x 20"d x 19"h	Shipping Weight	65 lbs.
Seat to Top of Back	25"	Cubic Feet	31
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech




70" Bench, Even Divided Seat 1470-70IS

Overall Dimensions	70.75"w x 21.75"d x 25"h	COM 54"	2.25 yds.
Seat Dimensions	66.5"w x 20"d x 19"h	Shipping Weight	90 lbs.
Seat to Top of Back	25"	Cubic Feet	44
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech



70" Bench, Uneven Divided Seat 1470-70C2

Overall Dimensions	70.75"w x 21.75"d x 25"h	COM 54"	2 yds.
Seat Dimensions	66.5"w x 20"d x 19"h	Shipping Weight	90 lbs.
Seat to Top of Back	25"	Cubic Feet	44
Exposed Metal	Warm Grey Powder Coat	Exposed Wood	European Beech



Standard Features	Options Available
<ul style="list-style-type: none"> Clean-Thru design Upholstered solid seat (1470-36SS, 1470-48SS, 1470-70SS) Upholstered divided seat (1470-48IS, 1470-70IS, 1470-70C2) Tight cushion Warm Grey (with Silver Ion Antimicrobial) powder coat on all exposed metal is standard European Beech arm caps and overlay on legs Non-marring adjustable glides SCS Indoor Advantage Gold Certified Limited lifetime warranty 	<ul style="list-style-type: none"> Poly arm caps (black, grey or taupe) Removable seat cover (1470-36SS, 1470-48SS, 1470-70SS) Pair of wood arm panels Pair of upholstered arm panels Moisture barrier Multiple textile application CAL TB 133 Certified

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|-------------|--|
| Seat | <ul style="list-style-type: none">• Plywood seat EZ frame |
| Upholstery | <ul style="list-style-type: none">• .75 yds. (36" bench), 1.5 yds. (48" benches), 2.25 yds. (70" benches) required based on 54" wide, plain goods• Covers are upholstered to the frame using 1/2" stainless steel staples |
| Metal Frame | <ul style="list-style-type: none">• 1" 16 gauge C1018 steel posts• 3/4" x 1/2" 12 gauge C1018 steel rails |
| Assembly | <ul style="list-style-type: none">• All welded joints are full penetration mig/tig welds• All bolted connections are 1/4" 20 grade 5 hardware |

Foam

- | | |
|-----------|--|
| Seat/Back | <ul style="list-style-type: none">• Premium grade foam• CAL TB 117 Certified Fire Retardant |
|-----------|--|