




Upholstered lounge chair 689-1

| | | | | |
|----------------------------|----------------------|----------------------|---------------|---|
| Overall Dimensions | 29"w x 29"d x 32"h | COM 54" | 4.5 yds. |  |
| Seat Dimensions | 22"w x 20"d x 17.5"h | Weight | 50 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 16 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |

Upholstered Loveseat 689-2


| | | | | |
|----------------------------|----------------------|----------------------|---------------|---|
| Overall Dimensions | 51"w x 29"d x 32"h | COM 54" | 6.5 yds. |  |
| Seat Dimensions | 44"w x 20"d x 17.5"h | Weight | 70 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 27 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |

Upholstered Sofa 689-3


| | | | | |
|----------------------------|----------------------|----------------------|---------------|---|
| Overall Dimensions | 73"w x 29"d x 32"h | COM 54" | 8.25 yds. |  |
| Seat Dimensions | 66"w x 20"d x 17.5"h | Weight | 90 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 39 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |

| Standard Features | Options Available |
|--|---|
| <ul style="list-style-type: none"> Fully upholstered frame Spring seat construction Clean-thru design Classic brushed aluminum leg is standard Hairpin legs are standard brushed aluminum, can be powder coated Chrome sled base is a wall-saver design Non-marring adjustable glides | <ul style="list-style-type: none"> Wood arm caps Solid surface arm caps (cameo white, modern white, concrete, deep mink) Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' Power cord Power location: right side facing arm, left side facing arm or left and right side facing arm |


Wood Trim lounge chair 689-1WT

| | | | | |
|----------------------------|----------------------|---------------------|----------------|---|
| Overall Dimensions | 29"w x 29"d x 32"h | COM 54" | 4.25 yds. |  |
| Seat Dimensions | 22"w x 20"d x 17.5"h | Weight | 50 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 16 | |
| Top of Arm to Floor | 26" | Exposed Wood | European beech | |

Wood Trim Loveseat 689-2WT


| | | | | |
|----------------------------|----------------------|---------------------|----------------|---|
| Overall Dimensions | 51"w x 29"d x 32"h | COM 54" | 6.25 yds. |  |
| Seat Dimensions | 44"w x 20"d x 17.5"h | Weight | 70 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 27 | |
| Top of Arm to Floor | 26" | Exposed Wood | European beech | |

Wood Trim Sofa 689-3WT


| | | | | |
|----------------------------|----------------------|---------------------|----------------|---|
| Overall Dimensions | 73"w x 29"d x 32"h | COM 54" | 8 yds. |  |
| Seat Dimensions | 66"w x 20"d x 17.5"h | Weight | 90 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 39 | |
| Top of Arm to Floor | 26" | Exposed Wood | European beech | |

| Standard Features | Options Available |
|--|--|
| <ul style="list-style-type: none"> Fully upholstered frame with hardwood trim detail on arm panels Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Chrome sled base is a wallsaver design Non-marring adjustable glides | <ul style="list-style-type: none"> Wood arm caps Solid surface arm caps (bisque, glacier white or nocturne black) Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm |


Wood Surround lounge chair 689-1PB

| | | | | |
|----------------------------|----------------------|----------------------|------------------------|---|
| Overall Dimensions | 28.5"w x 29"d x 32"h | COM 54" | 3 yds. |  |
| Seat Dimensions | 22"w x 20"d x 17.5"h | Weight | 55 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 16 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |
| | | Exposed Wood | Plywood & Veneer Shell | |

Wood Surround Loveseat 689-2PB


| | | | | |
|----------------------------|----------------------|----------------------|------------------------|---|
| Overall Dimensions | 50.5"w x 29"d x 32"h | COM 54" | 4.75 yds. |  |
| Seat Dimensions | 44"w x 20"d x 17.5"h | Weight | 75 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 27 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |
| | | Exposed Wood | Plywood & Veneer Shell | |

Wood Surround Sofa 689-3PB


| | | | | |
|----------------------------|----------------------|----------------------|------------------------|---|
| Overall Dimensions | 72.5"w x 29"d x 32"h | COM 54" | 6.5 yds. |  |
| Seat Dimensions | 66"w x 20"d x 17.5"h | Weight | 95 lbs. | |
| Seat to Top of Back | 14.5" | Cubic Feet | 39 | |
| Top of Arm to Floor | 26" | Exposed Metal | Specified Leg | |
| | | Exposed Wood | Plywood & Veneer Shell | |

| Standard Features | Options Available |
|--|---|
| <ul style="list-style-type: none"> Fully upholstered with 3/4" thick plywood shell faced with quartered veneer Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Chrome sled base is a wallsaver design Non-marring adjustable glides SCS Indoor Advantage Gold Certified Limited lifetime warranty | <ul style="list-style-type: none"> Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm Moisture barrier Multiple textile application CAL TB 133 Certified |

48" Bench 689-48

| | | | | |
|---------------------------|--------------------|-------------------|---------|---|
| Overall Dimensions | 48"w x 24"d x 20"h | COM 54" | 3 yds. |  |
| | | Weight | 40 lbs. | |
| | | Cubic Feet | 24 | |

72" Bench 689-72

| | | | | |
|---------------------------|--------------------|-------------------|-----------|---|
| Overall Dimensions | 72"w x 24"d x 20"h | COM 54" | 4.25 yds. |  |
| | | Weight | 60 lbs. | |
| | | Cubic Feet | 31 | |

| Standard Features | Options Available |
|---|---|
| <ul style="list-style-type: none"> Fully upholstered Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Chrome sled base is a wall saver design Non-marring adjustable glides SCS Indoor Advantage Gold Certified Limited lifetime warranty | <ul style="list-style-type: none"> 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm Moisture barrier Multiple Textile Application CAL TB 133 Certified |

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

| | |
|---------------------|---|
| Seat, Back and Arms | • All rails are made up of 4/4 kiln dried WHAD Maple |
| Exposed Wood | • Parts are made up of 6/4 kiln dried European beech |
| Seatboard | • Plywood seat 21 3/4" x 20 5/16" x 3/4" |
| Backboard | • 21 3/4" x 17 5/8" x 3/4" plywood |
| Assembly | • Joints on units are assembled using glue, dowels and narrow crown staples |

Foam

| | |
|------|---|
| Seat | <ul style="list-style-type: none"> Bonded glue seat: 5" thick, 2.5 lb density, 25 compression Front seat rail: 1.5 lb density, 45 compression Arms: 1.5 lb density, 45 compression Back panel: 1.5 lb density, 45 compression |
| Back | <ul style="list-style-type: none"> All foam is premium grade and fire retardant Bonded glue front back: 1.8 lb density, 20 compression Bonded glue rear back: 1.8 lb density, 20 compression False in back: 1.5 lb density, 45 compression Outside back: 1.5 density, 45 compression |