



Upholstered lounge chair 689-1

Overall Dimensions	29"w x 29"d x 32"h	COM 54"	4.5 yds.
Seat Dimensions	22"w x 20"d x 17.5"h	Weight	50 lbs.
Seat to Top of Back	14.5"	Cubic Feet	16
Top of Arm to Floor	26"	Exposed Metal	Specified Leg




Upholstered Loveseat 689-2

Overall Dimensions	51"w x 29"d x 32"h	COM 54"	6.5 yds.
Seat Dimensions	44"w x 20"d x 17.5"h	Weight	70 lbs.
Seat to Top of Back	14.5"	Cubic Feet	27
Top of Arm to Floor	26"	Exposed Metal	Specified Leg



Upholstered Sofa 689-3


Overall Dimensions	73"w x 29"d x 32"h	COM 54"	8.25 yds.
Seat Dimensions	66"w x 20"d x 17.5"h	Weight	90 lbs.
Seat to Top of Back	14.5"	Cubic Feet	39
Top of Arm to Floor	26"	Exposed Metal	Specified Leg



Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered frame Spring seat construction Clean-thru design Classic brushed aluminum leg is standard Hairpin legs are standard brushed aluminum, can be powder coated Chrome sled base is a wall-saver design Non-marring adjustable glides 	<ul style="list-style-type: none"> Wood arm caps Solid surface arm caps (cameo white, modern white, concrete, deep mink) Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' Power cord Power location: right side facing arm, left side facing arm or left and right side facing arm


Wood Trim lounge chair 689-1WT

Overall Dimensions	29"w x 29"d x 32"h	COM 54"	4.25 yds.
Seat Dimensions	22"w x 20"d x 17.5"h	Weight	50 lbs.
Seat to Top of Back	14.5"	Cubic Feet	16
Top of Arm to Floor	26"	Exposed Wood	European beech




Wood Trim Loveseat 689-2WT

Overall Dimensions	51"w x 29"d x 32"h	COM 54"	6.25 yds.
Seat Dimensions	44"w x 20"d x 17.5"h	Weight	70 lbs.
Seat to Top of Back	14.5"	Cubic Feet	27
Top of Arm to Floor	26"	Exposed Wood	European beech



Wood Trim Sofa 689-3WT

Overall Dimensions	73"w x 29"d x 32"h	COM 54"	8 yds.
Seat Dimensions	66"w x 20"d x 17.5"h	Weight	90 lbs.
Seat to Top of Back	14.5"	Cubic Feet	39
Top of Arm to Floor	26"	Exposed Wood	European beech




Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered frame with hardwood trim detail on arm panels Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Chrome sled base is a wallsaver design Non-marring adjustable glides 	<ul style="list-style-type: none"> Wood arm caps Solid surface arm caps (bisque, glacier white or nocturne black) Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm

Wood Surround lounge chair 689-1PB

Overall Dimensions	28.5" w x 29" d x 32" h
Seat Dimensions	22" w x 20" d x 17.5" h
Seat to Top of Back	14.5"
Top of Arm to Floor	26"


COM 54"	3 yds.
Weight	55 lbs.
Cubic Feet	16
Exposed Metal	Specified Leg
Exposed Wood	Plywood & Veneer Shell



Wood Surround Loveseat 689-2PB

Overall Dimensions	50.5" w x 29" d x 32" h
Seat Dimensions	44" w x 20" d x 17.5" h
Seat to Top of Back	14.5"
Top of Arm to Floor	26"


COM 54"	4.75 yds.
Weight	75 lbs.
Cubic Feet	27
Exposed Metal	Specified Leg
Exposed Wood	Plywood & Veneer Shell



Wood Surround Sofa 689-3PB


Overall Dimensions	72.5" w x 29" d x 32" h
Seat Dimensions	66" w x 20" d x 17.5" h
Seat to Top of Back	14.5"
Top of Arm to Floor	26"

COM 54"	6.5 yds.
Weight	95 lbs.
Cubic Feet	39
Exposed Metal	Specified Leg
Exposed Wood	Plywood & Veneer Shell




Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered with 3/4" thick plywood shell faced with quartered veneer Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Chrome sled base is a wall saver design Non-marring adjustable glides SCS Indoor Advantage Gold Certified Limited lifetime warranty 	<ul style="list-style-type: none"> Tablet: right facing, left facing or right and left facing 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm Moisture barrier Multiple textile application CAL TB 133 Certified

48" Bench 689-48

Overall Dimensions	48"w x 24"d x 20"h	COM 54"	3 yds.	
		Weight	40 lbs.	
		Cubic Feet	24	

72" Bench 689-72

Overall Dimensions	72"w x 24"d x 20"h	COM 54"	4.25 yds.	
		Weight	60 lbs.	
		Cubic Feet	31	

Standard Features	Options Available
<ul style="list-style-type: none"> Fully upholstered Spring seat construction Clean-Thru design Classic brushed aluminum leg Hairpin legs are brushed aluminum, can be powder coated Non-marring adjustable glides SCS Indoor Advantage Gold Certified Limited lifetime warranty 	<ul style="list-style-type: none"> 110V/2 USB power (black, white or silver) 6' power cord Power Location: right side facing arm, left side facing arm or left and right side facing arm Moisture barrier Multiple Textile Application CAL TB 133 Certified

Standard Textile & Finish Selection

<http://carolina.ofs.com/resources/textiles>
<http://carolina.ofs.com/resources/finishes>

Frame Construction

- | | |
|---------------------|---|
| Seat, Back and Arms | • All rails are made up of 4/4 kiln dried WHAD Maple |
| Exposed Wood | • Parts are made up of 6/4 kiln dried European beech |
| Seatboard | • Plywood seat 21 3/4" x 20 5/16" x 3/4" |
| Backboard | • 21 3/4" x 17 5/8" x 3/4" plywood |
| Assembly | • Joints on units are assembled using glue, dowels and narrow crown staples |

Foam

- | | |
|------|---|
| Seat | <ul style="list-style-type: none"> Bonded glue seat: 5" thick, 2.5 lb density, 25 compression Front seat rail: 1.5 lb density, 45 compression Arms: 1.5 lb density, 45 compression Back panel: 1.5 lb density, 45 compression |
| Back | <ul style="list-style-type: none"> All foam is premium grade and fire retardant Bonded glue front back: 1.8 lb density, 20 compression Bonded glue rear back: 1.8 lb density, 20 compression False in back: 1.5 lb density, 45 compression Outside back: 1.5 density, 45 compression |