

carolina
an OFS company

Elara
BUILDING BLOCKS

TABLE OF CONTENTS

Introduction

Overview, elevations, and multiple textiles [1](#)

Modules

Overview [2](#)

Straight modules [3](#)

Wedge modules. [4](#)

Chaise and end modules [5](#)

Cafe table modules. [6](#)

Tablets and arms [6](#)

Power + additional information

Power [7](#)

Additional information. [8](#)

Overview

General notes

- Lounge, loveseat, sofa, straights, corner/corner, end modules, chaises, and cafe table modules
- Concealed glides and plinth base available
- Plinth base is available with a 180° return-to-center or 360° swivel base mechanism
- Freestanding modules and ganged modules are available

Arms and tablets

- Arms are available on end modules
- Arms and tablets can be specified as separate model numbers and placed between modules

Multiple textiles

- Multiple textiles specifications are available
- The seat, front of module, inside back, and sides are available as one selection, and the outside back is the second selection
- Add -MT to the end of the model number for multiple textile selections

Power

- Power is available in black or white and is inset into the upholstery (AC/USB-A/USB-C)
- Power is currently only available on modular lounge modules

Elevations

- All modules are available with concealed glides or a powder-coated plinth base
- The plinth base adds 1.25" to the seat and overall height





Concealed glides



Plinth base

Multiple textiles



Modules

- All sizes shown with the concealed glides



Lounge chair
32"w x 27"d x 30.25"h



Loveseat
61.5"w x 27"d x 30.25"h



Sofa
87"w x 27"d x 30.25"h



Straight module stand alone
25.5"w x 26.75"d x 30"



Ganging module stand alone
25.5"w x 26.75"d x 30"h



Wide straight module stand alone
51"w x 26.75"d x 30"h



Wide straight module stand alone
51"w x 26.75"d x 30"h



60° inside wedge
36"w x 28"d x 30"h



60° outside wedge
36"w x 28"d x 30"h



90° inside wedge
51"w x 29.5"d x 30"h



90° outside wedge
51"w x 29.5"d x 30"h



End module left-side facing
30.75"w x 26.75"d x 30"h



End module right-side facing
30.75"w x 26.75"d x 30"h



Chaise module left-side facing
39.75"w x 26.75"d x 30"h



Chaise module right-side facing
39.75"w x 26.75"d x 30"h



Cafe table module
24"w x 38.75"d x 30"h



Arm
3"w x 18.5"d x 7.5"h



Tablet
16"w x 16"d x 9"h

Straight modules

- Width: 25.5"w and 38.25"w
- Depth: 30"d
- Height: 30"h and 31.25"h (plinth base)
- Stand alone or ganged modules
- Stand alone modules cannot be ganged
- Ganging modules cannot be freestanding
- **Note:** If plinth base is selected on the ganged modules, the plinth base alignment must be selected: flush left, flush right, or flush left and right.

Stand alone module 25.5" width



982-SS-G

Ganged module 25.5" width



982-SM-G

Stand alone module 38.25" width



982-STS-G

Ganged module 38.25" width



982-STM-G

Wedge modules

Inside wedges

- Width: 36"w and 51"w
- Depth: 28"d and 29.5"d
- Height: 30"h and 31.25"h (plinth base)

Outside wedges

- Width: 36"w and 51"w
- Depth: 28"d and 29.5"d
- Height: 30"h and 31.25"h (plinth base)

- Ganging is required
- **Note:** If plinth base is selected on the ganged modules, the plinth base alignment must be selected: flush left, flush right, or flush left and right.
- **Note:** Power is not available on inside wedge modules.

60° inside wedge module



982-60I-G

60° outside wedge module



982-60O-G

90° inside wedge module



982-90I-G

90° outside wedge module



982-90O-G

Chaise and end modules

Chaise modules

- Width: 39.75"w
- Depth: 26.75"d
- Height: 30"h and 31.25"h (plinth base)
- Left and right-side facing

- Ganging is required

End modules

- Width: 30.75"w
- Depth: 26.75"d
- Height: 30"h and 31.25"h (plinth base)
- Left and right-side facing
- Arms are standard

Chaise module left-side facing



982-CL-G

Chaise module right-side facing



982-CR-G

End module left-side facing



982-EL-G

End module right-side facing



982-ER-G

Cafe table modules

- Width: 24"w
- Depth: 38.75"d
- Height: 30"h and 31.25"h (plinth base)
- Table top requires onsite assembly
- For stability, ganging is required on each side

Options

- Knife edge or square edge
- Square edge top is available in TFL, HPL, or solid surface
- Knife edge top is available in HPL, veneer, or solid surface
- HPL and veneer knife edge tops feature a plywood edge

Cafe table



982-T-G



Square edge



Knife edge

Tablets and arms

- Tablets can be specified as a separate model and installed between ganged modules
- Arms are available on an end module (left or right-side facing) or specified as a separate model and installed between ganged modules
- Arm caps are available on intervening arms only
- Arms on the end modules do not allow for arm caps



End module arm

Intervening arm

Intervening tablet

Power

General

- Power is available on stand-alone or ganging models
- Power modules are not available on 60° or 90° inside corners
- UL recognized to UL962A-SD
- Power is currently only available on modular lounge modules
- The power unit is inset into the upholstery

Power module

- Includes (1) 15 AMP power outlet, (1) USB-A, and (1) USB-C
- Available in black or white
- Each module includes a 3' long cord (.3125" thickness)

Daisy-chaining

- The electrical system allows up to eight power modules to be daisy-chained together
- Powered from a single power in-feed
- Over-current protection is built into the power in-feed
- Supports single circuit power only
- Total cable length must not exceed 50'
- All connections must be secured with locking clips to prevent accidental disconnection
- Locking clips are pre-installed on all components

In-feed

- Connects the daisy-chained power system to the facility's power source
- Standard 15-amp plug with a 6' long cord

Jumpers

- Connect the power between adjacent units
- Available in 24", 36", and 48" lengths

Two-way adapter

- Used when the power in-feed is located in the middle of a run
- Splits the power to both directions

Wire management pass through

- For models with power running through them, specify a wire management pass through
- Not available on freestanding lounge, power will exit through the bottom of the unit
- One pass through location for end models, two pass through locations for center models
- Pass through location is determined when facing the unit

Power module



White



Black

Additional information

Weighted option

- For spaces where safety is a concern, the lounge chair with glides (982-1G) can be specified with additional weight added
- When specified, the unit will ship with a 27 lb. recycled rubber and steel counterweight secured inside the frame
- No sand or on-site assembly required

Plinth base alignment

- Required when specifying models with a plinth base
- Plinth alignment is determined when facing the unit
- Select flush left and right alignment for models located in the middle of a run
- Select flush left for models located at the left end of a seating run or one position in from the left end
- Select flush right for models located at the right end of a seating run or one position in from the right end

Replaceable components

- Glides
- Plinth base
- Tablets
- Arms
- Arm caps
- Ganging hardware
- Power components