carolina
an OFS company

Offshore guest bench/ottoman

SPEC SHEET

Two-seat bench 1460-B

Overall Dimensions	40.5″w x 22.875″d x 18″h	**COM 54″**	1.25 yds.
Seat Dimensions	40.5″w x 22.875″d x 18″h	**Cubic Feet**	15.75
		Shipping Weight	28 lbs.



Standard Features	Options Available
• Upholstered seat • Molded foam seat • Fully welded, powder-coated metal frame • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Field-replaceable components	**Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier • Removable covers

Two-seat bench with left-side facing table 1460-TB

Overall Dimensions	54.25″w x 22.875″d x 18″h	**COM 54″**	1.25 yds.
Seat Dimensions	54.25″w x 22.875″d x 18″h	**Cubic Feet**	20.5
		Shipping Weight	43.5 lbs.



Two-seat bench with right-side facing table 1460-BT

Overall Dimensions	54.25″w x 22.875″d x 18″h	**COM 54″**	1.25 yds.
Seat Dimensions	54.25″w x 22.875″d x 18″h	**Cubic Feet**	20.5
		Shipping Weight	43.5 lbs.



Standard Features	Options Available
• Upholstered seat • Molded foam seat • Fully welded, powder-coated metal frame • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Field-replaceable components	**Frame** • Powder-coated (standard, studio, and super matte powder coats) **Table** • HPL (standard finish offering) with 2mm PVC edge banding • TFL (standard finish offering) with 2mm PVC edge banding • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Additional options** • Moisture barrier • Removable covers

carolina
an OFS company

Offshore guest bench/ottoman

SPEC SHEET

Standard Textile & Finish Selection

http://carolina.ofs.com/design/textiles
http://carolina.ofs.com/design/finishes

Frame Construction

Seat	• .875″ plywood covered by Sytex sheet webbing
Frame	• Bench/table legs: 1.125″ diameter, 11 gauge steel, .125″ wall • Chair mating tabs: .625″ diameter solid steel • Bench stretcher rails: 1.00″ diameter, 11 gauge steel, .125″ wall • Glides: White 1/4-20 thread, 5/8″ diameter base x 1″ threaded stem with nylon patch
Upholstery	• All fabric and leather pieces are cut with automated cutters that utilize precise patterns

Foam

Seat Cushion	• 3 lb compression • 40 density molded foam

carolina
an OFS company

Offshore lounge bench/ottoman

SPEC SHEET

Two-seat bench CL-44B

Overall Dimensions	44.5″w x 20.5″d x 18.5″h	**COM 54″**	1.75 yds.
Seat Dimensions	44″w x 21″d x 18.5″h	**Cubic Feet**	18
		Shipping Weight	42 lbs.
		Weight Rating	300 lbs. (per seat)



Three-seat bench CL-66B

Overall Dimensions	66.5″w x 20.5″d x 18.5″h	**COM 54″**	2.25 yds.
Seat Dimensions	66″w x 21″d x 18.5″h	**Cubic Feet**	26
		Shipping Weight	64 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
• Spring seat construction • Cast legs and extruded aluminum frame provide durability and longevity • 10” High base design ensures easy access for floor cleaning and reduces maintenance efforts	**Power module** • (1) Power outlet and (2) USB-A outlets • Available in Silver, Deep Space, and Black • The cord is 10′ long **Miscellaneous** • Wall-saver bumpers are available on all four legs or rear legs only

Three-seat bench | (1) center table CL-66BT

Single textiles

Overall Dimensions	66.5″w x 20.5″d x 18.5″h	**COM 54″**	2 yds.
Seat Dimensions	22″w x 21″d x 18.5″h	**Cubic Feet**	26
Table Dimensions	21″w x 20.25″d x 13.5″h	**Shipping Weight**	80.5 lbs.
		Weight Rating	300 lbs. (per seat)



Three-seat bench | (1) center table CL-66BT-MT

Multiple textiles

Overall Dimensions	66.5″w x 20.5″d x 18.5″h	**COM 54″**	2 yds.
Seat Dimensions	22″w x 21″d x 18.5″h	**Cubic Feet**	26
Table Dimensions	21″w x 20.25″d x 13.5″h	**Shipping Weight**	80.5 lbs.
		Weight Rating	300 lbs. (per seat)



Standard Features	Options Available
• Spring seat construction • Cast legs and extruded aluminum frame provide durability and longevity • 10” High base design ensures easy access for floor cleaning and reduces maintenance efforts	**Table surface** • Laminate (Standard HPL/TFL offering) • Solid surface (Cameo White, Modern White, Medea, and Polaris) • Solid surface table is available with a spill groove **Power module** • (1) Power outlet and (2) USB-A outlets • Available in Silver, Deep Space, and Black • The cord is 10′ long **Miscellaneous** • Wall-saver bumpers are available on all four legs or rear legs only

carolina
an OFS company

Offshore lounge bench/ottoman

SPEC SHEET

Standard Textile & Finish Selection

http://carolina.ofs.com/design/textiles
http://carolina.ofs.com/design/finishes

Frame Construction

Seat	• 1.25″ thick solid wood assembled frame with equally spaced 8 ga sinuous springs
Upholstery	• All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Assembly	• The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws, or staples

Base Frame

Side / End Rails	• 1.25″ thick solid wood assembled frame with equally spaced 8 ga sinuous springs
Legs	• Powder-coated casted aluminum
Glides	• 1.0″ diameter x 0.5″ thick black rubber glide with 1/4-20 x 1″ threaded stem

Foam

Seat	• 2.0″ Thick core foam 35 lb. compression / 2.5 density with 1.0″ thick Memory Foam topper • 0.5″ thick overlay foam 35 lb. compression / 2.5 density

Power Supply

- One 15 amp AC outlet, One USB-A 1.5 amp outlet, One USB-C 60 watt in same power unit
- All tamper resistant outlets
- 10′ Black PVC Power Cord
- UL Listed
- Material: Powder-coated Aluminum
- Frame: Silver, Black, Deep Space.
- Outlet: Linen