

carolina
an OFS company

Offshore
BUILDING BLOCKS

Collection overview



Lounge



Bench/ottoman



Guest/multi-use



Multiple



Bariatric



Patient



Easy access



Sleepover



Occasional tables

Materiality

- Base is available in standard, studio, and super matte powder coats
- Power is available in Silver, Black, and Deep Space (available only on lounge, lounge benches, and sleepover)

Lounge and lounge benches

- Arm caps are available in resin, wood, and solid surface (not available on lounge benches)
- Table tops are available in TFL, HPL, and solid surface

Guest, multiple, bariatric, patient, easy access, and guest benches

- Arm caps are available in resin and solid surface (not available on guest benches)
- Table tops are available in TFL, HPL, and solid surface

Sleepover

- Arm caps are available in resin, 3DL, solid surface
- Table tops are available in TFL, HPL, 3DL, and solid surface
- Cubby tops are available in 3DL and solid surface

Occasional tables

- Table tops are available in TFL, HPL, and solid surface

Overview lounge

General notes

- Available in lounge chair, loveseat, sofa, and bench configurations
- Tandem units are available in one-seat, two-seat, and three-seat configurations
- Cannot be ganged
- 360° clean out is standard
- Powder-coated cast aluminum platform base
- Black, non-marring glides are standard
- Optional wall-saver bumper on all four or rear legs only
- Fully upholstered arms with no arm cap are standard; resin, wood, or solid surface arm caps are available
- Integrated table surfaces are available in HPL, TFL, or solid surface; optional spill groove is available on solid surface tops
- Multiple textiles are available on the seat, back, and arms
- Optional moisture barrier is available
- Power is available in Silver, Deep Space, or Black
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 28.5"
- Overall height: 32.5"
- Seat width: varies per configuration
- Seat depth: 20"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions


Statement of line lounge



Lounge chair
29"w x 28.5"d x 32.5"h



Loveseat
51"w x 28.5"d x 32.5"h



Sofa
73"w x 28.5"d x 32.5"h



One-seat left-facing end table
38.25"w x 28.5"d x 32.5"h



One-seat right-facing end table
38.25"w x 28.5"d x 32.5"h



Two-seat center table
64.5"w x 28.5"d x 32.5"h



Three-seat center tables
100"w x 28.5"d x 32.5"h



Two-seat dividing arm
55"w x 28.5"d x 32.5"h



Three-seat dividing arms
81"w x 28.5"d x 32.5"h



One-seat right-facing end table
38.25"w x 28.5"d x 32.5"h



Two-seat center table
64.5"w x 28.5"d x 32.5"h



Three-seat center tables
100"w x 28.5"d x 32.5"h

Standard features lounge



Standard arm
No arm cap



360° clean out



10" high base clearance



Non-marring glide

Options lounge



Multiple textiles



Solid surface end table
With spill groove



Power



Wall-saver bump guard

Multiple textiles lounge



Arms and arm caps lounge

- Arms are 3"W x 28.125"L x 12.5"H
- Arm height is 25" from the floor and 7" from the seat
- Arms are standard without arm caps
- Arm caps are 2.25" wide with 1.5" of flat surface



Standard arm
No arm cap



Resin
Arm cap



Wood
Arm cap



Solid surface
Arm cap

Tables lounge

- End and middle tables are 12.25"W x 28.125"L x 13.625"H
- Tables are 13.625" from the floor and 5" from the seat
- The laminate and solid surface tops are 1" thick
- The spill groove is inset .125" from the outer edge of the table



HPL/TFL end table
No spill groove



Solid surface end table
No spill groove



Solid surface end table
With spill groove

Power lounge

General notes:

- Power outlets consist of (1) 15 amp AC outlet, (1) USB-A 1.5 amp outlet, and (1) USB-C 60 watt outlet
- Power cord is 10' (black)
- Power cord is routed under the unit with provided wire clips
- Powder-coated aluminum in Black, Deep Space, and Silver
- The face of each power outlet is Linen
- Power is installed on-site
- UL listed

Power location notes:

- Lounge chair: available on left or right
- Loveseat and sofa: available on left, right, or both
- One-seat with end table: available on left, right, or both
- Two-seat tandem: can be specified on the left or right of each seat position
- Three-seat tandem: can be specified on the left or right of each seat position



Black



Deep Space



Silver

Field-replaceable components lounge

- Arm caps
- Arms
- Seats
- Backs
- Tables
- Bench seats
- Bench tables
- Power units
- Base frame

Overview lounge bench/ottoman

General notes

- Available in 44", 66", and 66" with center table configurations
- Cannot be ganged
- 360° clean out is standard (66" unit with table)
- Powder-coated cast aluminum platform base
- Black, non-marring glides are standard
- Optional wall-saver bumper on all four or rear legs only
- Integrated table surfaces are available in HPL, TFL, or solid surface; optional spill groove is available on solid surface tops
- Multiple textiles are available (66" unit with table)
- Optional moisture barrier is available
- Power is available in Silver, Deep Space, or Black
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 20.5"
- Overall height: 18.5"
- Seat width: varies per configuration
- Seat depth: 20.5"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Statement of line bench/ottoman



Two-seat bench
44.5"w x 20.5"d x 18.5"h



Three-seat bench
66.5"w x 20.5"d x 18.5"h



Three-seat bench with center table
66.5"w x 20.5"d x 18.5"h

Standard features lounge bench/ottoman



360° clean out



10" high base clearance



Non-marring glide

Options lounge bench/ottoman



Multiple textiles




Power




Wall-saver bump guard

Multiple textiles lounge bench/ottoman




Tables lounge bench/ottoman


- Middle tables are 12.25"W x 28.125"L x 13.625"H
- Tables are 13.625" from the floor and 5" from the seat
- The laminate and solid surface tops are 1" thick
- The spill groove is inset .125" from the outer edge of the table



Middle table
HPL/TFL



Middle table
Solid surface



Middle table
Solid surface with spill groove

Power lounge bench/ottoman

General notes:

- Power outlets consist of (1) 15 amp AC outlet, (1) USB-A 1.5 amp outlet, and (1) USB-C 60 watt outlet
- Power cord is 10' (black)
- Power cord is routed under the unit with provided wire clips
- Powder-coated aluminum in Black, Deep Space, and Silver
- The face of each power outlet is Linen
- Power is installed on-site
- UL listed

Power location notes:

- Available on the left and/or right



Black



Deep Space



Silver

Field-replaceable components lounge bench/ottoman

- Seats
- Tables
- Power units
- Base frame

Overview guest bench/ottoman

General notes

- 40.5" width seat with or without an integrated side table
- Cannot be ganged
- 360° clean out is standard (66" unit with table)
- Powder-coated cast aluminum base
- Protective under-seat splash guard is standard (black)
- White, non-marring glides are standard
- Integrated table surfaces are available in HPL, TFL, or solid surface
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 23"
- Overall height: 18"
- Seat width: varies per configuration
- Seat depth: 23"
- Seat height: 18"
- See [spec sheet](#) for all dimensions

Statement of line guest bench/ottoman



Bench
40.5"w x 23"d x 18"h



Bench with RSF table
54.25"w x 23"d x 18"h



Bench with LSF table
54.25"w x 23"d x 18"h

Field-replaceable components guest bench/ottoman

- Seats
- Tables
- Base frame
- Glides
- Under-seat splash guard

Overview guest/multi-use

General notes

- Available in guest, loveseat, and bariatric configurations
- Arm caps are standard; available in resin and solid surface
- Clean-thru and wall-saver designs are standard
- Protective under-seat splash guard is standard (black)
- Features a fully-welded, powder-coated metal frame
- White nylon glides are standard
- Power is not available
- Ganging brackets are available separately
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 25"
- Overall height: 34"
- Seat width: varies per configuration
- Seat depth: 20.25"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Statement of line guest/multi-use



Guest chair
29"w x 28.5"d x 32.5"h



Guest loveseat
51"w x 28.5"d x 32.5"h



Bariatric chair
73"w x 28.5"d x 32.5"h

Standard features guest/multi-use



Standard arm
Resin arm cap




Clean-thru design



Underseat splash guard



Wall-saver



White nylon glides

Options guest/multi-use




Multiple textiles



Solid surface
Arm caps

Multiple textiles guest/multi-use



Arm caps guest/multi-use

- Arm caps are 31.25" from the floor and 7.5" from the seat
- Arm caps are 2.5" wide and 19.75" long
- Arm caps are .5" thick



Resin



Solid surface

Field-replaceable components guest/multi-use

- Arm caps
- Frame
- Seats
- Backs
- Tables
- Under-seat splash guard
- Glides

Overview multiple

General notes

- Pre-configured units ship ganged (no ganging required)
- Ganging brackets are available separately
- Arm caps are standard; available in resin and solid surface
- Clean-thru and wall-saver designs are standard
- Protective under-seat splash guard is standard (black)
- Features a fully-welded, powder-coated metal frame
- White nylon glides are standard
- Power is not available
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 25"
- Overall height: 34"
- Seat width: varies per configuration
- Seat depth: 20.25"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Statement of line multiple



Base guest chair
25"w x 25"d x 34"h



Base bariatric chair
32.25"w x 25"d x 34"h



Base loveseat
44.25"w x 25"d x 34"h



Chair/chair
48"w x 25"d x 34"h



Chair/chair/chair
70.5"w x 25"d x 34"h



Chair/chair/chair/chair
93.5"w x 25"d x 34"h



Chair/bariatric
55"w x 25"d x 34"h



Bariatric/chair
55"w x 25"d x 34"h



Chair/loveseat
67"w x 25"d x 34"h



Loveseat/chair
67"w x 25"d x 34"h



Chair/chair/bariatric
77.75"w x 25"d x 34"h



Chair/bariatric/chair
77.75"w x 25"d x 34"h



Bariatric/chair/chair
77.75"w x 25"d x 34"h



Chair/12" table/chair
61.5"w x 25"d x 34"h



Chair/22" table/chair
71.5"w x 25"d x 34"h

Statement of line multiple



12" end table
12.75"w x 22.25"d x 15.5"h



12" middle table
12.75"w x 22.25"d x 2.5"h



22" end table
22.75"w x 22.25"d x 15.5"h



22" middle table
22.75"w x 22.25"d x 2.5"h



90° corner table
26.5"w x 26.5"d x 15.5"h

Standard features multiple



Standard arm
Resin arm cap




Clean-thru design



Underseat splash guard



Wall-saver



White nylon glides

Options multiple




Multiple textiles



Solid surface
Arm caps

Multiple textiles multiple



Arm caps multiple

- Arm caps are 31.25" from the floor and 7.5" from the seat
- Arm caps are 2.5" wide and 19.75" long
- Arm caps are .5" thick



Resin



Solid surface

Arm caps multiple

- Tables are available in 12" and 22" widths
- Tables are 13.625" from the floor and 2.5" from the seat
- The laminate and solid surface tops are 1" thick
- HPL and TFL tops feature 2mm PVC edge banding



12" table
HPL and TFL



22" table
HPL and TFL



12" table
Solid surface



22" table
Solid surface

Field-replaceable components multiple

- Arm caps
- Frame
- Seats
- Backs
- Tables
- Under-seat splash guard
- Glides

Overview patient

General notes

- Pre-configured units ship ganged (no ganging required)
- Ganging brackets are available separately
- Arm caps are standard; available in resin and solid surface
- Clean-thru and wall-saver designs are standard
- Protective under-seat splash guard is standard (black)
- Features a fully-welded, powder-coated metal frame
- White nylon glides are standard
- Power is not available
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 25"
- Overall height: 45"
- Seat width: varies per configuration
- Seat depth: 20.25"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Statement of line patient



Base guest chair
25"w x 25"d x 45"h



Base bariatric chair
32.25"w x 25"d x 45"h



Base loveseat
44.25"w x 25"d x 45"h



Chair/chair
48"w x 25"d x 45"h



Chair/chair/chair/chair
93.5"w x 25"d x 45"h



Chair/bariatric
55"w x 25"d x 45"h

Standard features patient




Standard arm
Resin arm cap



Clean-thru design



Underseat splash guard



White nylon glides

Options patient



Multiple textiles



Solid surface
Arm caps

Multiple textiles patient



Arm caps patient

- Arm caps are 31.25" from the floor and 7.5" from the seat
- Arm caps are 2.5" wide and 19.75" long
- Arm caps are .5" thick



Resin



Solid surface

Field-replaceable components patient

- Arm caps
- Frame
- Seats
- Backs
- Tables
- Under-seat splash guard
- Glides

Overview easy access

General notes

- Pre-configured units ship ganged (no ganging required)
- Ganging brackets are available separately
- Arm caps are standard; available in resin and solid surface
- Clean-thru and wall-saver designs are standard
- Protective under-seat splash guard is standard (black)
- Features a fully-welded, powder-coated metal frame
- White nylon glides are standard
- Foot rest is standard in black
- Power is not available
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 25"
- Overall height: 39.5"
- Seat width: varies per configuration
- Seat depth: 20.25"
- Seat height: 23.75"
- See [spec sheet](#) for all dimensions

Statement of line easy access



Base guest chair
25"w x 28"d x 39.5"h



Base bariatric chair
32.25"w x 28"d x 39.5"h



Base loveseat
44.25"w x 28"d x 39.5"h



Chair/chair
48"w x 28"d x 39.5"h



Chair/chair/chair
70.5"w x 28"d x 39.5"h



Chair/chair/chair/chair
93.5"w x 28"d x 39.5"h



Chair/bariatric
55"w x 28"d x 39.5"h



Bariatric/chair
55"w x 28"d x 39.5"h



Chair/loveseat
67"w x 28"d x 39.5"h



Loveseat/chair
67"w x 28"d x 39.5"h



Chair/chair/bariatric
77.75"w x 28"d x 39.5"h



Chair/bariatric/chair
77.75"w x 28"d x 39.5"h



Bariatric/chair/chair
77.75"w x 28"d x 39.5"h



Chair/12" table/chair
61.5"w x 28"d x 39.5"h



Chair/22" table/chair
71.5"w x 28"d x 39.5"h

Standard features easy access



Standard arm
Resin arm cap




Clean-thru design



Underseat splash guard



Wall-saver



White nylon glides

Options easy access




Multiple textiles



Solid surface
Arm caps

Multiple textiles easy access



Arm caps easy access

- Arm caps are 31.25" from the floor and 7.5" from the seat
- Arm caps are 2.5" wide and 19.75" long
- Arm caps are .5" thick



Resin



Solid surface

Field-replaceable components easy access

- Arm caps
- Frame
- Seats
- Backs
- Tables
- Under-seat splash guard
- Glides
- Foot rest

Overview bariatric

General notes

- Pre-configured units ship ganged (no ganging required)
- Ganging brackets are available separately
- Arm caps are standard; available in resin and solid surface
- Clean-thru and wall-saver designs are standard
- Protective under-seat splash guard is standard (black)
- Features a fully-welded, powder-coated metal frame
- White nylon glides are standard
- Power is not available
- Optional moisture barrier is available
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 25"
- Overall height: 39.5"
- Seat width: varies per configuration
- Seat depth: 20.25"
- Seat height: 23.75"
- See [spec sheet](#) for all dimensions

Statement of line bariatric



Bariatric chair
32.25"w x 28"d x 34"h

Standard features bariatric



Standard arm
Resin arm cap




Clean-thru design



Underseat splash guard



Wall-saver



White nylon glides

Options bariatric




Multiple textiles



Solid surface
Arm caps

Multiple textiles bariatric



Arm caps bariatric

- Arm caps are 31.25" from the floor and 7.5" from the seat
- Arm caps are 2.5" wide and 19.75" long
- Arm caps are .5" thick



Resin



Solid surface

Field-replaceable components bariatric

- Arm caps
- Frame
- Seats
- Backs
- Under-seat splash guard
- Glides
- Foot rest

Overview sleepover


General notes

- Available in 76" and 80" sleep surface widths
- 360° clean out is standard
- Powder-coated cast aluminum platform base
- Black, non-marring glides or casters (black or grey)
- Casters feature a red safety lock
- Optional wall-saver bumper on all four or rear legs only
- Fully upholstered arms with no arm cap are standard; resin, wood, or solid surface arm caps are available
- Integrated table surfaces are available in HPL, TFL, or solid surface; optional spill groove is available on solid surface tops
- Multiple textiles are available on the seat, back, and arms
- Optional moisture barrier is available
- Power is available in Silver, Deep Space, or Black
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 28.5"
- Overall height: 32.5"
- Seat width: varies per configuration
- Seat depth: 20"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Multiple textiles sleepover



Overview sleepover

General notes

- Available in 76" and 80" sleep surface widths
- 360° clean out is standard
- Powder-coated cast aluminum platform base
- Black, non-marring glides or casters (black or grey)
- Casters feature a red safety lock
- Optional wall-saver bumper on all four or rear legs only
- Fully upholstered arms with no arm cap are standard; resin, wood, or solid surface arm caps are available
- Integrated table surfaces are available in HPL, TFL, or solid surface; optional spill groove is available on solid surface tops
- Multiple textiles are available on the seat, back, and arms
- Optional moisture barrier is available
- Power is available in Silver, Deep Space, or Black
- Field-replaceable components are available

Dimensions

- Overall width: varies per configuration
- Overall depth: 28.5"
- Overall height: 32.5"
- Seat width: varies per configuration
- Seat depth: 20"
- Seat height: 18.5"
- See [spec sheet](#) for all dimensions

Statement of line sleepover

76" sleep surface



Sleepover sofa with two arms
84.5"w x 32.5"d x 32"h



Sleepover sofa with LSF arm + RSF table
92.25"w x 32.5"d x 32"h



Sleepover sofa with LSF table + RSF arm
92.25"w x 32.5"d x 32"h



Sleepover sofa with two tables
100"w x 32.5"d x 32"h



Sleepover sofa with LSF arm + RSF cubby
92.25"w x 32.5"d x 32"h



Sleepover sofa with LSF cubby + RSF arm
92.25"w x 32.5"d x 32"h



Sleepover sofa with two cubbies
100"w x 32.5"d x 32"h



Sleepover sofa with LSF cubby + RSF table
100"w x 32.5"d x 32"h



Sleepover sofa with LSF table + RSF cubby
100"w x 32.5"d x 32"h

Statement of line sleepover

80" sleep surface



Sleepover sofa with
88.5"w x 28"d x 34"h



Bariatric chair
96.25"w x 28"d x 34"h



Bariatric chair
96.25"w x 28"d x 34"h



Bariatric chair
104"w x 28"d x 34"h



Bariatric chair
96.25"w x 28"d x 34"h



Bariatric chair
96.25"w x 28"d x 34"h



Bariatric chair
104"w x 28"d x 34"h




Bariatric chair
104"w x 28"d x 34"h



Bariatric chair
104"w x 28"d x 34"h

Multiple textiles sleepover



Standard features sleepover



Standard arm
No arm cap



360° clean out



10" high base clearance



Non-marring glide


Options sleepover



Multiple textiles



Arm caps



Casters



End table



End table



End cubby



Coat rack



Wall-saver bump guard

Arms and arm caps sleepover

- Arms are 4.25"W x 32.5"L x 11.5"H
- Arm height is 24" from the floor and 5.5" from the seat
- Arms are standard without arm caps
- Arm caps are 4.25" wide with 3.5" of flat surface



Standard arm
No arm cap



3DL
Arm cap



Solid surface
Arm cap

Tables sleepover

- End tables are 12.25"W x 32.5"L x 11.5"H
- Tables are 13.625" from the floor and 5" from the seat
- The laminate and solid surface tops are 1" thick
- The spill groove is inset .125" from the outer edge of the table



3DL end table
No spill groove



3DL end table
With spill groove



Solid surface end table
No spill groove



Solid surface end table
With spill groove

Cubbies sleepover

- End tables are 12.25"W x 32.125"L x 12"H
- Tables are 13.625" from the floor and 5" from the seat
- The top panel to the bottom panel is 11"
- The spill groove is inset .125" from the outer edge of the table



Full cubby
3DL and solid surface



Partial cubby
3DL and solid surface



Full cubby
With coat rack



Partial cubby
With coat rack

Power sleepover

General notes:

- Power outlets consist of (1) 15 amp AC outlet, (1) USB-A 1.5 amp outlet, and (1) USB-C 60 watt outlet
- Power cord is 10' (black)
- Power cord is routed under the unit with provided wire clips
- Powder-coated aluminum in Black, Deep Space, and Silver
- The face of each power outlet is Linen
- Power is installed on-site
- UL listed

Power location notes:

- Lounge chair: available on left or right
- Loveseat and sofa: available on left, right, or both
- One-seat with end table: available on left, right, or both
- Two-seat tandem: can be specified on the left or right of each seat position
- Three-seat tandem: can be specified on the left or right of each seat position



Black



Deep Space



Silver

Field-replaceable components sleepover

- Arm caps
- Arms
- Seats
- Backs
- Tables
- Cubbies
- Coat racks
- Power units
- Base frame

Overview occasional tables

General notes

- Pull up table, round, square, and oval configurations
- The pull up table can hold up to 200 lbs.
- The HPL/TFL table top on the pull up table is .75" thick
- The solid surface table top on the pull up table is .75" thick
- The steel tubing on the pull up table is 1.5" x .59"
- The bottom plate on the pull up table is .375"
- The pull up table feature (4) nylon glides (1.5" diameter x .375" thickness)
- The HPL/TFL table top on the occasional tables is 1" thick
- The solid surface table top on the occasional tables is 1" thick
- The occasional tables feature (4) white nylon glides
- See [spec sheet](#) for all dimensions

Statement of line occasional tables



Pull up table
12"w x 18"d x 27.5"h



Round end table
19"w x 19"d x 19"h



Square end table
22"w x 22"d x 19"h



Round coffee table
36"w x 36"d x 15"h



Square coffee table
30"w x 30"d x 15"h



Oval coffee table
48"w x 26"d x 15"h

Field-replaceable components occasional tables

- Top
- Base
- Glides