carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Base easy access chair 1464-C
Single textiles

Overall Dimensions	25″w x 28″d x 39.375″h	**COM 54″**	1.5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	25.25 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	49.5 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Base easy access chair 1464-C-MT
Multiple textiles

Overall Dimensions	25″w x 28″d x 39.375″h	**COM 54″** - Seat	1 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	25.25 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	49.5 lbs.
Top of Arm to Seat	7.5″		



Base easy access loveseat 1464-2
Single textiles

Overall Dimensions	44.25″w x 28″d x 39.375″h	**COM 54″**	2.5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	41 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	74.5 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Base easy access loveseat 1464-2-MT
Multiple textiles

Overall Dimensions	44.25″w x 28″d x 39.375″h	**COM 54″** - Seat	1.5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	41 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	74.5 lbs.
Top of Arm to Seat	7.5″		



Base easy access bariatric chair 1464-OBB
Single textiles

Overall Dimensions	32.25″w x 28″d x 39.375″h	**COM 54″**	2.25 yds.
Seat Dimensions	27.75″w x 20.25″d x 23.75″h	**Cubic Feet**	31.25 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	61.5 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Base easy access bariatric chair 1464-OBB-MT
Multiple textiles

Overall Dimensions	32.25″w x 28″d x 39.375″h	**COM 54″** - Seat	1 yds.
Seat Dimensions	27.75″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.25 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	31.25 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	61.5 lbs.
Top of Arm to Seat	7.5″		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components • Baratric chair is weight rated to 600 lbs.	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Easy access chair/chair 1464-CC
Single textiles

Overall Dimensions	48″w x 28″d x 39.375″h	**COM 54″**	2.75 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	44 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	90 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/chair 1464-CC-MT
Multiple textiles

Overall Dimensions	48″w x 28″d x 39.375″h	**COM 54″** - Seat	1 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	44 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	90 lbs.
Top of Arm to Seat	7.5″		



Easy access chair/chair/chair 1464-CCC
Single textiles

Overall Dimensions	70.5″w x 28″d x 39.375″h	**COM 54″**	3.75 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	62.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	120 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		




Easy access chair/chair/chair 1464-CCC-MT
Multiple textiles

Overall Dimensions	70.5″w x 28″d x 39.375″h	**COM 54″** - Seat	1.5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	62.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	120 lbs.
Top of Arm to Seat	7.5″		




Easy access chair/chair/chair/chair 1464-CCCC
Single textiles

Overall Dimensions	93.5″w x 28″d x 39.375″h	**COM 54″**	5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	81.5 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	172.5 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/chair/chair/chair 1464-CCCC-MT
Multiple textiles

Overall Dimensions	93.5″w x 28″d x 39.375″h	**COM 54″** - Seat	1.5 yds.
Seat Dimensions	20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	81.5 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	172.5 lbs.
Top of Arm to Seat	7.5″		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Easy access chair/loveseat 1464-C2
Single textiles

Overall Dimensions	67″w x 28″d x 39.375″h	**COM 54″**	3.5 yds.
Seat Dimensions	20.5/39.75″w x 20.25″d x 23.75″h	**Cubic Feet**	59.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	115 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/loveseat 1464-C2-MT
Multiple textiles

Overall Dimensions	67″w x 28″d x 39.375″h	**COM 54″** - Seat	2 yds.
Seat Dimensions	20.5/39.75″w x 20.25″d x 23.75″h	**COM 54″** - Back	2.25 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	59.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	115 lbs.
Top of Arm to Seat	7.5″		



Easy access loveseat/chair 1464-2C
Single textiles

Overall Dimensions	67″w x 28″d x 39.375″h	**COM 54″**	3.5 yds.
Seat Dimensions	39.75/20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	59.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	115 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access loveseat/chair 1464-2C-MT
Multiple textiles

Overall Dimensions	67″w x 28″d x 39.375″h	**COM 54″** - Seat	2 yds.
Seat Dimensions	39.75/20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	2.25 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	59.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	115 lbs.
Top of Arm to Seat	7.5″		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Easy access chair/bariatric 1464-COB
Single textiles

Overall Dimensions	55″w x 28″d x 39.375″h	**COM 54″**	2.75 yds.
Seat Dimensions	20.5/27.75″w x 20.25″d x 23.75″h	**Cubic Feet**	50 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	102.5
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/bariatric 1464-COB-MT
Multiple textiles

Overall Dimensions	55″w x 28″d x 39.375″h	**COM 54″** - Seat	1.75 yds.
Seat Dimensions	20.5/27.75″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.75 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	50 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	102.5
Top of Arm to Seat	7.5″		



Easy access bariatric/chair 1464-OBC
Single textiles

Overall Dimensions	55″w x 28″d x 39.375″h	**COM 54″**	2.75 yds.
Seat Dimensions	27.75/20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	50 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	102.5
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access bariatric/chair 1464-OBC-MT
Multiple textiles

Overall Dimensions	55″w x 28″d x 39.375″h	**COM 54″** - Seat	1.75 yds.
Seat Dimensions	27.75/20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	1.75 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	50 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	102.5
Top of Arm to Seat	7.5″		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Easy access chair/chair/bariatric 1464-CCOB
Single textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″**	3.75 yds.
Seat Dimensions	20.5/20.5/27.75″w x 20.25″d x 23.75″h	**Cubic Feet**	68.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	143 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/chair/bariatric 1464-CCOB-MT
Multiple textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″** - Seat	2.25 yds.
Seat Dimensions	20.5/20.5/27.75″w x 20.25″d x 23.75″h	**COM 54″** - Back	2.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	68.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	143 lbs.
Top of Arm to Seat	7.5″		



Easy access bariatric/chair/chair 1464-OBCC
Single textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″**	3.75 yds.
Seat Dimensions	27.75/20.5/20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	68.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	143 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access bariatric/chair/chair 1464-OBCC-MT
Multiple textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″** - Seat	2.25 yds.
Seat Dimensions	27.75/20.5/20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	2.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	68.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	143 lbs.
Top of Arm to Seat	7.5″		



Easy access chair/bariatric/chair 1464-COBC
Single textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″**	3.75 yds.
Seat Dimensions	20.5/27.75/20.5″w x 20.25″d x 23.75″h	**Cubic Feet**	68.75 ft.
Seat to Top of Back	15.75″	**Shipping Weight**	143 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5″		



Easy access chair/bariatric/chair 1464-COBC-MT
Multiple textiles

Overall Dimensions	77.75″w x 28″d x 39.375″h	**COM 54″** - Seat	2.25 yds.
Seat Dimensions	20.5/27.75/20.5″w x 20.25″d x 23.75″h	**COM 54″** - Back	2.5 yds.
Seat to Top of Back	15.75″	**Cubic Feet**	68.75 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	143 lbs.
Top of Arm to Seat	7.5″		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Easy access chair/12" table/chair 1464-C12C
Single textiles

Overall Dimensions	61.5"w x 28"d x 39.375"h	**COM 54"**	2.75 yds.
Seat Dimensions	20.5"w x 20.25"d x 23.75"h	**Cubic Feet**	55.25 ft.
Seat to Top of Back	15.75"	**Shipping Weight**	115 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5"		



Easy access chair/12" table/chair 1464-C12C-MT
Multiple textiles

Overall Dimensions	61.5"w x 28"d x 39.375"h	**COM 54"** - Seat	1.5 yds.
Seat Dimensions	20.5"w x 20.25"d x 23.75"h	**COM 54"** - Back	1.75 yds.
Seat to Top of Back	15.75"	**Cubic Feet**	55.25 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	115 lbs.
Top of Arm to Seat	7.5"		



Easy access chair/22" table/chair 1464-C22C
Single textiles

Overall Dimensions	77.75"w x 28"d x 39.375"h	**COM 54"**	2.75 yds.
Seat Dimensions	20.5/27.75/20.5"w x 20.25"d x 23.75"h	**Cubic Feet**	63.5 ft.
Seat to Top of Back	15.75"	**Shipping Weight**	122 lbs.
Top of Arm to Floor	31.25		
Top of Arm to Seat	7.5"		



Easy access chair/22" table/chair 1464-C22C-MT
Multiple textiles

Overall Dimensions	77.75"w x 28"d x 39.375"h	**COM 54"** - Seat	1.5 yds.
Seat Dimensions	20.5/27.75/20.5"w x 20.25"d x 23.75"h	**COM 54"** - Back	1.75 yds.
Seat to Top of Back	15.75"	**Cubic Feet**	63.5 ft.
Top of Arm to Floor	31.25	**Shipping Weight**	122 lbs.
Top of Arm to Seat	7.5"		



Standard Features	Options Available
• Open arm metal frame • Upholstered seat and back • Molded plywood back and webbed plywood seat construction • Molded foam seat and back • Fully welded, powder-coated metal frame • Rounded arm caps are available in resin or solid surface • Protective under-seat shroud (standard in black) • White nylon non-marring glides • Wall-saver design • Clean-thru design • Field-replaceable components	**Arm caps** • Resin (Black, Shadow, and Folkstone Grey) • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Frame** • Powder-coated (standard, studio, and super matte powder coats) **Table** • HPL (standard finish offering) with 2mm PVC edge banding • TFL (standard finish offering) with 2mm PVC edge banding • Solid surface (Cameo White, Modern White, Medea, and Polaris) **Additional options** • Moisture barrier (seat and/or back) • Removable covers (seat only)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

12" middle table 1460-12M

Overall Dimensions	12.75"w x 22.25"d x 15.5"h	**Cubic Feet**	1 ft.
		Shipping Weight	8 lbs.



22" middle table 1460-22M

Overall Dimensions	22.75"w x 22.25"d x 15.5"h	**Cubic Feet**	1.75 ft.
		Shipping Weight	17 lbs.



Standard Features	Options Available
• Protective under-seat shroud (standard in black) • Field-replaceable components	**Table top** • HPL (standard finish offering) with 2mm PVC edge banding • TFL (standard finish offering) with 2mm PVC edge banding • Solid surface (Cameo White, Modern White, Medea, and Polaris)

carolina
an OFS company

Offshore easy access multiple

SPEC SHEET

Standard Textile & Finish Selection

http://carolina.ofs.com/resources/textiles
http://carolina.ofs.com/resources/finishes

Frame Construction

Seat	• .875″ plywood covered by Sytex sheet webbing
Back	• .750″ molded plywood
Frame	• Chair/table legs: 1.125″ diameter, 11 gauge steel, .125″ wall • Chair mating tabs: .625″ diameter solid steel • Chair stretcher rails: 1.00″ diameter, 11 gauge steel, .125″ wall • Chair arm top straps: 1.125″ x .250″ thick steel • Chair back attachment brackets: 3″ x 1.75″ x .25″ thick steel • Glides: White 1/4-20 thread, 5/8″ diameter base x 1″ threaded stem with nylon patch
Arm Caps	• Solid surface: .472″ thick • Resin: .5″ thick
Foot Rest	• Injected molded glass filled nylon over a .25″ thick steel inner core (standard in black)
Tables	• Solid surface: .955″ thick • TFL: 1″ thick • HPL: 1.075″ thick
Upholstery	• All fabric and leather pieces are cut with automated cutters that utilize precise patterns

Foam

Seat Cushion	• 3 lb compression • 40 density molded foam
Back Cushion	• 3 lb compression • 40 density molded foam
Outside back	• 1.8 lb compression • 50 density molded foam