

Staks building blocks

---






## Table of contents

Panels/panel accessories	
<a href="#">Panel elevations</a>	3
<a href="#">Panels/assembly tools</a>	4
<a href="#">Panel organizers</a>	5
<a href="#">Privacy panels</a>	6
<a href="#">Panel shelving/tackboards</a>	7
<a href="#">Panel accessories</a>	8
Height adjustable desks	
<a href="#">Height adjustable</a>	9-12
Worksurfaces/supports/accessories	
<a href="#">Worksurfaces</a>	13
<a href="#">Worksurface supports</a>	14
<a href="#">Worksurface privacy panels</a>	15
<a href="#">Brackets</a>	16
Pedestals/floor storage	
<a href="#">Pedestals</a>	17-30
<a href="#">Step credenzas</a>	31-32
<a href="#">Floor storage</a>	33
<a href="#">Floor storage cushions</a>	34
<a href="#">Mobile pedestals</a>	35
Above worksurface storage	
<a href="#">Wall mounted storage</a>	36-38
<a href="#">Media panels</a>	39-41
<a href="#">Worksurface storage</a>	42
<a href="#">Highback organizers/tackboards</a>	43
Towers/laterals/bookcases	
<a href="#">Slide out storage towers</a>	44
<a href="#">Towers</a>	45-49
<a href="#">Bookcases/laterals</a>	50
Power/wire management	
<a href="#">Electrical/data</a>	51-52
<a href="#">Power supplies</a>	53
<a href="#">Wire management</a>	54
Work tools	
<a href="#">Lighting</a>	55
<a href="#">Work accessories</a>	56
<a href="#">Binny</a>	57


## Panel elevations

- Total height when a panel is used with privacy panels, or panel mounted storage
- Refer to panel overhead and privacy panel sections for additional information


### 33" h panel



### 42" h panel



### 48" h panel



## Panels

- Panels heights: 33" h, 42" h, 48" h
- Widths: available in  $\frac{1}{2}$ " increments between 24" w and 59" w
- Vertical grain direction on panels
- Corner options: square or 4" radius corner
- Panels are supported by connecting into surfaces and storage with brackets
- **Note:** Panels are not freestanding and cannot extend more than 24" w unsupported. See [Staks planning guide](#) for additional information
- Wall start available for panel to wall attachment



Square corner (X9)  
[6-PAN-33/36](#) (33" h panel)  
[6-PAN-42/36](#) (42" h panel)  
[6-PAN-48/36](#) (48" h panel)

Left corner (RLCR)

Right corner (RRCR)

Left and right corner (RBCR)

Wall start  
[SWP-L48](#) shown

## Assembly tools


- It is suggested to order the below tools that pertain to your typical for ease of installation
- Leveler wrench - use to adjust leveler glides on panels and storage items
- Cantilever gauge - use to pilot bore panels for cantilever brackets in both desk and low height mounting applications
- 120 degree panel gauge - use to position panels for 120 degree clusters
- Refer to installation guide for proper use



[TOOL-1](#)  
Leveler wrench



[TOOL-2](#)  
Cantilever gauge



[TOOL-3](#)  
120 degree panel gauge

## Panel organizers

### General notes

- Heights: 10'h, 15'h
- 30"w-42"w organizers have two small openings
- 48"w organizers have three small openings
- 54"w-84"w organizers have four small openings
- Single sided and centered split organizers feature models for larger openings, available on widths 54"w and wider
- Organizers must be used with [wall panel support](#), see worksurface supports section
- Organizers are center mounted to panel and attached using [press fit brackets](#)
- Organizers can be used in combination with a [shared shelf](#), see panel shelving section

### Single sided organizer

- 12.25"d openings
- Openings on one side only

### Shared organizer

- 12.25"d openings, two openings per side
- Shared overheads feature openings on both sides, three configurations available
- On side opening organizer is handed left or right

### Centered split organizer

- 6.125"d openings on both sides
- Shared overheads feature openings on both sides, three configurations available

### Doors

- Doors can be specified on 15'h units only, excluding centered split organizer
- Doors and backs available in veneer, TFL, acrylic, white backed glass, and white dry erase laminate
- Optional locks for veneer and TFL doors

### Single sided organizer



Large openings  
[6-5415SSORG2](#) 15'h shown



Small openings  
[6-5415SSORG4](#) 15'h shown

### Shared organizer



Alternating openings  
[6-5415SORG4A](#) 15'h shown  
[6-5415SORG4DA](#) (with doors)



Centered/split openings  
[6-5415SORG4B](#) 15'h shown  
[6-5415SORG4DB](#) (with doors)



On side openings  
[6-5415RSORG4C](#) 15'h right shown  
[6-5415RSORG4DC](#) (with doors)

### Centered split organizer



Large openings  
[6-5415SORGO2](#) 15'h shown



Small openings  
[6-5415SORGO4](#) 15'h shown

## Privacy panels

### Side mount privacy panel

- Privacy panel height: 11" h
- Adds 8.5" to overall panel height and extends 2.5" below panel top
- For use along aisle ways only
- Use with PVPBKT-1 saddle bracket

### Center mount privacy panel

- Privacy panel height: 8" h, 11" h
- Privacy panel height and bracket offset from panel, adds 8.5" or 11.5" to overall panel height
- For use along aisle or spine
- Use with PVPBKT-2 saddle bracket

### Routed privacy panel

- Privacy panel height: 10" h, 13" h
- Panel recesses into wall panel by 1.5"
- 10" h privacy panel adds 8.5" of overall panel height, and 13" h privacy panel adds 11.5" to overall panel height
- Factory installed route only

### Materials

- Privacy panel materials available in variety of acrylic and glass, in clear, frosted and tinted. Refer to privacy panel section in the [price guide](#) with below model numbers for available applications and widths

Side mount



[6-PVPA-41/11](#) shown

Center mount



[6-PVPA-41/8](#) shown

Routed



[6-PVPA-41/10](#) shown

## Panel shelving

### General notes

- Shelving and transaction counters must be used with [wall panel support](#), see worksurface supports section
- Shelving and transaction counters are center mounted to panel and attached using [press fit brackets](#)
- Shared shelf can be used alone, or with organizers for a layered look

### Shared shelf

- Widths: 39" w-102" w in varying increments

### Transaction counter

- Widths: 30" w-84" w in varying increments
- Transaction counter typically used on 42" h panel

**Shared shelf**



[6-SSH-45/13](#) shown

**Transaction counter**



[6-TRS-42/10](#) shown

## Panel tackboards

- Widths: 27" w-96" w, in  $\frac{1}{8}$ " increments
- Heights: 12" h, 18" h
- 12" h recommended for 42" h panels, 18" w recommended for 48" h panels
- Available as all square corners, square and rounded corners, or all rounded corners
- Square and rounded corner tackboard is not handed
- Tackboard attaches to panel with heavy duty Velcro

**Square**



[FT30A](#) shown

**Square/rounded**



[FTF10D](#) shown

**Rounded**



[FTR10D](#) shown

## Panel accessories

- Planter boxes rest on top of the wall panel and are center mounted. The boxes can be set in any location along the panel width. Available with or without a liner
- Hanging items cannot be used with privacy panel toppers, shelving or organizers
- Markerboard is a 24"x24" dry erase marker board on both sides. **Note:** Cannot be used above worksurface or storage
- Lamp has a 360 degree rotating lamp, LED bulb, and a 15' power cord with a cord mounted rocker switch

**Small planter**[6-PB12](#)**Medium planter**[6-PB18](#)**Large planter**[6-PB24](#)**Pen holder**[6-APH](#)**Coat hook**[6-ACH](#)**Bag knob**[6-ABK](#)**Markerboard**[6-AMB](#)**Lamp**[6-ALP](#)

## Height adjustable Metal bases

### Metal leg rectangular surface

- Use with surfaces 22" d or 30" d, and 48" w to 72" w
- Pneumatic or electric base
- Rectangular or square post leg
- Center or offset leg
- Flat or tubular foot, glide or caster
- Cord is 10' long

### Height adjustable wing top


- 58" w or 70" w, longest depth side is 36" d, shortest is 24" d
- Desk can be left or right handed
- Electric base, flat foot with glide standard
- Cord is 10' long

#### Rectangular surface




Rectangular post leg  
[HA30KCRE](#) shown  
(center column)


Square post leg  
[HA30KCSE](#) shown  
(center column)




Center leg



Offset leg




Tubular foot,  
glide or caster



Flat foot,  
glide or caster

#### Wing top



Left hand  
[6-5836HALWT](#) shown

Right hand  
[6-5836HARWT](#) shown

Flat foot,  
glide only

## Height adjustable Bridge | return | double pedestal

### Enclosed height adjustable general notes

- Optional height adjustable modesty for desk models, fixed to underside of surface
- Not recommended for use with tackboards
- Vertical wire management column provided within units

### Bridge

- Depth 22"d, widths in 42"w or 48"w
- Center grommet standard

### Return

- Depth 22"d, widths in 42"w or 48"w
- Center grommet standard

### Double pedestal desk

- Front modesty can be recessed, or symmetrical breakfront
- Box/box/file and file/file storage

### Bridge and return



Bridge  
[6-2248HABR](#) shown



Return  
[6-2248HARPR](#) shown

### Double pedestal desk



Recessed modesty  
[6-7230HADPR](#) shown



Breakfront modesty  
[6-7230HADPFT](#) shown



User side

## Height adjustable Single pedestal | shell desk

### General

- Note: Drawer depths are 13.125" d

### Single pedestal desk

- Front modesty can be recessed, or asymmetrical breakfront
- Available as stand alone, or with connected bridge or return
- Stand alone desk
  - 30"x60", 36"x60", 30"x66", 36"x66", 30"x72", 36"x72"
- Desk with connected bridge or return
  - Desk: 30"x60", 30"x66", 36"x66", 30"x72", 36"x72"
  - Bridge or return: 42" w or 48" w, depth 22" d
- Grommets
  - Optional on desk positioned left, right, or both
  - Grommets standard on bridge or return

### Shell desk

- Front modesty is available in slim symmetrical breakfront only
- Available as stand alone, or with connected bridge or return
- Stand alone desk
  - 30"x60", 36"x60", 30"x66", 36"x66", 30"x72", 36"x72"
- Desk with connected bridge or return
  - Desk: 30"x66", 36"x66", 30"x72", 36"x72"
  - Bridge or Return: 42" w or 48" w, depth 22" d
- Grommets
  - Optional desk grommet, positioned left, right, or both
  - Grommet standard on bridge and return

### Single pedestal desk



Recessed modesty  
[6-7230HALPDR](#) shown



Breakfront modesty  
[6-7230HALPDT](#) shown



Single pedestal user side  
left hand shown



Desk with connected bridge  
[6-HA7230LPDR2242RB](#) shown



Desk with connected return  
[6-HA7230LPDR2242RR](#) shown

### Shell desk



[6-7230HASHEL](#) shown



User side



Desk with connected bridge  
[6-HA7230SHEL2242RB](#) shown



Desk with connected return  
[6-HA7230SHEL2242RR](#) shown

## Height adjustable Runoff | sweeptop

### Runoff desk

- Two surface shapes, rectangular or sweep
- Low height base cabinet, 16.5" d or 22" d
- Two runoff support options, metal column for sweep top, metal column with foot for rectangular top, or panel base for either top
- Two center cabinet configuration options
- Four storage options for approach side and user side, in any combination
- Wire management
  - Grommet standard in base cabinet
  - Optional grommets for main surface

### Sweep top sizes

- Overall 68" w x 48" d, surface size 66" w x 46" d
- Overall 68" w x 54" d, surface size 66" w x 52" d
- Overall 68" w x 60" d, surface size 66" w x 58" d
- Overall 74" w x 60" d, surface size 72" w x 58" d

### Rectangular top sizes

- Overall 68" w x 48" d, surface size 66" w x 30" d
- Overall 68" w x 54" d, surface size 66" w x 30" d
- Overall 68" w x 60" d, surface size 66" w x 30" d
- Overall 74" w x 60" d, surface size 72" w x 30" d

### Surface shapes



Rectangular surface  
[6-7460HARCTR](#) shown



Sweep top surface  
[6-7460HASWTR](#) shown

### Runoff supports



Column post  
For sweep top



Column with foot  
For rectangular top



Panel  
For sweep or rectangular top

### Center cabinet options



Removable panel



Shelf insert

### Approach and user side cabinet options



Open with shelf,  
Door with shelf



Box file,  
Open with metal shelf

## Worksurfaces

### 16.5" d and 22" d Rectangular surfaces available in desk or low height, all other surfaces available in desk height only

- Rectangular: 16.5" d, 22" d, 30" d, 36" d
- Soft rectangular: 22" d, 30" d, 36" d (two rounded corners)
- Bow front: 30" d (36" d at deepest), 36" d (42" d at deepest)
- P Shaped: 36" d at narrow end, 42" d at widest point
- Concave: 30" d at widest point
- Bullet: 30" d, 36" d
- Half bullet left and right: 22" d
- Trapezoid: 22" d at narrow end, 30.5" d at widest point
- Half trapezoid left and right: 22" d at narrow end, 30.5" d at widest point
- Collaborative left and right: 22" d at each end
- Half round: 48" w x 24" d
- Quarter round: 22" d and 30" d connecting ends
- Corner unit: 36.5" w, 42.5" w, 56.5" w 22" along connecting seam, grain direction can be specified left, right, diagonal or vertical
- 120 degree corner: 35.639" w, 41.639" w, 47.639" w 22" along connecting seam, diagonal grain direction
- 120 degree extended corner: 57.639" w 22" along connecting seam, diagonal grain direction
- 120 degree asymmetrical corner, 35.639" w, 41.639" w, 47.639" w, 22" along connecting seam, diagonal grain direction
  - Surface is shorter on left or right side, depending on hand, to allow for tower connection



Rectangular  
[6-MCT-72/30](#) shown



Soft rectangular  
[6-RST-30](#) shown



Bow front  
[6-MBT-72/36](#) shown



P-Shaped  
[6-PTL-72/42](#) shown



Concave  
[6-CVT-72/30.5](#) shown



Bullet  
[6-BT-72/30](#) shown



Half bullet  
[6-BTR-72/22](#) shown



Trapezoid  
[6-TZT-72/30.5](#) shown



Half trapezoid  
[6-TZTL-72/30.25](#) shown



Collaborative  
[6-ECTR-72/42](#) shown  
(see reference typical)



Half Round  
[6-HLF48/24](#) shown



Quarter round  
[6-QT22D22](#) shown



Corner unit  
[6-CU-36.5/36.5D](#) shown



120 corner  
[6-CU-35.639/35.936](#) shown  
(see reference typical)



Tri cluster for 120 station  
[6-CU-93.5/46](#)  
(see reference typical)



Asymmetrical for 120 station  
[6-CU-42.014/57.639](#) shown  
(see reference typical)



Collaborative surface  
reference typical



Short corner for 120 station  
reference typical



Extended corner for 120 station  
reference typical



Asymmetrical for 120 station  
reference typical

## Worksurface supports

- Support panel is used to create L support with end panel or back panel
- Support base is used to support surfaces at a seam, or support a wider surface at the center, not to be used with wall panels
- Wall panel support is used to support surfaces and stabilize wall panels, must be used with overheads, shared shelving, and transaction counters, a wall panel can replace a cantilever
- Corner shelf required to stabilize wall panels when using height adjustable tables
- Wing end assemblies are used to create a breakfront modesty on desk approach side, when used with back panel
- End panels include angle brackets for support. One bracket for 22"d surface, two brackets for 30"/36"d surface. Vertical grain direction
- Back panels available as static or fold down. Static back panels in TFL will have horizontal grain pattern, and veneer back panels will have vertical grain pattern. **Note:** For static panel with access slot, minimum back panel width is 22"w
- Veneer legs to be used with peninsula or runoff surface only, cannot be used to create a table desk, available in desk height, or standing height. **Note:** Because of the unique color of the hardwoods, these finishes will be a solid paint color: MRO, OSL, PCO, MGO, MBM, MHM, DST and SVC
- Metal square, cylinder, square column and peninsula legs are used to support runoff and peninsula desks
- Metal Reese leg comes as set of 2
- H and O Legs, available with and without inserts
  - Widths: 22"w, 30"w, 36"w
  - All models are a single leg
- MBAR support bar must be used when H and O legs create a table desk, a veneer or laminate modesty is recommended to hide viewing the bar from the approach side
- Riser supports: utilize P shape when a hutch or additional storage weight is placed on top of the surface, T and drawer versions are not intended to be used with additional weight on top of the surface



Support panel  
[6-2812SP](#) shown



Support base  
[6-2812SB2](#) shown



Wall panel support  
[6-2812WPSP](#)



Panel corner support  
[6-2108SHLF](#)



Wing end assembly  
[6-N1630LWA](#) shown



End panel  
[6-2830TEP](#) shown



Back panel, static  
[6-28MCBC](#) shown



Back panel, static  
optional wire access



Fold down back panel  
[6-28MFBC](#) shown



Veneer leg  
[6-22WLB](#) shown



Metal square  
[6-L2S](#)



Metal cylinder  
[6-CB4](#)



Metal square column  
[SQB-29](#)



Metal peninsula support  
[6-PBASE](#)



Metal reese  
[6-R7L](#)



H leg with insert  
[6-30HBA1](#) shown



O leg no insert  
[6-300B1](#) shown



MBAR support bar  
[MBAR-54](#) shown



T-shape riser  
[6-RSP-18/9.5](#) shown



P-shape riser  
[6-TSP-18/9.5](#) shown



Riser drawer pedestal  
[6-RRSP-1815](#) shown

## Worksurface privacy panels

### Below surface modesty

- Extends 12" below surface
- Horizontal grain for woodgrain TFL modesty, vertical grain for veneer modesty
- Acrylic modesty requires 6-MPB-2 brackets, ordered separately, brackets for TFL and veneer modesty panels will ship standard with the modesty

- Veneer modesty will be vertical grain and must be ordered with bracket style WEBKT-2
- Optional tackboard available for TFL and veneer worksurface edge modesty's, both square and round
- Acrylic modesty must be ordered with bracket style WEBKT-1, refer to price guide for quantity of brackets needed

### Worksurface edge modesty

- 23.75" h, extends 11.5" above surface and 11" below
- Worksurface edge modesty's are available in TFL, veneer, frosted acrylic, and fabric, all material options can be specified with square or round corners, rounded fabric version only available in limited knits
- All edge modesty styles will offset from surface by 1.5" to allow for wire management
- Woodgrain TFL modesty will be horizontal grain and must be ordered with bracket style WEBKT-2

### Worksurface privacy panel

- Worksurface privacy panels are 11" h
- Acrylic privacy panels only available in 30" d. Requires two WPPBKT-2 brackets, specified separately
- Veneer, TFL and fabric privacy panels are set on only. Brackets are integrated into panel, available in square or rounded edges
- Note:** Rounded fabric version only available in limited knits
- All set on surface brackets utilize anti-skid tape on underneath side of brackets to prevent movement on the worksurface, but do not permanently attach

### Below surface modesty



TFL - horizontal grain  
[6-KMPD](#) shown



Veneer - vertical grain  
[6-WMPD](#) shown



Frosted acrylic  
[6-AMPD](#) shown

### Worksurface edge modesty



TFL  
[6-WEMK-72/23.75](#) shown



Veneer  
[6-WEMWS-72/23.75](#) shown



Optional tackboard  
[FTR1008](#) shown



Frosted acrylic  
[6-WEMAS-72/23.75](#) shown



Fabric  
[6-WEMF-72/23.75](#) shown

### Worksurface privacy panel



[6-PVPA-30/11](#)



[WS-WEMK-30/11 TFL](#) shown  
[WS-WEMW-30/11](#) (veneer)




Fabric  
[WS-WEMFR-30/11](#) shown

## Brackets

- Open cantilever is standard version used in Staks open plan
- Concealed cantilever can be used along aisle ways on 22" surfaces. **Note:** Concealed cantilever should not take the place of open cantilevers as main support
- Mini cantilever can be used in pairs to support surface corners
- Worksurface to storage brackets connect surfaces to pedestals and tower sides, and surfaces to panels
- Worksurface straightener is used when span of unsupported worksurface is greater than 48" w
- Pedestal to wall brackets are used with 19" d pedestals, use PEDBKT-1 (Z shaped) for standard back pedestals, use PEDBKT-2 (L shaped) for hinged back pedestals
- Clamp plates are used to adjoining two surfaces together at a seam
- Press fit brackets are used to connect transaction counters, shared shelves and organizers to Staks wall panels
- Saddle brackets are used to attach privacy panel to Staks wall panels
- Worksurface privacy panel brackets attaches modesty to surface top. Use WPPBKT-2 for clamp mount. For .25" thick materials only. Set on surface bracket does not permanently attach, uses anti-skid tape
- Worksurface edge modesty brackets clamps edge modesty to the front of worksurface. Use WEBKT-1 for acrylic, WEBKT-2 for TFL and veneer, and WEBKT-3 for fabric
- Height adjustable leg wall panel bracket attaches Staks panel to height adjustable leg. Set of 2
- Mounting block used for PD-1 pencil drawer when worksurface straighteners are used



Open cantilever  
[OWSBKT22](#) shown



Concealed cantilever  
[WSBKT22](#)




Mini cantilever  
[WSBKT2C](#)




Worksurface to storage  
bracket [SCWBKT-1](#) shown




Worksurface straightener  
[SPT48](#) shown



Clamp plate  
[CP-1](#)




Undersurface modesty  
bracket, acrylic  
[6-MPB-2](#)




Worksurface edge modesty  
bracket, acrylic  
[WEBKT-1](#)




Worksurface edge modesty  
bracket, wood or TFL  
[WEBKT-2](#)



Worksurface edge modesty  
bracket, fabric  
[WEBKT-3](#)




Worksurface privacy panel  
bracket, set on  
[WPPBKT-2](#)



Pedestal wall bracket,  
Z shape  
[PEDBKT-1](#)



Pedestal wall bracket,  
L shape  
[PEDBKT-2](#)




Press fit bracket  
[PFBKT-1](#)




Saddle bracket,  
side mount  
[PVPBKT-1](#)



Saddle bracket,  
center mount  
[PVPBKT-2](#)



Height adjustable leg to  
wall panel bracket  
[6-HAWPB](#)



Mounting block  
[TFBLK](#)


## Pedestals Overview

- Pedestals can create three heights: 29" h, 23" h, and 17" h
- Pedestals available for 16.5" d, 22" d, 30" d, and 36" d worksurface applications
- Desk and low height pedestals require a worksurface, specified separately. Bench height pedestals standard with finished top
- Desk and low height pedestals can have finished or unfinished backs. Bench height pedestals standard with finished back
- Parallel or bow pull
- See filing capabilities in [Staks open plan planning guide](#)
- **Note:** Pedestals cannot be freestanding

### Height reference



### Elevation



## Pedestals Riser and leg supports

### General notes

- Riser and leg supports available for most pedestals
- Reference model information on following pages for heights, widths, and depths available per style

### Riser support

- 3" h I-beam support, available in TFL or veneer
- For use on 19" d and 22" d pedestals. **Note:** Not for use on pedestals less than 24" w
- Riser insets 4" from each pedestal end. Riser width will always be 8" less than total storage width
- Riser can span across multiple pedestals, max total storage width of 90" w
- Support filler available for filling gaps between riser supports. 46" w, field cut to length needed

### 3" metal leg support

- 3" h square leg, two per package
- For use on all pedestal depths
- Can straddle pedestal seams to support adjoining pedestals

### 9.5" metal leg support

- 9.5" h rectangular leg, two per package
- For use on 19" d and 22" d pedestals
- Two different styles, one for end of run (6-RELEG), and one to adjoin two pedestals at a seam (6-RLEG)

No riser support



Riser support



6-RSR/22-16 shown  
(for 30" w pedestal)

Riser filler  
6-RF-L56

### 3" metal leg



6-SLEG

### 9.5" metal leg



6-RELEG shown (end leg)  
6-RLEG (middle leg)

## Pedestals Worksurface height | 16.5" d worksurfaces

### General notes

- Height: creates a 29" h worksurface height
- Pedestal model available at full height, or for use with 3" metal leg (6-SLEG). Note: Top box drawer becomes tray drawer when 3" h metal leg is used
- Widths: 24" w, 30" w, 36" w
- Depth: 16.375" d (16.5" d with finished back option)
- Pedestals cannot be freestanding
- Use with a 16.5" d worksurface, specified separately

### Options

- Drawer pedestals: unfinished back standard (LW). Optional finished back (LXT)
- Open shelf pedestals: Finished back standard (LXT). Optional hinged back (FZ)
- No lock standard (NL). Optional locking for drawer pedestals (LCK1). **Note:** Tray drawers are non locking

### No riser/leg support



Box/box/file  
[6-NW3017MPD1](#) shown



Open/box/file  
[6-NW3017MPD2](#) shown



File/file  
[6-NW3017MPD3](#) shown



Open with shelf  
[6-NW3017MPD6](#) shown

### 3" h metal leg



Tray/box/file  
[6-RW3017MPD10](#) shown



Open/box/file  
[6-RW3017MPD2](#) shown



Open with shelf  
[6-RW3017MPD6](#) shown



[6-SLEG](#)

## Pedestals Worksurface height | no riser/leg | 12"w-15.625"w

### General notes

- Height: creates a 29" h worksurface height with no riser or leg support
- Widths: Varies by model type, see below
- Depths (LXT finished back): 19"d, 22"d, 27"d, 30"d, 33"d, 36"d. **Note:** Actual unfinished back (LW) depth 1/8" less than depth noted
- 19"d, 27"d, and 35"d pedestals creates a 2.5"d gap from worksurface edge. Gap for used for wire management in open plan, or recessed modesty in private offices
- Worksurface required, specified separately
- Pedestals cannot be freestanding

### 12"w pedestals

- 12"w utility pedestal features bottom file drawer and two box drawers hidden by top drawer face. Top drawer features box that rests on top drawer
- CPU pedestal features slide out shelf, 8"w interior. Door can be left or right hinged. Side vent opposite hinge location

### 15.625"w pedestals

- Box drawers can be used with DA16-1 pencil tray insert. **Note:** For 15.625"w pedestals only

### Options

- Unfinished back standard on drawer pedestals (LW). Optional finished back (LX). **Note:** CPU pedestal standard with finished back (LXT)
- No lock standard (NL). Optional locking (LCK1)

### 12"w Pedestals



Box/box/file  
[6-NW1222MPD1](#)  
shown




Open/box/file  
[6-NW1222MPD2](#)  
shown



File/file  
[6-NW1222MPD3](#)  
shown




Utility pedestal  
[6-NW1222MPD13](#)  
shown



Utility interior



CPU pedestal  
[6-NW1222MPD14](#)  
shown



CPU interior

### 15.625"w Pedestals



Box/box/file  
[6-NW1622MPD1](#)  
shown



Open/box/file  
[6-NW1622MPD2](#)  
shown



File/file  
[6-NW1622MPD3](#)  
shown

## Pedestals Worksurface height | no riser/leg | 24"w-48"w

### General notes

- Creates a 29" h worksurface height with no riser or leg support
- Widths: Varies by model type, see below
- Depths (finished backs): 19"d, 22"d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- 19"d pedestal creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan, or recessed modesty in private offices
- Worksurface required, specified separately
- Pedestals cannot be freestanding

### Options

- Unfinished back standard on drawer pedestals (LW). Optional finished back (LXT). **Note:** Door and open pedestals standard with finished back (LXT)
- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). 42"w and 48"w sliding door pedestal requires two lock cores (LCK2). **Note:** Multifile box drawers do not lock

### 30"w Pedestals



Multi file, left  
[6-NW3022MPD1L](#)  
shown



Multi file, right  
[6-NW3022MPD1R](#)  
shown

### 24"w, 30"w, 36"w Pedestals



Box/box/file  
[6-NW2422MPD1](#)  
shown



Open/box/file  
[6-NW2422MPD2](#)  
shown



Lateral file  
[6-NW2422MPD3](#)  
shown



Double door  
[6-NW2422MPD4](#)  
shown



Sliding door  
[6-NW2422MPD5](#)  
shown



Open with shelf  
[6-NW2421MPD6](#)  
shown



Open no shelf  
[6-NW2421MPD7](#)  
shown

### 42", 48" Pedestal



Sliding door  
[6-NW4222MPD5](#)  
shown

## Pedestals Worksurface height | 3" h metal leg | 12" w-15.625" w

### General notes

- Creates a 29" h worksurface height with 3" h metal leg (6-SLEG)
- Widths: Varies by model type, see below
- Depths (finished backs): 19" d, 22" d, 27" d, 30" d, 33" d, 36" d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- 19" d, 27" d, and 35" d pedestals creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan, or recessed modesty in private offices
- Worksurface required, specified separately
- Pedestals cannot be freestanding
- Top drawer is tray drawer

### Options

- Unfinished back standard (LW). Optional finished back (LXT)
- No lock standard (NL). Optional locking (LCK1). **Note:** Tray drawer is non locking

### 12" w-15.625" w pedestals

- Box drawer can be used with DA16-1 pencil tray insert. For 15.625" w pedestals only

**12" w Pedestals**



Tray/box/file  
[6-RW122MPD10](#)  
shown



Open/box/file  
[6-RW122MPD2](#)  
shown

**15.625" w Pedestals**



Tray/box/file  
[6-RW1622MPD10](#)  
shown



Open/box/file  
[6-RW1622MPD2](#)  
shown

**3" h metal leg**



[6-SLEG](#)

## Pedestals Worksurface height | 3" h metal leg or riser | 24" w-48" w

### General notes

- Creates a 29" h worksurface height with 3" h metal leg (6-SLEG) or 3" h riser support
- Widths: Varies by model type, see below
- Depths (finished backs): 19" d, 22" d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- 19" d pedestal creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan, or recessed modesty in private offices
- Worksurface required, specified separately
- Pedestals cannot be freestanding

### Options

- Unfinished back standard on drawer pedestals (LW). Optional finished back (LXT). **Note:** Door and open pedestals standard with finished back (LXT)
- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). 42" w and 48" w sliding door pedestal requires two lock cores (LCK2)

### 24" w, 30" w, 36" w pedestals

shown with 6-SLEG



Tray/box/file  
[6-RW2422MPD10](#) shown



Open/box/file  
[6-RW2422MPD2](#) shown



Double door  
[6-RW2422MPD4](#) shown



Sliding door  
[6-RW2422MPD5](#) shown



Open with shelf  
[6-RW2421MPD6](#) shown



Open no shelf  
[6-RW2421MPD7](#) shown

### 42" w, 48" w pedestal

shown with 6-SLEG

3" h metal leg

3" h riser support



Sliding door  
[6-RW4222MPD5](#) shown



[6-SLEG](#)



[6-RSR-22/16](#) shown

## Pedestals Worksurface height | 9.5" h metal leg

### General notes

- Creates a 29" h worksurface height with 9.5" h leg (6-RELEG)
- Widths: Varies by model type, see below
- Depths (finished backs): 19" d, 22" d, 27" d, 30" d,
- Depths (finished backs): 19" d, 22" d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- Note:** Door and open pedestals standard with finished back (LXT)
- 19" d pedestal creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan, or recessed modesty in private offices

- Worksurface required, specified separately
- Pedestals cannot be freestanding
- Top drawer is tray drawer
- File and lateral drawer accommodates letter or legal filing

### Options

- Unfinished back standard (LW). Optional finished back (LXT)
- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). 42" w and 48" w sliding door pedestal requires two lock cores (LCK2)

### 9.5" h metal leg



End leg  
[6-RELEG](#)



Middle leg  
[6-RLEG](#)

### 15.625" w Pedestals



Tray/file  
[6-RL1622MPD11](#) shown



Open/file  
[6-RL1622MPD9](#) shown

### 24" w, 30" w, 36" w Pedestals



Tray/file  
[6-RL2422MPD11](#) shown



Open/file  
[6-RL2422MPD9](#) shown



Double door  
[6-RL2422MPD4](#) shown



Sliding door  
[6-RL2422MPD5](#) shown



Open with shelf  
[6-RL2421MPD6](#) shown



Open no shelf  
[6-RL2421MPD7](#) shown

### 42" w, 48" w Pedestal



Sliding door  
[6-RL4222MPD5](#) shown

## Pedestals Low height | 16.5" d worksurfaces

### General notes

- Height: creates a 23" h worksurface height
- Pedestal model available at full height, or for use with 3" metal leg (6-SLEG)
- Widths: 24" w, 30" w, 36" w
- Depth: 16.375" d (16.5" d with finished back option)
- Pedestals cannot be freestanding
- Use with a 16.5" d worksurface, specified separately
- Can be used with [floor storage cushions](#), specified separately

### Options

- Drawer pedestals: unfinished back standard (LW). Optional finished back (LXT)
- Open shelf pedestals: Finished back standard (LXT). Optional hinged back (FZ)
- No lock standard (NL). Optional locking for drawer pedestals (LCK1)

### No riser/leg support



Box/file  
[6-NL3017MPD8](#) shown



Open/file  
[6-NL3017MPD9](#) shown



Open with shelf  
[6-NL3017MPD6](#) shown

### 3" h metal leg



Tray/file  
[6-RL3017MPD11](#) shown



Open/file  
[6-RL3017MPD9](#) shown



Open with shelf  
[6-RL3017MPD6](#) shown



[6-SLEG](#)

## Pedestals Low height | no riser/leg

### General notes

- Creates a 23" h worksurface height with no riser or leg support
- Widths: Varies by model type, see below
- Depths (finished backs): 19" d, 22" d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- Note:** Door and open pedestals standard with finished back (LXT)
- 19" d pedestal creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan

- Worksurface required, specified separately
- Pedestals cannot be freestanding
- Can be used with [floor storage cushions](#), specified separately

### Options

- Unfinished back standard on drawer pedestals (LW). Optional finished back (LXT)
- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). 42" w and 48" w sliding door pedestal requires two lock cores (LCK2)

### 15.625" w Pedestals



Box/file  
[6-NL1622MPD8](#) shown



Open/file  
[6-NL1622MPD9](#) shown

### 24" w, 30" w, 36" w Pedestals



Box/file  
[6-NL2422MPD8](#) shown



Open/file  
[6-NL2422MPD9](#) shown



Double door  
[6-NL2422MPD4](#) shown



Sliding door  
[6-NL2422MPD5](#) shown



Open with shelf  
[6-NL2421MPD6](#) shown



Open no shelf  
[6-NL2421MPD7](#) shown

### 42" w, 48" w Pedestal



Sliding door  
[6-NL4222MPD5](#) shown

## Pedestals Low height | 3" h metal leg or riser

### General notes

- Creates a 23" h worksurface height with 3" h metal leg (6-SLEG) or 3" h riser support.
- Note:** 3" riser support cannot be used on 15.625" w pedestals
- Widths: Varies by model type, see below
- Depths (finished backs): 19" d, 22" d. **Note:** Actual unfinished back depth 1/8" less than depth noted
- 19" d pedestal creates a 2.5" d gap from worksurface edge. Gap for used for wire management in open plan
- Worksurface required, specified separately
- Pedestals cannot be freestanding

- Can be used with [floor storage cushions](#), specified separately

### Options

- Unfinished back standard on drawer pedestals (LW). Optional finished back (LXT). **Note:** Door and open pedestals standard with finished back (LXT)
- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). 42" w and 48" w sliding door pedestal requires two lock cores (LCK2)

**3" h metal leg**



[6-SLEG](#)

**3" h riser support**



[6-RSR-22/16](#) shown  
not for 15.625" w pedestals

**15.625" w Pedestals**



Tray/file  
[6-RL1622MPD11](#)  
shown



Open/file  
[6-RL1622MPD9](#)  
shown

**24" w, 30" w, 36" w Pedestals**



Tray/file  
[6-RL2422MPD11](#)  
shown



Open/file  
[6-RL2422MPD9](#)  
shown



Double door  
[6-RL2422MPD4](#)  
shown



Sliding door  
[6-RL2422MPD5](#)  
shown



Open with shelf  
[6-RL2421MPD6](#)  
shown



Open no shelf  
[6-RL2421MPD7](#)  
shown

**42" w, 48" w Pedestal**



Sliding door  
[6-RL4222MPD5](#) shown

## Pedestals Low height | 9.5" h metal leg

### General notes

- Creates a 23" h worksurface height with a 9.5" h metal leg (6-RELEG and/or 6-RLEG leg)
- Widths: 24" w, 30" w, 36" w
- Depth: 22" d
- Finished back standard (LXT)
- Bench height cabinets feature finished top, not to be used with worksurfaces
- Pedestals cannot be freestanding

- Can be used with [floor storage cushions](#), specified separately

### Options

- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1)



Tray drawers  
[6-R2422SSH](#) shown  
with Z2 drawers

File drawer  
[6-R2422SSH](#) shown  
with A16 drawer

Double door  
[6-R2422SSH](#) shown  
with G1D doors

Sliding door  
[6-R2422SSH](#) shown  
with G1V door

Open with shelf  
[6-R2422SSH](#) shown  
with Z1 shelf

Open no shelf  
[6-R2422SSH](#) shown  
with G1U open interior

### 9.5" h metal leg



End leg  
[6-RELEG](#)



Middle leg  
[6-RLEG](#)

## Pedestals Bench height | 16.5" d worksurfaces

### General notes

- Height: creates a 17" h worksurface height
- Pedestal model available at full height, or for use with 3" metal leg (6-SLEG) and 3" riser support
- Widths: 24" w, 30" w, 36" w
- Depth: 16.375" d (16.5" d with pedestals for door and drawer pedestals)
- Bench height cabinets feature finished top, not to be used with worksurfaces
- Finished back standard (LXT)

### Options

- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1). **Note:** Tray drawers are non locking

### No riser/leg support



Tray drawers  
[6-N2417SSH](#) shown with Z2 drawers



File drawer  
6-N2417SSH shown with A16 drawer



Double door  
6-N2417SSH shown with G1D doors



Sliding door  
6-N2417SSH shown with G1V door



Open with shelf  
6-N2417SSH shown with Z1 shelf



Open no shelf  
6-N2417SSH shown with G1U open interior

### 3" h metal leg or riser support shown with 6-SLEG



Tray drawers  
[6-R2417SSH](#) shown with Z2 drawers



File drawer  
6-R2417SSH shown with A16 drawer



Double door  
6-R2417SSH shown with G1D doors



Sliding door  
6-R2417SSH shown with G1V door



Open with shelf  
6-R2417SSH shown with Z1 shelf



Open no shelf  
6-R2417SSH shown with G1U open interior

### 3" h metal leg



[6-SLEG](#)

### 3" h riser support



[6-RSR-22/16](#) shown

## Pedestals Bench height | no riser/leg | 3" riser/support

### General notes

- Creates a 17" h worksurface height
- Pedestal model available at full height, or for use with 3" metal leg (6-SLEG) and 3" riser support
- Widths: 24" w, 30" w, 36" w
- Depth: 22" d
- Finished back standard (LXT)
- Bench height cabinets feature finished top, not to be used with worksurfaces

- Pedestals cannot be freestanding

- Can be used with [floor storage cushions](#), specified separately

### Options

- No lock standard (NL). Optional locking for drawer and door pedestals (LCK1)

#### No riser/leg support



Tray drawers  
[6-N2422SSH](#) shown with Z2 drawers



File drawer  
6-N2422SSH shown with A16 drawer



Double door  
6-N2422SSH shown with G1D doors



Sliding door  
6-N2422SSH shown with G1V door



Open with shelf  
6-N2422SSH shown with Z1 shelf



Open no shelf  
6-N2422SSH shown with GIU open interior

#### 3" h metal leg or riser support

shown with 6-SLEG



Tray drawers  
[6-R2422SSH](#) shown with Z2 drawers



File drawer  
6-R2422SSH shown with A16 drawer



Double door  
6-R2422SSH shown with G1D doors



Sliding door  
6-R2422SSH shown with G1V door



Open with shelf  
6-R2422SSH shown with Z1 shelf



Open no shelf  
6-R2422SSH shown with GIU open interior

#### 3" h metal leg



6-SLEG

#### 3" h riser support



6-RSR-22/16 shown

## Step credenza Base cabinet

- Height: 23" h
- Depths: 17" d or 22" d
- Widths: 48" w or 60" w
  - 48" w features a 30" w opening and 18" w opening
  - 60" w features a 36" w opening and 24" w opening
- Base can be handed left or right. Larger opening dictates left or right hand of unit
- Standard on 9.5" h metal legs
- Can be used with or without upper cabinets
- Smaller opening
  - 18" w or 24" w depending on overall width
  - Opening options: Open or fixed shelf
- Larger opening
  - 30" w or 36" w depending on overall width
  - Opening options: Open, fixed shelf, or file drawer
  - Optional locking for file drawer

### Standard base model



[6-4817SCBL](#) shown  
(G1U options both sections)

### Larger opening options (shown on left)



Shelf (Z1)



Drawer (A16)

### Smaller opening options (shown on right)



Fixed shelf (Z1)

## Step credenza Upper cabinet

- Heights: 19" h or 25" h
  - 19" h creates 42" overall height when used with base
  - 25" h creates 48" overall height when used with base
- Depths: 17" d or 22" d
- Widths: 30" w or 36" w
  - 30" w features two 15" w openings
  - 36" w features a 21" w and a 15" w opening
- Side 1 location dictates left or right hand of unit
- Fixed lower shelf standard on side 2. Adjustable top shelf when MSHF, WSPN, WSDW, MSDR options are selected
- Side 1: 15" w or 21" w depending on overall width
  - Opening options: open, fixed shelf, rectangular door, rounded door, metal shelf
- Side 2: 15" w regardless of overall width
  - Bottom fixed shelf standard regardless of option chosen
  - Opening options: open, metal shelf, drawer, shelf, shelf/drawer, metal shelf/drawer
- Upper can be placed anywhere along lower credenza width

### Standard base model



6-3017SCOL42 shown  
(G1U options both sections)

### Side 1 opening options



side 1: open (G1U)  
side 2: open/open (G1U)



side 1: shelf (Z1)  
side 2: open/open (G1U)



side 1: metal shelf (MSPN)  
side 2: open/open (G1U)



side 1: door (DRTS)  
side 2: open/open (G1U)



side 1: rounded door (DRRS)  
side 2: open/open (G1U)

### Side 2 opening options



side 1: open (G1U)  
side 2: metal shelf (MSHF)



side 1: open (G1U)  
side 2: open/drawer (PNDW)



side 1: open (G1U)  
side 2: shelf (WSPN)



side 1: open (G1U)  
side 2: shelf/drawer (WSDW)



side 1: open (G1U)  
side 2: metal shelf/drawer (MSDR)

## Floor storage

### Floor storage general notes

- Handled left or right based on file drawer location
- Widths: 48"w, 60"w
- 30"w lateral file drawer for 48"w unit, 36"w lateral file drawer with 60"w unit
- Adjustable shelf in open area
- Optional felt top, or use with floor storage cushions

### 22"d Storage

- 6-4822WSR credenza that must be used with riser or leg, cannot be a freestanding unit
- 23"h when used with riser or 3" metal leg
- 29"h when used with 9.5"h rectangular leg
- Upper tray drawer

### 19"d Storage

- Height: 23"h, with or without riser
- Upper box drawer on unit with no riser, upper tray drawer on unit with riser

### 19"d Storage



6-NL4819FSR shown



6-RL4819FSR shown

### 22"d Storage



6-4822WSR shown  
with 6-RSR-40/16 riser



6-4822WSR shown  
with 6-SLEG leg



6-4822WSR shown  
with 6-RELEG leg

## Floor storage Cushions

### General

- Use over bench or low height storage
- Field installed
- Height: 1.5" h
- Attaches to storage with Velcro strip

### Round

- Diameter: 20" dia.

### Full depth

- Not for use with media panels
- Widths: 24" w, 30" w, 36" w, 48" w, 60" w, 72" w, 90" w
- Depth: 21.875" d

### Media panel depth

- For use with media panels
- Widths: 24" w, 30" w, 36" w, 48" w, 60" w, 72" w, 90" w
- Depth: 20.5" d

#### Round



[6-20RSC](#) shown on short pedestal



Shown on 48" w floor storage pedestal

#### Full depth



[6-3022SC](#) shown



[6-4822SC](#) shown

#### Media panel depth



[6-3020SC](#) shown



[6-6020SC](#) shown

## Mobile pedestals

### General notes

- Recessed casters
- File drawers feature letter or legal filing
- Available as finished top, or unfinished top to use with 6-1619SC2 cushion

### Height adjustable mobile pedestal

- Features notch in pedestal back to slide over height adjustable foot
- Available as box/file or shelf/file pedestal

### Standard mobile pedestal

- Mobile pedestal has optional back notch to fit over height adjustable leg bases


#### Standard mobile pedestals



Box/file  
[6-1619MP7](#) (finished)  
[6-1619MP8](#) (unfinished)




Shelf file  
[6-1619MP3](#) (finished)  
[6-1619MP4](#) (unfinished)



Shelf file interior



Shelf  
[6-1619MP5](#) (finished)  
[6-1619MP6](#) (unfinished)



Shelf interior

#### Height adjustable mobile pedestals




Back notch detail



Box/file  
[6-1619MP7HA](#) (finished)  
[6-1619MP8HA](#) (unfinished)



Shelf file  
[6-1619MP3HA](#) (finished)  
[6-1619MP4HA](#) (unfinished)



Shelf file interior

#### Cushion



Cushion  
[6-1619SC2](#)

## Wall mounted storage Wall shelves

### General notes

- Can be used with media panels. Not for use with wallmount tackboards for overheads or tasklights

### Wall shelf

- Widths: 30"w-96"w in 6" increments
- Depth: 13"d
- Height: 12"h

### Wall shelf with organizer

- Widths: 60"w-96"w in 6" increments
- Depth: 14.75"d
- Height: 16"h
- Organizers are fixed directly to the shelves to create a floating look and ship as one unit
- Organizers are 30"w, handed left or right
- Two 13.125"h openings

Wall shelf



Open shelf  
[6-7214WS](#) shown

Wall shelf with organizer



Shelf with open organizer  
[6-7214WSO2R](#) shown



Shelf with sliding door organizer  
[6-7214WSO2DR](#) shown

## Wall mounted storage Storage boxes

### General notes

- Can be used with media panels. Not for use with wallmount tackboards for overheads or tasklights

### Wallmount storage box with doors

- Widths:
  - 30"-w-36"-w feature two hinged doors
  - 48-84"-w feature hinged door at each end, and open center
  - 90-106"-w feature two hinged door at each end, and open center
- Depth: 13.75"d
- Height: 15"h

### Wallmount storage box with small sections

- Widths: 30-106"w in 6" increments
  - 30"-w-42"-w feature two sections
  - 48"-w features three sections
  - 44-84"-w feature four sections
  - 94-106"-w feature six sections
- Depth: 13"d
- Heights: 10"h and 15"h

### Wallmount storage box with wide sections

- Widths: 54"-w-84"-w in 6" increments
- Depth: 13"d
- Heights: 10"h and 15"h
- Two wide open sections

### Wallmount storage box with doors



[6-3615SBWD](#) shown



[6-7215SBWD](#) shown

### Wallmount storage box



Small sections  
[6-7215SBW](#) shown

Wide sections  
[6-7215SBW2](#) shown

## Wall mounted storage Wallmount organizer

### Organizers

- Heights: 18.5" h and 30.5" h
- 18.5" h widths: 30" w-106" w in 6" increments
- 30.5" h widths: 30" w-72" w in 6" increments
- Note:** Sliding door organizer available as 54" w, 60" w, 66" w, and 72" w
- Depths: 14" w (no door models, 15" w (door models)
- Models include no doors, sliding doors, and hinged doors
- Optional locking for hinged laminate and veneer doors

- Optional tackboards and task lights specified separately

### Tackboards

- Height: 24.25" h
- Depth: 1"
- Widths: 30" w-106" w to match organizer widths
- Mounts to wall and overhead for stability
- Not to be used with wallmount shelves or storage boxes
- 100" w and 106" w tackboards come in two pieces

### 18.5" h Organizers



No doors  
[6-7219HNW](#) shown

Hinged doors  
[6-7219HDW4](#) shown

Sliding doors  
[6-7219HSDW](#) shown

### 30.5" h Organizers



No doors  
[6-7231HNW](#) shown

Hinged doors  
[6-7231HDW4](#) shown

Sliding doors  
[6-7231HSDW](#) shown

### Tackboards



Tackboard  
[FT2198](#) shown

## Media panels Desk height

- For use over desk height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric (tackable), or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72" h. **Note:** 12" h shelving with storage organizer will be an overall height of 76" h when used with 31" h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24" w - 60" w, in  $\frac{1}{8}$ " increments
- Depth: 1.375" d
- Heights:
  - 24.5" h, use under 18.5" h overheads
  - 28" h, use under 15" h storage box
  - 31" h, use under 12" h shelf
  - 33" h, use under 10" h storage box
  - 43" h, no wallmounted storage above
- 43" h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom

### With wall mounted overheads



Use under 18.5" h overhead  
[6-W24MP](#) (TFL/Veneer)  
[6-U24MP](#) (Fabric)  
[6-L24MP](#) (Markerboard)



Use under 15" h storage box  
[6-W28MP](#) (TFL/Veneer)  
[6-U28MP](#) (Fabric)  
[6-L28MP](#) (Markerboard)



Use under 10" h storage box  
[6-W33MP](#) (TFL/Veneer)  
[6-U33MP](#) (Fabric)  
[6-L33MP](#) (Markerboard)

### With wall mounted shelf



Use under 12" h shelf, no storage organizer  
[6-W31MP](#) (TFL/Veneer)  
[6-U31MP](#) (Fabric)  
[6-L31MP](#) (Markerboard)



[6-W31MP](#) shown under 16" h shelf with storage organizer. Overall height 76" h

### With no wall mounted storage



[6-W43MP](#) (TFL/Veneer)  
[6-U43MP](#) (Fabric)  
[6-L43MP](#) (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 43" h TFL and veneer panels only

## Media panels Low height

- For use over low height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric (tackable), or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72" h. **Note:** 12" h shelving with storage organizer will be an overall height of 76" h when used with 37" h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24" w-60" w, in  $\frac{1}{8}$ " increments
- Depth: 1.375" d
- Heights:
  - 30.5" h, use under 18.5" h overheads
  - 34" h, use under 15" h storage box
  - 37" h, use under 12" h shelf
  - 39" h, use under 10" h storage box
  - 49" h, no wallmounted storage above
- 49" h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom

### With wall mounted overheads



Use under 18.5" h overhead  
[6-W30MP](#) (TFL/Veneer)  
[6-U30MP](#) (Fabric)  
[6-L30MP](#) (Markerboard)



Use under 15" h storage box  
[6-W34MP](#) (TFL/Veneer)  
[6-U34MP](#) (Fabric)  
[6-L34MP](#) (Markerboard)



Use under 10" h storage box  
[6-W39MP](#) (TFL/Veneer)  
[6-U39MP](#) (Fabric)  
[6-L39MP](#) (Markerboard)

### With wall mounted shelf



Use under 12" h shelf, no storage organizer  
[6-W37MP](#) (TFL/Veneer)  
[6-U37MP](#) (Fabric)  
[6-L37MP](#) (Markerboard)



[6-W37MP](#) shown under 16" h shelf with storage organizer. Overall height 76" h

### With no wall mounted storage



[6-W49MP](#) (TFL/Veneer)  
[6-U49MP](#) (Fabric)  
[6-L49MP](#) (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 49" h TFL and veneer panels only

## Media panels Bench height

- For use over bench height worksurfaces or storage
- Materials: TFL or veneer (vertical grain), fabric (tackable), or markerboard. **Note:** Fabric panels wider than 42" w will be two pieces
- Creates an overall height of 72" h. **Note:** 12" h shelving with storage organizer will be an overall height of 76" h when used with 43" h wall panel
- When used with a tv, it is recommend to field cut access holes and provide an outlet behind the panel
- Mounts directly to the wall, mounting hardware included
- Widths: 24" w-60" w, in  $\frac{1}{8}$ " increments
- Depth: 1.375" d
- Heights:
  - 36.5" h, use under 18.5" h overheads
  - 40" h, use under 15" h storage box
  - 43" h, use under 12" h shelf
  - 45" h, use under 10" h storage box
  - 55" h, no wallmounted storage above
- 55" h media panel features optional shelves. Can be specified in any combination of top, middle, and bottom

### With wall mounted overheads



Use under 18.5" h overhead  
[6-W36MP](#) (TFL/Veneer)  
[6-U36MP](#) (Fabric)  
[6-L36MP](#) (Markerboard)



Use under 15" h storage box  
[6-W40MP](#) (TFL/Veneer)  
[6-U40MP](#) (Fabric)  
[6-L40MP](#) (Markerboard)



Use under 10" h storage box  
[6-W45MP](#) (TFL/Veneer)  
[6-U45MP](#) (Fabric)  
[6-L45MP](#) (Markerboard)

### With wall mounted shelf



Use under 12" h shelf, no storage organizer  
[6-W42MP](#) (TFL/Veneer)  
[6-U42MP](#) (Fabric)  
[6-L42MP](#) (Markerboard)



[6-W43MP](#) shown under 16" h shelf with storage organizer. Overall height 76" h

### With no wall mounted storage



[6-W55MP](#) (TFL/Veneer)  
[6-U55MP](#) (Fabric)  
[6-L55MP](#) (Markerboard)



Optional top, middle, and bottom shelves shown. **Note:** For 55" h TFL and veneer panels only

## Worksurface storage

### Cabinet/organizer general notes

- 25" h has one adjustable shelf
- 43" h has two adjustable shelves
- 55" h (bookcase organizer only) has two adjustable and one fixed shelf

### Worksurface cabinet - single door

- Width: 15" w
- Depth: 15" d
- Heights: 25" h, 43" h
- Optional lock available for TFL and veneer doors
- Hinged right or left door

### Worksurface cabinet - double door

- Width: 30" w, 36" w
- Depth: 15" d
- Heights: 25" h, 43" h
- Optional lock available for TFL and veneer doors

### Bookcase Organizers

- Widths: 22" w (for 25" h model only), 24" w, 30" w, 36" w
- Depth: 14" d
- Heights: 25" h, 43" h, 55" h
- Standard with finished back, TFL or veneer material option

### Transaction counter

- Widths: 30" w-84" w in 6" increments
- Depth: 14" d
- Heights: 14.125" h
- 13" h Clearance
- Transaction counter for use on worksurface height surfaces only

### Worksurface cabinet - single door



[6-1525RWSC](#) shown



[6-1543RWSC](#) shown

### Worksurface cabinet - double door



[6-3025WSC](#) shown



[6-3043WSC](#) shown

### Bookcase organizers



[6-2225BC](#)



[6-2425BC](#) shown



[6-2443BC](#) shown



[6-2455BC](#) shown

### Transaction counter



[6-7214TC](#) shown

## Highback organizers

### Highback organizers

- Widths: 60"w, 66"W, 72"w, 78"w, 84"w, 90"w, 94"w, 96"W, 100"w, 106"w. **Note:** Multi highback not available in 100"w or 106"w
- Height: 43.125" h
- Depth: 15" h
- Models include hinged doors, multi highback, no doors, and sliding doors. Multi organizer handed left or right based on door location
- Highback organizers include wire management for task lights
- Highback organizers must be supported below the surface at each end, and at the center of the unit

- Optional locks available on hinged laminate or veneer doors
- Optional tackboards and task lights specified separately

### Tackboards

- Height: 24.25" h
- Depth: 1"
- Widths: 30"w-106"w to match organizer widths
- Highback organizer can be used with or without tackboard
- Markerboard is a dry erase laminate

### Highback organizers



Hinged doors  
[6-7243HD4](#) shown



Multi organizer  
[6-7243MHDR](#) shown



No doors  
[6-7243HN](#) shown



Sliding doors  
[6-7243HSD](#) shown

### Highback tackboard



Tackboard  
[FT1212](#) shown

## Towers Slide out storage

### General notes

- Width: 17" w
- Heights: 42" h, 48" h
- Depths: 22" d, 30" d
- Markerboard option for slide out door back
- Interior component sizing and spacing will vary based on height and depth specified
- File drawer options become storage drawers on 22" d towers
- Handed left or right
- Optional locking

### S\_1 Model

- Base model - Coat hook, felt pocket, stationary shelving
- Add on options - USB power, storage tray, file drawer

### S\_2 Model

- Base model - Coat hook, box drawer, shelving
- Add on options - USB power, file drawer

### S\_3 Model

- Base model - Coat hook, stationary shelving
- Add on options - USB power, file drawer

#### S\_1 Models



[6-1742SOSR1](#) shown



6-1742SOSR1 with options



[6-1748SOSR1](#) shown



6-1748SOSR1 with options

#### S\_2 Models



[6-1742SOSR2](#) shown



6-1742SOSR2 with options



[6-1748SOSR2](#) shown



6-1748SOSR2 with options

#### S\_3 Models



[6-1742SOSR3](#) shown



6-1742SOSR3 with options



[6-1748SOSR3](#) shown



6-1748SOSR3 with options

## Towers Single user

### General notes


- Depth: 22" d
- Width: 15.625" w
- Heights: 42" h, 48" h, 54" h, 72" h, 84" h
- 22" d is for single sided use
- Optional locking on file drawers
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Double file drawer shelving section available as open side, open front, or door
- Door towers hinged left or right

- Metal adjustable shelving option for:

- SC3 towers 42" h, 48" h, or 54" h
- SC6 towers 54" h, 72" h or 84" h

### Elevation reference

- 42" h / 48" h - 3 Sections total
- 54" h - 4 Sections total
- 72" h - 5 Sections total
- 84" h - 6 Sections total



42" h 48" h 54" h 72" h 84" h

- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Full door



[6-1654RSC1](#) shown  
R7 hanging bar



6-1654RSC1 shown  
R8 hanging bar

### Single file drawer



Open/file  
[6-1654SC3](#) shown



6-1654SC3  
metal shelving option  
(42" h, 48" h or 54" h only)



Open/door/file  
[6-1654RSC4](#) shown



Door/file  
[6-1654RSC2](#) shown

### Double file drawer



Open/file/file  
[6-1654SC6](#) shown



6-1654SC6 with  
metal shelving option  
(54" h, 72" h, or 84" h only)



Door/file/file  
[6-1654RSC5](#) shown



Open side/file/file  
[6-1654RSC14](#) shown

## Towers Double user

### General notes


- Depth: 48" d
- Width: 15.625" w
- Heights: 42" h, 48" h, 54" h, 72" h, 84" h
- Two user/double sided tower. Features the same storage at each end
- Optional locking on file drawers
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Double file drawer shelving section available as

open front, door, or open side

- Door towers hinged left or right
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Elevation reference

- 42" h / 48" h - 3 Sections total
- 54" h - 4 Sections total
- 72" h - 5 Sections total
- 84" h - 6 Sections total



### Full door



[6-1654SC1D](#)  
R7 hanging bar shown



6-1654SC1D  
R8 shelves shown

### Single file drawer



Open/file  
[6-1654SC3D](#) shown



Open/door/file  
[6-1654SC4D](#) shown



Door/file  
[6-1654SC2D](#) shown

### Double file drawer



Open/file/file  
[6-1654SC6D](#) shown



Door/file/file  
[6-1654SC5D](#) shown



Open/file/file  
[6-1654SC14D](#) shown

## Towers With legs

- Depth: 22"d
- Width: 15.625"w
- Overall height: 72" h (Tower height is 65.5" h)
- **Note:** Must be used with 9.5" h 6-RLEG or 6-RELEG
- Full door interior available as wardrobe or shelving
- Single file drawer shelving section available as open, open with door, or door
- Metal adjustable shelving option for SC3 towers
- Towers with doors handed left or right
- Optional locking on file drawers
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and stationary shelves

### Full door



[6-1663RSC1](#)  
(R7 hanging bar)

### Single file drawer



Open/file  
[6-1663SC3](#) shown

SC3 metal  
shelving option

Open/door/file  
[6-1663RSC4](#) shown

Door/file  
[6-1663RSC2](#)

## Towers Lateral storage

- Depth: 22"d
- Widths: 24"w, 30"w, 36"w
- Heights: 42"h, 48"h, 54"h, 72"h
- Optional locking on file drawers
- Single and double lateral towers have option for open shelving, single door, or double door. Single door tower is handed left or right

- SC13 triple lateral towers available in 54"h or 72"h only. 54"h features single open shelf, 72"h features double open shelf
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Single lateral



Open/lateral  
[6-3054SC3](#) shown



Door/open/lateral  
[6-3054LSC11](#) shown



Double door/lateral  
[6-3054SC2](#) shown

### Double lateral



Open/double lateral  
[6-3054SC6](#) shown



Door/open/double lateral  
[6-3054LSC12](#) shown



Double door/double lateral  
[6-3054SC5](#) shown

### Triple lateral



54"h open/triple lateral  
[6-3054SC13](#) shown



72"h open/triple lateral  
[6-3072SC13](#) shown

## Towers Wardrobe

### General

- Depth: 22" d
- Heights: 42" h, 48" h, 54" h, 72" h
- Optional pull on laminate or veneer doors
- **Note:** Refer to Specify and Price for interior component information regarding filing capabilities, fixed shelves, and adjustable shelves

### Storage wardrobe

- Widths: 24" w, 30" w, 36" w
- Left section: Two adjustable and one stationary shelves
- Right section: Full length storage with hanging bar, and one stationary shelf
- Optional locking

### Storage wardrobe



[6-3054SC1](#) shown

### Single file/lateral



Open/file  
[6-2454LSC7](#) shown



SC7 metal shelving  
42" h, 48" h, 54" h only



Open/lateral  
[6-3654LSC7](#) shown



Single door/file  
[6-2454LSC8](#) shown



Double door/lateral  
[6-3654LSC8](#) shown

### Double file/lateral



Open/double file  
[6-2454LSC9](#) shown



SC9 metal shelving  
42" h, 48" h, 54" h only



Open/double lateral  
[6-3654LSC9](#) shown



Single door/double file  
[6-2454LSC10](#) shown



Double door/double lateral  
[6-3654LSC10](#) shown

### File/lateral wardrobes

- Widths: 24" w, 36" w, 40" w
- 24" w features single or double file
- 36" w and 40" w feature single or double lateral file
- Open, or door shelving above file drawers
- SC7 and SC9 tower models have option for metal shelving on 42" h, 48" h, and 54" h towers
- Optional locking on file drawers

## Bookcases

- Depth: 14" d
- Widths: 30" w, 36" w
- Heights:
  - 29" h one adjustable shelf
  - 42" h two adjustable shelves
  - 54" h two adjustable shelves, one stationary
  - 72" h three adjustable shelves, one stationary



29" h  
[6-3029BC](#) shown



42" h  
[6-3042BC](#) shown



54" h  
[6-3054BC](#) shown



72" h  
[6-3072BC](#) shown

## Laterals

- Depth: 22" d
- Widths, 24" w, 30" w, 36" w
- Heights:
  - 29" h two drawer
  - 42" h three drawer
  - 54" h four drawer
- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application



29" h  
[6-N3029LF2](#) shown



42" h  
[6-N3042LF3](#) shown




54" h  
[6-N3054LF4](#) shown


## Electrical 2 circuit / 4 wire

- Infeed options include: liquid tight, metal, NYC code, plug and play and rotating, all infeeds are 6' long except for the rotating infeed, which is a quick disconnect wall outlet allowing cords to be removed from wall when hardwiring. **Note:** Plug and play infeed limits system, must use all circuit I duplexes

- Transition harness allows 4 wire components to work off 8 wire system
- H block allows connection of up to four jumpers
- Receptacle connector allows connection of two duplex receptacles
- Duplexes available in Circuit I or Circuit II




Hardwired infeed  
[PWF2L](#) (liquid tight)  
[PWF2M](#) (metal)



NYC hardwired infeed  
[PWF2MNYC](#)



Plug and play infeed  
[PWF20AMP](#)




Rotating infeed  
[PWF2QD](#)




Power jumper  
[MCJ36M](#) shown



H Block  
[HCB](#)



Receptacle connector  
[JC-1](#)



Duplex and bracket  
[DPLX1](#) shown


## Electrical 3 circuit / 5 wire

- Infeed options include: liquid tight, metal, NYC code and plug and play. Liquid and metal infeeds are 10', NYC code and plug and play infeeds are 6' long, \*note: plug and play infeed limits system, must use all circuit I duplexes
- Y connector used to connect power infeed to any jumper junction and power block

- Power blocks are double sided and house duplex receptacles
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double and extended blocks
- Duplexes available in circuit I, II and III



Hardwired infeed  
[PWF5L120](#) (liquid tight)  
[PWF5M12Q](#) (metal)



NYC hardwired infeed  
[PWF5NYC](#)




Plug and play infeed  
[PWF5M20AMP](#)




Power jumper  
[MCJ5W36M](#) shown



Y connector  
[YCB5](#)




Single power block,  
 double sided  
[PB5S1](#)




Double power block,  
 double sided  
[PB5D1](#)



Extended double power  
 block, double sided  
[DPB5S24](#) shown



Power block bracket  
[PBBKTA2](#)



Duplex  
[DPX5W1](#) shown

## Electrical 4 circuit / 8 wire

- Infeed options include: liquid tight, metal, NYC code, plug and play, rotating and title 24, liquid and metal infeeds are 10', NYC code and plug and play infeeds are 6' long except for the rotating infeed, which is a quick disconnect wall outlet allowing cords to be removed from wall when hardwiring, **Note:** plug and play infeed limits system, must use all circuit I duplexes
- H block allows connection of up to four jumpers
- Jumper connector allows connection of two jumpers

- Duplexes available in circuit I, II, III and IV
- Power blocks are available as single (half), or double sided and house duplex receptacles. **Note:** half power block recommended for use with open plan typicals when wall panels are used. The panel mounted power block is a half block that includes a bracket to mount to panel wall
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double blocks




Hardwired infeed  
[PWF3L120](#) (liquid tight)  
[PWF3M120](#) (metal)




NYC hardwired infeed  
[PWF3NYC](#)



Plug and play infeed  
[PWF3M20AMP](#)



Rotating infeed  
[PWF3QD](#)




Title 24 infeed  
[PWF4M120N](#)




Power jumper  
[MCJ8W36M](#) shown




H Block  
[HCB](#)




Jumper connector  
[JC-2](#)




Duplex  
[DPX8W1](#) shown




Power block, panel mounted  
[DPX8W](#) shown




Power block, single half  
(1 duplex)  
[PHBS1](#)




Power block, single  
(2 duplexes)  
[PBS1](#)



Power block, double half  
(2 duplexes)  
[PHBD1](#)




Power block, double  
(4 duplexes)  
[PBD1](#)




Power box bracket  
[PBBKT1](#)

## Data

- While most end users may prefer to supply their own data items, OFS does offer the below data solutions, coordinate with your end user to determine the best scenario for their needs
- Data module box can be mounted anywhere underneath the surface, includes two adapter ports, and adapter kit for jacks and couplers



Data box  
[DM1](#)



Voice jack [RJ-5](#)  
Data jack [RJ-45](#)

- Standard inserts available are RJ-5 voice hard wire jack and RJ-45 voice and data hard wire jack, all other jack options to be sourced separately

## Power supplies

- OFS offers a wide variety of recessed, undermount, and clamp mounted power supplies. View all available power options on the [power/data](#) specify and price page



PS-3UM



PS-3CM



PS-77



PS-69



PS-715 shown



PS-92W shown




PS-100OWL shown



PS-90B shown with H8P accent

## Wire management

- Rectangular grommets are 2" d x 3.375" w and require a cutout machined at the factory
- Round grommets are 2" diameter and are to be installed on surfaces, field install only. Single sided grommet cover
- Wire pass through grommets are 2.375" d, and used on panels to protect wires that pass through, field install only
- Power pole is available for open plan applications, when power is starting in the ceiling, blank two compartment pole, furnished unwired without outlets, industry size knockouts
- Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Cable management clip, mounts to underside of surface, three positions, not intended for heavy duty cabling
- Plastic, wire basket, and PET wire manager are used to manage jumper and user cords horizontally along underside of surface
- Wire management cord stay comes as a set of two, and can manage cords 1/4" diameter along any TFL or veneer item
- Vertebra cable manager can be used to manage data cords vertically at an infeed location, and for fixed height table desks
- Adjustable height wire manager commonly used in stand alone height adjustable table applications
- Table to table connection and fabric wire manager commonly used to manage wires that span from a height adjustable surface to a fixed height surface, fabric wire manager can also be used to manage infeed and data cords in a vertical application



Rectangular grommet  
[RGB-1](#) (black)  
[RGN-1](#) (nickel)



Round grommet  
[CGB-1](#)



Wall pass through  
grommet  
[DSCGB-1](#)



Power pole  
[PWRP1](#)



Velcro wire manager  
[WM-V4](#)



Cable management  
undersurface clip  
[CM30-NR](#)



Plastic wire manager  
[WM2-36](#) shown




Wire basket manager  
[WBT33H](#) shown



Deep wire basket manager  
[DWBT33H](#) shown



PET wire manager  
[WM-P32](#) shown



Cord stay  
[WMCS](#)



Fabric wire manager  
[WM-HA6](#)



Vertebra cable manager  
[CMV-AL](#)



Height adjustable  
table desk manager  
[WM-HA](#)



Height adjustable  
table to table manager  
[WM-HA2](#) shown

## Lighting

### Task lights (for wallmount organizers only)

- Fluorescent (TL-1, TL-2 and TL-6) - TL-1 cannot be used with 30" or 36"w wallmount organizers, on/off switch
- LED warm light (TL-9, TL-10) - Black LED task light, on/off switch
- LED Energy Efficient 5200K (TL-14, TL-15, TL-16) - Silver frame, On/Off Switch
- LED task light efficient 3000K\_TL-27 TL-28 TL-29 TL-30 - Black alloy frame, touch and hold dimming

### Tilly

- 6" diameter table top base or clamp mount. **Note:** Clamps to worksurfaces 0.5"-1.25" thick
- Single or double arm
- Powder coated aluminum
- Brightness dimming
- 3' silver cord and 9' black 18 WATT wall transformer
- Automatic shutoff after 10 hours
- Optional USB

### Surface task light

- On/off switch with adjustable dimming
- LED 3500K bulb
- Silver frame
- Clamps to surface rim. **Note:** Cannot be used on units with back panel
- 6' power cord

### Task lights



Fluorescent  
[TL-1, TL-2, TL-6](#)



LED  
[TL-9, TL-10](#)




LED  
[TL-14, TL-15, TL-16](#)



LED  
[TL-27, TL-28, TL-29, TL-30](#)

### Surface task light

### Tilly



[TL-20](#)



[LCA-TL3BM](#) shown

## Work accessories

### Keyboard trays

- Keyboard Arm KBA-1 and Wood Tray WKT to be used together
- Keyboard Arm KBA-2 - Arm assembly with built in clamps, no additional tray needed
- Keyboard KBA-3 features integrated keyboard and mouse tray
- Wood Keyboard Tray WK/S - extendable tray

### Monitor arms

- Single or double monitor arms
- Available in silver, black, or white
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs

### Sit to stand

- Sit to stand monitor/keyboard arm, available with single or double monitor arm
- Desktop sit to stand workstation integrated keyboard tray, space for two monitors, available in white finish


### Storage add ons

- Pencil tray not for use with MPD12 multi file pedestal or 12" w pedestals
- Pencil drawer - black molded plastic, flush mount
- Hanging drawer mounts to underside of surface, upper tray drawer, lower shelf, \*refer to price guide for compatibility


### Misc items

- CPU Holder - mounts to underside of surface


#### Keyboard trays




#### Monitor arms




#### Sit to stand



#### Storage add ons



#### Misc items



## Binny

- Molded PET storage tote in two sizes, wide or tall, with leather pull strap, pull attached with rivets
- Attached under surface with rail, for use with Staks, Agile, Applause and Heya height adjustable tables
- Rails come in standard height, or extended to clear worksurface obstructions
- Tote finishes: charcoal, tan, steel Blue
- Strap finishes: chocolate, carbon, natural
- Rivet finishes: black or brass
- Rail finishes: any standard or studio powder coat
- Wide tote accessories: nameplate, lid, large accessory tray, small accessory tray, nine section divider
- Tall tote accessories: nameplate, lid, large accessory tray, small accessory tray, and divider

### Wide Binny tote

[TAS-ST1](#) shown



Tan tote, Chocolate strap,  
Black rivets, Rust rail



Steel Blue tote, Natural strap,  
Black rivets, Luster Grey rail



Charcoal tote, Carbon strap,  
Brass rivets, Gold rail

### Wide Binny rails



Wide rail, standard  
[TAS-TR1](#) shown



Wide rail, extended  
[TAS-TRE1](#) shown

### Wide Binny tote accessories



Nameplate  
[TAS-NP](#)



Lid  
[TAS-TL1](#) shown



Large accessory tray  
[TAS-LAT1](#) shown



Small accessory tray  
[TAS-SAT1](#) shown



Divider  
[TAS-DT1](#) shown

### Tall Binny tote

[TAS-ST2](#) shown



Tan tote, Natural strap,  
Black rivets, Turmeric rail



Steel Blue tote, Carbon strap,  
Brass rivets, Oiled Bronze rail



Charcoal tote, Chocolate strap,  
Brass rivets, Heron rail

### Tall Binny rails



Wide rail, standard  
[TAS-TR2](#) shown



Wide rail, extended  
[TAS-TRE2](#) shown

### Tall Binny tote accessories



Nameplate  
[TAS-NP](#)



Lid  
[TAS-TL2](#) shown



Large accessory tray  
[TAS-LAT2](#) shown



Small accessory tray  
[TAS-ST2](#) shown