

**Knit back stool - Counter/Bar height 319**

<b>Overall dimensions</b>	27.5"w x 27.5"d x 42.5/49.75"h (CHC), 27.5"w x 27.5"d x 46/56"h (BHC)	<b>Weight</b>	54 lbs. Armless 59 lbs. Arms (CHC), 55 lbs. Armless 60 lbs. Arms (BHC)	
<b>Seat dimensions</b>	19.5"w x 18"d x 23/30.25"h (CHC), 19.5"w x 18"d x 26.5/37"h (BHC)	<b>Cubic feet</b>	12.75	
<b>Seat to top of back</b>	19.75"	<b>COM</b>	1 yd.	
<b>Back width</b>	19.5"	<b>COL</b>	14 sq. ft.	
<b>Top of arm to floor</b>	30.75/38" (A1), 29.75/40.25" (A2), 29.75/40.25" (A3), 29.5/40" (A4), 29.5/40" (A6) G5, 34.75/44.25" (A1), 33.75/46.25" (A2), 33.75/46.25" (A3), 33.5/46.25" (A4), 33.5/46.25" (A6) G6			
<b>Top of arm to seat</b>	7" (A1), 5.75/9" (A2), 5.75/9" (A3), 6/9.25" (A4), 6/9.25" (A6) G5, 7" (A1), 6/9.25" (A2), 5.75/9" (A3), 5.75/9" (A4), 6/9.25" (A6) G6			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Armless</li> <li>• Black knit back</li> <li>• Upholstered seat</li> <li>• Body Balance Control</li> <li>• 20" Foot ring</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Five arms:               <ul style="list-style-type: none"> <li>- Fixed arms</li> <li>- Height adjustable arms with FS pads</li> <li>- Height and width adjustable arms with sliding and pivot pads</li> <li>- Height adjustable arms with FS pads - black/chrome</li> <li>- Height and width adjustable arms with sliding and pivot pads - black/chrome</li> </ul> </li> <li>• Lumbar support</li> <li>• 2 Cylinder Heights: CHC - Counter Height (8") or BHC - Bar Height (10")</li> <li>• Sit-to-Stand Cylinders:               <ul style="list-style-type: none"> <li>- STS1 G10 (7") 16.75/23.75" range</li> <li>- STS3 G15 (8") 18.5/26.5" range</li> <li>- STS4 G16 (9") 19.5/28.5" range</li> </ul> </li> <li>• Polished aluminum base</li> <li>• Black hard wheel casters</li> <li>• Black soft wheel casters</li> <li>• Reverse braking hard wheel casters</li> <li>• Reverse braking soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled or KD</li> <li>• CAL TB 133 Conformant</li> </ul>

**Fabric back stool - Counter/Bar height 319FL**

<b>Overall dimensions</b>	27.5"w x 27.5"d x 42.5/49.75"h (CHC), 27.5"w x 27.5"d x 46/56"h (BHC)	<b>Weight</b>	54 lbs. Armless 59 lbs. Arms (CHC), 55 lbs. Armless 60 lbs. Arms (BHC)	
<b>Seat dimensions</b>	19.5"w x 18"d x 23/30.25"h (CHC), 19.5"w x 18"d x 26.5/37"h (BHC)	<b>Cubic feet</b>	12.75	
<b>Seat to top of back</b>	19.75"	<b>COM</b>	2 yds.	
<b>Back width</b>	19.5"	<b>COL</b>	N/A	
<b>Top of arm to floor</b>	30.75/38" (A1), 29.75/40.25" (A2), 29.75/40.25" (A3), 29.5/40" (A4), 29.5/40" (A6) G5, 34.75/44.25" (A1), 33.75/46.25" (A2), 33.75/46.25" (A3), 33.5/46.25" (A4), 33.5/46.25" (A6) G6			
<b>Top of Arm to Seat</b>	7" (A1), 5.75/9" (A2), 5.75/9" (A3), 6/9.25" (A4), 6/9.25" (A6) G5, 7" (A1), 6/9.25" (A2), 5.75/9" (A3), 5.75/9" (A4), 6/9.25" (A6) G6			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Armless</li> <li>• Upholstered seat</li> <li>• Body Balance Control</li> <li>• 20" Foot ring</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Five arms:               <ul style="list-style-type: none"> <li>- Fixed arms</li> <li>- Height adjustable arms with FS pads</li> <li>- Height and width adjustable arms with sliding and pivot pads</li> <li>- Height adjustable arms with FS pads - black/chrome</li> <li>- Height and width adjustable arms with sliding and pivot pads - black/chrome</li> </ul> </li> <li>• 2 Cylinder Heights: CHC - Counter Height (8") or BHC - Bar Height (10")</li> <li>• Sit-to-Stand Cylinders:               <ul style="list-style-type: none"> <li>- STS1 G10 (7") 16.75/23.75" range</li> <li>- STS3 G15 (8") 18.5/26.5" range</li> <li>- STS4 G16 (9") 19.5/28.5" range</li> </ul> </li> <li>• Polished aluminum base</li> <li>• Black hard wheel casters</li> <li>• Black soft wheel casters</li> <li>• Reverse braking hard wheel casters</li> <li>• Reverse braking soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled or KD</li> <li>• CAL TB 133 Conformant</li> </ul>

**Plastic back stool - Counter/Bar height 319P**

<b>Overall dimensions</b>	27.5"w x 27.5"d x 41.75/49.25"h (CHC), 27.5"w x 27.5"d x 45.25/55.75"h (BHC)	<b>Weight</b>	54 lbs. Armless 59 lbs. Arms (CHC), 55 lbs. Armless 60 lbs. Arms (BHC)	
<b>Seat dimensions</b>	19.5"w x 18"d x 23/30.25"h (CHC), 19.5"w x 18"d x 26.5/37"h (BHC)	<b>Cubic feet</b>	12.75	
<b>Seat to top of back</b>	19.75"	<b>COM</b>	1 yd.	
<b>Back width</b>	19.5"	<b>COL</b>	17.5 sq. ft.	
<b>Top of arm to floor</b>	30.75/38" (A1), 29.75/40.25" (A2), 29.75/40.25" (A3), 29.5/40" (A4), 29.5/40" (A6) G5, 34.75/44.25" (A1), 33.75/46.25" (A2), 33.75/46.25" (A3), 33.5/46.25" (A4), 33.5/46.25" (A6) G6			
<b>Top of arm to seat</b>	7" (A1), 5.75/9" (A2), 5.75/9" (A3), 6/9.25" (A4), 6/9.25" (A6) G5, 7" (A1), 6/9.25" (A2), 5.75/9" (A3), 5.75/9" (A4), 6/9.25" (A6) G6			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Armless</li> <li>• Black plastic back</li> <li>• Upholstered seat</li> <li>• Body Balance Control</li> <li>• 20" Foot ring</li> <li>• Black nylon base</li> <li>• Hard wheel casters</li> <li>• 300 lbs. weight rated</li> <li>• ANSI/BIFMA X5.1</li> <li>• CAL TB 117-2013 Conformant</li> </ul>	<ul style="list-style-type: none"> <li>• Five arms:               <ul style="list-style-type: none"> <li>- Fixed arms</li> <li>- Height adjustable arms with FS pads</li> <li>- Height and width adjustable arms with sliding and pivot pads</li> <li>- Height adjustable arms with FS pads - black/chrome</li> <li>- Height and width adjustable arms with sliding and pivot pads - black/chrome</li> </ul> </li> <li>• 2 Cylinder Heights: CHC - Counter Height (8") or BHC - Bar Height (10")</li> <li>• Sit-to-Stand Cylinders:               <ul style="list-style-type: none"> <li>- STS1 G10 (7") 16.75/23.75" range</li> <li>- STS3 G15 (8") 18.5/26.5" range</li> <li>- STS4 G16 (9") 19.5/28.5" range</li> </ul> </li> <li>• Polished aluminum base</li> <li>• Black hard wheel casters</li> <li>• Black soft wheel casters</li> <li>• Reverse braking hard wheel casters</li> <li>• Reverse braking soft wheel casters</li> <li>• Glides</li> <li>• Fully assembled or KD</li> <li>• CAL TB 133 Conformant</li> </ul>



**Standard textile selection**

- <https://ofs.com/resources/textiles>
- All textiles meet CAL TB 117-2013

**Frame construction**

- Seat
  - Polypropylene
  - Fitted with riveted "T" nuts
- Back
  - Durable steel structure
- Upholstery
  - Knit: 100% high tenacity polyester
  - Plastic: Thermoplastic
  - Knit, mesh and plastic meet Cal Tech Bulletin 133
- Arms
  - Fixed Arms
  - Height and width adjustable arms with sliding and pivot pads
  - Height and width adjustable arms with sliding and pivot pads - black/chrome
  - Height adjustable arms with FS pads - black/chrome
  - Height adjustable arms with FS pads
- Controls
  - R1 - Body Balance Control: weight activated, adjusts to user's body weight and can tilt free or lock in six positions
- Base
  - Nylon: solid injection-molded and glass-reinforced nylon resin
  - Polished Aluminum: manufactured of die-casting process
  - All bases pass the ANSI/BIFMA strength standards
- Cylinder
  - Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters
  - Heavy-Duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon
  - 60 mm diameter large pivot barrels
- Assembly
  - Self-locking, hardened steel, slotted/Phillips head bolts
  - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

**Foam**

- Seat
  - 3D Molded foam
  - 2.5 lb. Density
  - CAL TB 117-2013 Conformant
- Back
  - 3D Molded foam
  - CAL TB 117-2013 Conformant