Adler QuickShip building blocks

Table of contents

Series overview 3

Height adjustable

Overview 4
Cantilever desk 5
Runoff desk 6
Pedestal | shell desks 7
Bridge 8
Fixed bridge 9
Return 10
Fixed return 11
Extended height media panels 12

Modular components

Worksurfaces 13-14
Supports 15-16
Partial height modesty 17
Pedestals 18-24

Wallmount components

Wallmount storage 25-28
Standard height media panels 29-31

Worksurface storage

Cabinets 32
Highback organizers 33

Floor storage

Swivel bench 34
Mobile pedestals 35
Towers 36-41
Bookcases 42
Lateral files 42

Series overview

General notes

- See Adler planning guide for information on how to build up desks, bridges, returns, and credenzas
- Planning guide also includes information on support components

Locking

- Non locking is standard. Optional locking is available for the following items, unless noted otherwise:
  - Pedestal drawers and doors
  - Highback and wallmount hinged doors

Metal rail detail

- Adler pedestals feature a horizontal metal accent rail above doors and drawers
- **Note**: QuickShip powder coats available in Luster Grey or Onyx

Pedestal/door glides and hinges

- Drawers feature soft close glides. **Note**: Not available on lateral files
- All hinged doors feature soft close hinges

Pedestal lock | metal rail detail



Height adjustable Overview

General notes

- Height range:
  - Cantilever desk: 29.5″-45.5″h
  - All other desks: 29.5625″-45.5625″
- Worksurfaces available as TFL or HPL
- 75 lb. max rating per height adjustable worksurface
- Paddle switch height adjustable controller
- Cantilever and runoff height adjustable desks coordinate with low height storage
- Height adjustable bridges and returns can be ganged to shell and single pedestal desks to create joined L desks, where both worksurfaces raise together
- To maintain spacing with media panels and wall storage, specify fixed bridges and returns with height adjustable desks
- Refer to Adler planning guide for information on height adjustable and fixed applications, and wire management

Power

- All height adjustable desks are standard with an PS-77 undersurface power supply
- Optional PS-77 on height adjustable bridges and returns
- PS-77 features six outlets and a 10′ power cord
- Optional charging drawer on models with box/box/file pedestals. **Note**: Located in top drawer only

Wire management

- All height adjustable desks, returns, and bridges standard with metal trough wire manager
- For cantilever and runoff desks, wire manager powder coat will match shroud selection
- For all other height adjustable models wire manager will default to mechanism finish. Black or silver only
- Optional grommets for all surfaces, locations vary by model. Available as black or silver

Media panel use

- Cantilever and runoff desks to be used with standard media panels for low height worksurfaces
- For remaining height adjustable desks, returns, and bridges, specify media panel offset and use extended media panels
- Fixed height bridges and returns to be used with standard desk height media panels

Power



Worksurface power supply

Wire manager



Metal trough

Media panel offset



Shown on desk and return

Height adjustable Cantilever desk

General notes

- Widths: 60″w, 66″w, 72″w
- Depths: 30″d
- **Note**: Actual surface width is 2″ less than overall width, offset from wall side
- Base cabinet depth: 24″d
- Base cabinet features open interior and back for wall access. Includes three outlet power supply
- Refer to height adjustable overview page and planning guide for additional information

Options

- Worksurface shapes: Four rounded corners (RD4C) or two rounded outside corners (RD2C)
- **Note**: For RD2C option corners along wall will be squared
- Surface available as TFL or HPL
- Optional grommets in any combination of left, center, and right
- Specify partial height modesty panel separately
- Optional locking on cabinet doors



Q-AL-T30HACDL shown

Worksurface shapes



Four rounded corners (RD4C)



Two rounded corners (RD2C)

Grommets



Cantilever desk plan view
optional left, center, and right grommets shown (G8)

Height adjustable Runoff desk

General notes

- Overall widths: 60″w, 66″w, 72″w
- Overall depths: 30″d
- **Note**: Actual surface width is 2″ less than overall width, offset from wall side
- Open base cabinet depth: 24″d
- Base cabinet features a removable adjustable shelf and hinged cabinet back for wall access. Includes three outlet power supply
- Refer to height adjustable overview page and planning guide for additional information

Options

- Optional grommets in any combination of left, center, and right
- Optional partial height modesty specified within the runoff desk model. Features rounded corners at the bottom. Spans the entire opening between the cabinet and panel base, regardless of desk width



Q-AL-T30HARDL shown
from user side

Grommets



Runoff desk plan view
optional left, center, and right grommets shown (G8)

Partial modesty



Height adjustable Pedestal | shell desks

General notes

- Widths: 60″w, 66″w, 72″w
- Depths: 30″d
- Single and double pedestal desks available with 12″w or 18″w pedestals
- **Note**: 18″w pedestals not available for 60″w single or double pedestal desks
- Single pedestal desks are handed left or right
- Refer to height adjustable overview page and planning guide for additional information
- For media panel use, specify left (C6D) or right (C6E) offset. **Note**: Offset not available on double pedestal desks
- **Note**: Media panel recesses behind worksurface, must be used with extended height media panels

Options

- Full or half height static modesty panels
- Optional partial height modesty specified with the desk model. Attaches to underside of the worksurface
- Optional worksurface grommet in any combination of left, center, and right. **Note**: Grommet spacing varies by desk type
- Optional end panel grommet on left (GRLE) or right (GRRE) end. **Note**: Location varies by desk type. Refer to planning guide for locations
- Optional felt liner in box drawers for single and double pedestal desks
- Optional locking on drawer pedestals

Desk types



Double pedestal
Q-AL-T30HADPD18 shown at 72″w
Q-AL-T30HADPD12 (12″w pedestals)



Single pedestal
Q-AL-T30HAPDR18 shown at 72″w
Q-AL-T30HAPDR12 (12″w pedestals)



Shell
Q-AL-T30HASD shown at 72″w

Modesty panels

Q-AL-T30HAPDR18 shown at 72″w



Full static modesty (FMNP)



Full static modesty with partial (FMWP)



Half static modesty (HMNP)



Half static modesty with partial (HMWP)

Worksurface grommets



Shell desk plan view
optional left, center, and right grommets shown (G8)



Pedestal desk plan view
optional left, center, and right grommets shown (G8)

End panel grommet



GRRE location shown

Felt liner



Box drawers only

Height adjustable Bridge

General

- Widths: 42″w, 48″w, 54″w, 60″w, 66″w, 72″w
- **Note**: Actual worksurface width dependent on ganging or flush option specified
- Depth: 24″d
- Short grain worksurface on 42″w-60″w models
- Long grain worksurface on 66″w-72″w models
- Hinged fold down panel on user side for wall access
- Refer to height adjustable overview page and planning guide for additional information


Options

- Optional center grommet
- For media panel use specify FFST offset
- **Note**: Media panel recesses behind worksurface, must be used with extended height media panels
- Unfinished back standard. Optional finished back, or finished back with grommet
- Support end panels can be added on left, right, or both ends. **Note**: Bridge must be supported at each end with storage or end panels

Bridge




Q-AL-T24HAB shown at 42″w



Hinged panel detail

Grommet



Plan view
optional center grommet (G3)

Outside back options



Unfinished wall access (H3V)



Finished (LX)



Finished with grommet (H4E)

End panel



End panel right (ERGT) shown

Height adjustable Fixed bridge

General

- **Note**: Used with height adjustable shell and single pedestal desks only
- Overall widths: 42″w, 48″w, 54″w, 60″w
- **Note**: Actual worksurface width dependent on ganging or flush option specified
- Depth: 24″d
- Overall height: 29.8125″h
- Short grain worksurface
- Cantilever support bracket included on 54″w and 60″w models
- Refer to height adjustable overview page and planning guide for additional information

Options

- Full or half height modesty
- Optional wire access slot for full height modesty
- Optional grommets in any combination of left, center, and right

Bridge



Q-AL-T24FB shown at 42″w
with full height modesty (FLMD)

Outside back options



Half height modesty (HLMD)



Wire access slot (V8)
for FLMD modesty only

Grommets



Plan view
optional left, center, and right
grommets shown (G8)

Height adjustable Return

General

- Overall widths: 42″w, 48″w, 54″w, 60″w
- **Note**: Actual worksurface width is standard 1″ less than overall width. Full width when ganging is specified
- Depth: 24″d
- Short grain worksurface
- Models available as box/box/file or file/file pedestal, handed left or right
- 12″w or 18″w pedestal models
- **Note**: 18″w pedestal not available on 42″w return
- Hinged fold down panel on user side for wall access
- Refer to height adjustable overview page and planning guide for additional information


Options

- For media panel use specify FFST offset
- **Note**: Media panel recesses behind worksurface, must be used with extended height media panels
- Unfinished back standard. Optional finished back, or finished back with grommet
- Optional center grommet
- Optional locking on pedestals
- Optional felt liner in box drawers

Return



Q-AL-T24HARR18-F shown at 48″w (18″w file/file pedestal)



Hinged panel detail

Outside back options



Unfinished wall access (H3V)



Finished (LX)



Finished with grommet (H4E)

Grommet



Plan view
optional center grommet (G3)

Felt liner



Box drawers only

Height adjustable Fixed return

General

- **Note**: Used with height adjustable shell and single pedestal desks only
- Overall widths: 42″w, 48″w, 54″w, 60″w
- **Note**: Actual worksurface width is 1″ less than overall width
- Depth: 24″d
- Overall height: 29.8125″h
- Models available as box/box/file or file/file pedestal, handed left or right
- 12″w or 18″w pedestal models
- **Note**: 18″w pedestal not available on 42″w return
- Short grain worksurface
- Refer to height adjustable overview page and planning guide for additional information

Options

- Full or half height modesty
- Optional wire access slot for full height modesty
- Optional grommets in any combination of left, center, and right
- Optional locking on pedestals
- Optional felt liner in box drawers

Return



Q-AL-T24FRR18-F shown at 48″w (18″w file/file pedestal)

Outside back options



Half height modesty (HLMD)



Wire access slot (V8) for FLMD modesty only

Grommet



Plan view
optional left, center, and right grommets shown (G8)

Felt liner



Box drawers only

Height adjustable Extended height media panels

General notes

- For use with height adjustable desks, bridges, and returns
- **Note**: Not for use with cantilever height adjustable desks. Use standard height models
- Widths: 24″w-60″w, in 6″ increments
- Height: 25.25″h
- Mounts directly to the wall, mounting hardware included

Full height

- Specify full height when no wallmounted storage is specified
- TFL and upholstered panels have optional shelf. See full height shelf section

Partial height

- Specify partial height when wallmounted storage is specified

Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable). **Note**: Upholstered wall panel with shelf option is not tackable
- **Note**: Upholstered panels wider than 42″w will be two pieces



Full height models
Q-AL-T44HADWP (TFL)
Q-AL-U44HADWP (upholstered) shown
Q-AL-MB44HADWP (markerboard)

Partial height models
Q-AL-T25HADWP (TFL)
Q-AL-U25HADWP (upholstered)
Q-AL-MB25HADWP (markerboard) shown

Modular components Worksurfaces | rectangle

General

- Height: 1″h

Long grain worksurfaces

- 23″d and 24″d worksurface widths: 18″w-96″w, in 6″ increments
- 30″d worksurface widths: 60″w-84″w, in 6″ increments

Short grain worksurfaces

- Widths: 18″w-54″w, in 6″ increments
- Depths: 23″d, 24″d

Options

- Grommets available in any combination of left, center, and right for all worksurface shapes

Long grain



Q-AL-T24LRWS shown

Short grain



Q-AL-T24SRWS shown

Modular components Worksurfaces | overlay

General

- Depth: 24″d
- Overall height: 7″h
- 6″h vertical riser support handed left or right
- Riser support is 23″d. Gap can be filled in with a pedestal filler panel or static back panel

Long grain worksurfaces

- Widths: 24″w-96″w, in 6″ increments

Short grain worksurfaces

- Widths: 24″w-54″w, in 6″ increments

Options

- Grommets available in any combination of left, center, and right

Left hand



Q-AL-T24LRWSOL (long grain shown)

Right hand



Q-AL-T24LRWSOR (long grain shown)

Modular components Supports | main supports

General

- Models available to use with 24″d and 30″d worksurfaces

O leg

- Metal leg with rounded corners

Wing end assembly

- Left and right models available
- Vertical grain direction
- Ships KD

End panel

- End panel also available in 23″d. Use on a 24″d worksurface when a back panel or support panel is specified
- Angle brackets included for support. Use one bracket for 24″d surface, two brackets for 30″d worksurfaces
- Vertical grain direction

O leg



Q-AL-M24OL shown

Wing assembly



Q-AL-T24WAR shown

End panel



Q-AL-T24DEP (desk height shown)

Modular components Supports | intermediate supports

Support panel
- Widths: 12″w, 18″w
- 12″w support panel available as desk or low height. 18″w for desk height only
- Used to create an L support at a corner with an end panel, back panel junction, or another support panel

Support base
- Width: 12″w
- Depths: 12″d, 18″d
- Top wire management notch at back of the support
- Used to support worksurfaces at a seam, or a wider surface at the center. **Note**: Not to be used with back panel

Filler panel
- Width: 5″w
- Low and desk height models available
- Used to close in the end gap behind a pedestal when a back panel is not specified

Riser support
- For use with 24″d and 30″d worksurfaces
- Used to support high to low runoff worksurfaces

Static back panel
- Widths: 18″w-96″w in 6″ increments
- Low and desk height models available
- Optional wire access slot. **Note**: Minimum back panel width to specify wire access slot is 24″w
- Use as a desk full height modesty, or on bridges, returns or credenzas to enclose the back

Fold down back panel
- Desk height only
- Widths: 25″w-94″w in 1″ increments
- Features top fold down panel for wall access
- Models 25″w-48″w feature one fold down door
- Models 49″w and wider feature two fold down doors and a center cantilever support

Support panel



Q-AL-T24DSP shown

Support base



Q-AL-T24DSB shown

Filler panel



Q-AL-TDFP shown

T riser



Q-AL-T24TR shown

Static back panels



Q-AL-TDSBP shown



Optional wire access (V8)

Fold down back panels



Q-AL-TDFDBPB shown
25″w-48″w



Q-AL-TDFDBPC shown
49″w-72″w

Modular components Partial height modesty

General

- Widths: 30″w-78″w, in 1″ increments
- Height: 12″h
- Available as TFL. Horizontal grain for woodgrain TFL modesty
- Modesty mounting brackets included

Options

- Square or curved corners for bottom of modesty panel
- Round corner locations: left corner (RLCR), right corner (RRCR), or both corners (RBCR)

TFL



Q-AL-TPMD shown

Corner options



Square corner (X9)



Left corner (RLCR)



Right corner (RRCR)



Both corners (RBCR)

Modular components Pedestals | overview

General

- All doors and drawers feature soft close hinges and drawer glides
- Desk and low height pedestals require a worksurface, specified separately
- Desk and low height pedestals feature unfinished backs, use with a static back panel or filler panel to close in gap
- Bench height pedestals standard with top and finished back
- **Note**: Desk and low height pedestals cannot be freestanding
- See Adler planning guide for specifying information and filing capacity

Options

- Integrated or Aero pull
- When Aero pull is specified, 18″w fronts feature 7″w pull and 24″w fronts and wider feature a 14″w pull
- Optional felt liner for box drawers

Integrated pull



Aero pull



Felt drawer liner



Modular components Pedestals | desk height drawers

General notes

- Creates a worksurface height of 29.8″h
- Refer to pedestal overview page for additional specifying information

Options

- No lock standard (NL). Optional locking
- Optional felt liner in box drawer(s)

Box/box/file

- Widths: 18″w, 24″w, 30″w, 36″w
- Depths: 23″d, 29″d
- **Note**: 29″d only available as 18″w

File/file

- Widths: 18″w, 24″w, 30″w, 36″w
- Depths: 23″d, 29″d
- **Note**: 29″d only available as 18″w

Power tray/box/file

- Widths: 24″w, 30″w, 36″w
- Depth: 24″d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV). **Note**: One power cord per power module
- Power module includes one outlet and one USB-A/USB-C port
- **Note:** The power tray pedestal does not require a worksurface or back panel

Box/box/file



Q-AL-T23DBBF
shown at 18″w

File/file



Q-AL-T23DFF
shown at 18″w

Power tray/box/file



Q-AL-T24DPTBF
shown at 24″w



Power tray top
Left and right power shown (PLR)

Modular components Pedestals | desk height storage

General notes

- Creates a worksurface height of 29.8″h
- Refer to pedestal overview page for additional specifying information

Options

- No lock standard (NL). Optional locking for hinged door and printer pullout pedestals

Open shelving

- Widths: 18″w, 24″w, 30″w, 36″w
- Depth: 23″d
- One adjustable shelf
- Removable back panel for wall access

Hinged door

- Widths: 18″w, 24″w, 30″w, 36″w
- Depth: 23″d
- One adjustable shelf
- 18″w features single door, hinged left or right 24″w, 30″w, and 36″w features double door

Printer pullout

- Width: 18″w, 24″w
- Depth: 23″d
- Handed left or right

Printer pullout continued

- Available interior printer space:
  - 18″w: 15.5″w x 19.6875″d x 15.75″h
  - 24″w: 21″w x 19.6875″d x 15.75″h
- Three outlet power supply and grommet included in drawer back. **Note**: If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

Trash pullout

- Width: 18″w, 24″w
- Depth: 23″d
- Rectangle 30 qt. trash can included
- One trash can for 18″w pedestals
- Two trash cans for 24″w pedestals

Open shelving



Q-AL-T23DOS
shown at 18″w

Hinged door



Q-AL-T23DHDR
single door, 18″w



Q-AL-T23DHD
double door, 30″w

Printer pullout



Q-AL-T23DPPR
shown at 18″w

Trash pullout



Q-AL-T23DTP
shown at 18″w



Q-AL-T23DTP
shown at 24″w

Modular components Pedestals | low height drawers

General notes

- Creates a worksurface height of 22.75″h
- Refer to pedestal overview page for additional specifying information

Options

- No lock standard (NL). Optional locking

Box/file

- Widths: 18″w, 24″w, 30″w, 36″w
- Depth: 23″d
- Optional felt liner in box drawer

Power tray/file

- Widths: 24″w, 30″w, 36″w
- Depth: 24″d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- **Note**: One power cord per power supply
- Power available as black (BL), white (WH), or silver (SV)
- Power supply includes one outlet, and one USB-A/USB-C port

Box/file



Q-AL-T23LBF
shown at 18″w

Power tray/file



Q-AL-T24LPTF
shown at 24″w



Power tray top
Left and right power shown (PLR)

Modular components Pedestals | low height storage

General notes

- Creates a worksurface height of 22.75″h
- Depth: 23″d
- Refer to pedestal overview page for additional specifying information

Options

- No lock standard (NL). Optional locking for hinged door and printer pedestals

Open shelving

- Widths: 18″w, 24″w, 30″w, 36″w
- One adjustable shelf

Hinged door

- Widths: 24″w, 30″w, 36″w
- One adjustable shelf
- Double door

Trash pullout

- Widths: 18″w, 24″w
- One round 23.5 qt. trash can included

Printer pullout

- Widths: 18″w, 24″w
- Handed left or right
- Available interior printer space:
  - 18″w: 15.5″w x 19.6875″d x 10.75″h
  - 24″w: 21″w x 19.6875″d x 10.75″h
- Three outlet power supply and grommet included in drawer back. **Note**: If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

Open shelving



Q-AL-T23LOS
shown at 18″w

Hinged door



Q-AL-T23LHD
shown at 24″w

Trash pullout



Q-AL-T23LTP
shown at 18″w

Printer pullout



Q-AL-T23LPPR
shown at 18″w

Modular components Pedestals | corner units

Corner pedestal general notes

- Use with open pedestal for corner to create a corner at a worksurface junction
- Widths:
  - 42″w (18″w pedestal)
  - 48″w (24″w pedestal)
  - 54″w (30″w pedestal)
  - 60″w (36″w pedestal)
- Depth: 23″d
- Pedestal location handed left or right
- Refer to pedestal overview page for additional specifying information

Low height corner pedestals

- Creates a worksurface height of 22.75″h

Desk height corner pedestals

- Creates a worksurface height of 29.8″h

Options

- Felt drawer liner available in box drawers
- No lock standard (NL). Optional locking

Low height



Box/file
Q-AL-T23LCSL-B shown at 42″w

Desk height



Box/box/file
Q-AL-T23DCSL-B shown at 42″w

Modular components Pedestals | open pedestal for corner unit

- Widths: 18.75″w, 24.75″w, 30.75″w, 36.75″w
- Desk or low height
- Use with corner pedestals to create a corner at a worksurface junction



Q-AL-T23DCOS (desk height)
Q-AL-T23LCOS (low height)

Modular components Pedestals | bench height

General notes

- Creates a 15.75″h worksurface height
- Widths: 24″w, 30″w, 36″w
- Depth: 24″d
- Adjustable shelf for open shelf pedestal
- Refer to pedestal overview page for additional specifying information

Options


- No lock standard (NL). Optional locking for drawer pedestals
- Can be used with floor storage cushions, specified separately

File drawer



Q-AL-T24SB-F
shown at 24″w

Open shelf



Q-AL-T24SB-S
shown at 24″w

Modular components Pedestals | cushions

- Use over bench or low height storage
- Widths: 24″w, 30″w, 36″w, 48″w, 60″w, 72″w
- Depths:
  - 24″d (no media panels)
  - 23″d (use with media panels)
- Height: 1.5″h
- Field installed
- Attaches to storage with dual lock strip

Full depth



Q-AL-SC shown

Media panel depth



Q-AL-SCMP shown

Wallmount components Hinged door organizer

General notes

- Can be used with partial height media panels
- Widths: 24″w-84″w in 6″ increments
- Depth: 15″d
- Height: 18.5″h
- 24″w-42″w features one section
- 48″w-84″w features two sections
- Two hinged doors per section
- Soft close hinges standard

Options

- Door standard as TFL with integrated or Aero pull
- No locking standard (NL). Optional locking
- Optional integrated LED tasklight (TSKL)



Q-AL-THDO2 one section
Q-AL-THDO4 two sections (shown at 72″w)



integrated pull (AS)



Aero pull



Task light (TSKL)

Wallmount components Sliding door organizer

General notes

- Can be used with partial height media panels
- Widths: 30″w-72″w in 6″ increments
- Depth: 14.125″d
- Height: 18.5″h
- Two sections per width
- 30″w-72″w models feature single sliding door per section (two doors total)

General notes continued


- Doors available as TFL only with integrated sliding door pull
- Soft close track standard

Options

- Optional integrated LED tasklight (TSKL)



Q-AL-TSDO2
72″w shown



Sliding door pull



Task light (TSKL)

Wallmount components Open organizer

General notes

- Can be used with partial height media panels
- Widths: 24″w-60″w in 6″ increments
- Depths: 14.125″d
- Height: 18.5″h
- 24″w-42″w features one opening
- 48″w-60″w features two openings

Options

- Optional integrated LED tasklight (TSKL)

Model reference



AL-TOSO2 shown at 60″w

Options



Task light (TSKL)

Wallmount components Wall shelf

General notes

- Can be used with partial height media panels
- Widths: 24″w-60″w in 6″ increments
- Depths: 14.125″d
- Height: 18.5″h
- Vertical grain on back, long grain on shelf

Options

- TFL shelf corners can be square (X9), or with a 4″ radius at left (RLCR), right (RRCR), or both ends (RBCR)
- Optional painted shelf with beveled edge
- Optional integrated LED tasklight (TSKL)

Model reference



AL-TCS shown at 60″w

Options



TFL, square corner (X9)



TFL, left round corner (RLCR)



TFL, right round corner (RRCR)



TFL, both round corner (RBCR)



Painted beveled shelf



Task light (TSKL)

Wallmount components Standard height media panels | full height

General notes

- For use above static worksurfaces when no wallmounted storage is specified
- Widths: 24″w-60″w, in 6″ increments
- Heights:
  - 56.2813″h (for bench height)
  - 49.25″h (for low height or height adjustable cantilever and runoff desks)
  - 42.1875″h (for desk height)
- **Note**: 30.75″h media panels are also used with cantilever height adjustable desks
- Mounts directly to the wall, mounting hardware included
- **Note**: TFL and upholstered panels have optional shelf. See full height shelf section

TFL

- Vertical grain

Upholstered

- Upholstered models are tackable
- **Note**: Upholstered wall panel with shelf option is not tackable
- **Note**: Fabric panels wider than 42″w will be two pieces

Markerboard

- HPL laminate dry erase markerboard

Bench height



30″w shown
Q-AL-T56BWP (TFL) shown
Q-AL-U56BWP (upholstered)
Q-AL-MB56BWP (markerboard)

Low height



30″w shown
Q-AL-T49LWP (TFL) shown
Q-AL-U49LWP (upholstered)
Q-AL-MB49LWP (markerboard)

Desk height



30″w shown
Q-AL-T42DWP (TFL) shown
Q-AL-U42DWP (upholstered)
Q-AL-MB42DWP (markerboard)

Optional shelf



For full height TFL or upholstered wall panels only

Wallmount components Standard height media panels | full height options

- Available on full height TFL and upholstered media panels only
- Shelf standard as TFL with square edge
- Optional painted shelf with beveled edge
- **Note**: Optional shelf not available on upholstered panels wider than 42″
- TFL shelf corners can be square or with 4″ radius at one or both ends
- Painted shelf is standard with front beveled edge
- Optional integrated LED tasklight on shelf with daisy chain models available
- Shelf weight limit is 5 lbs. maximum per linear foot
- Ganging for shelf ends, refer to Adler planning guide for more information



Square corner (X9)



Left round corner (RLCR)



Right round corner (RRCR)



Both round corner (RBCR)



Painted, beveled shelf



Task light

Wallmount components Standard height media panels | partial height

General notes

- For use above static worksurfaces when wallmounted storage is specified
- Widths: 24″w-60″w, in 6″ increments
- Heights:
  - 37.7813″h (for bench height)
  - 30.75″h (for low height or height adjustable cantilever and runoff desks)
  - 23.6875″h (for desk height pedestals)
- **Note**: 30.75″h media panels are also used with cantilever height adjustable desks
- Mounts directly to the wall, mounting hardware included

Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable)
- **Note**: Upholstered panels wider than 42″w will be two pieces

Bench height



30″w shown
Q-AL-T37BWP (TFL) shown
Q-AL-U37BWP (upholstered)
Q-AL-MB37BWP (markerboard)

Low height



30″w shown
Q-AL-T30LWP (TFL) shown
Q-AL-U30LWP (upholstered)
Q-AL-MB30LWP (markerboard)

Desk height



30″w shown
Q-AL-T23DWP (TFL) shown
Q-AL-U23DWP (upholstered)
Q-AL-MB23DWP (markerboard)

Worksurface storage Cabinets | open shelving

- Widths: 18″w, 24″w, 30″w, 36″w
- Depth: 14.125″d
- Heights:
  - 42″h (for desk height)
  - 49″h (for low height)
- 42″h features one adjustable shelf
- 49″h features two adjustable shelves
- Standard with finished back

Open cabinet



Desk height (24″w shown)
Q-AL-TDOSC



Low height (24″w shown)
Q-AL-TLOSC

Worksurface storage Highback organizers

General notes

- Widths: 60″w, 66″w, 72″w, 78″w, 84″w
- Height: 42.1875″h
- Depth: 15″h
- Two sections per model, two hinged doors per section
- Pulls: Integrated bottom pull or Aero pull

Options

- No lock standard (NL). Optional locking for hinged TFL doors
- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

Hinged door



Q-AL-THOHD4 shown at 60″w with Aero pull

Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

Task light



(TSKL)

Floor storage Swivel bench

General notes

- Bench height pedestals with cushioned swivel bench
- Width: 54″w (two 24″w sections)
- Depth: 24″d
- Overall height: 19.72″h
- 20″d HPL swivel bench with 30″w, 1.5″ thick fixed cushion top
- Swivel bench has 275 lb. max rating
- Casters are locking and standard in black
- Finished back standard
- **Note**: 2″ of clear space is required at end of bench for swivel bench to be operational
- Refer to pedestal overview page for additional specifying information

Options

- No lock standard (NL). Optional locking for file drawers and hinged door models only
- **Note**: Over time, carpets may show indentation patterns from repeated caster travel. This tracking or shading, similar to what appears when a stationary chair, table, or desk is moved, is a normal characteristic on a variety of pile carpets under consistent friction. In many cases, these marks can be reduced or eliminated through routine vacuuming or steam cleaning. Daily use and moving the bench while seated can increase the visibility of these patterns. The integrated bench solution is intended to serve as a touchdown seat and provide additional seating when needed

File drawers



Q-AL-T5424SBR-F shown

Floor storage Mobile pedestals

General notes

- Width: 18″w
- Depth: 20.75″d
- Recessed casters

Options

- No locking standard (NL). Optional locking on file drawers only
- Optional felt liner in box drawers

Finished top

- Height: 25.5″h
- Finished laminate top
- Box/file drawers

Cushion top

- Height: 18.75″h
- Two box drawers

Finished top



Q-AL-T18MPBF

Cushion top



Q-AL-T18MPC-B

Floor storage Towers | overview

General

- Towers are available as full door, pedestal with upper storage (with or without side hinged wardrobe), and slide out wardrobe
- Depth: All towers are 24″d
- Heights: All towers are 72″h

Hinged doors

- All TFL doors can be specified with no pull (AS), or metal Aero pull. Touch latch standard when no pull (AS) is specified
- **Note**: All towers on following pages are shown with Aero pull to show pull placement
- Soft close hinge on all doors

Pedestals

- See pedestal overview page for more information on pull details for tower pedestals
- Towers with pedestals are available with low or desk height pedestal storage

Locking

- Optional locking for box and file drawers

Tower types


Full door


Pedestal


Slide out wardrobe


Slide out wardrobe detail

Floor storage Towers | full door

General note

- Width: 18″w
- Door hinged left or right

Options

- See tower overview page for more information
- Interior available as wardrobe (R7) or shelving (R8)
- Wardrobe (R7) features hanging bar and fixed bottom shelf
- Shelving (R8) features two fixed and three adjustable shelves



Q-AL-T24WSDR shown
R7 hanging bar (standard)



Q-AL-T24WSDR shown
R8 hanging bar

Floor storage Towers | low height pedestal

General

- Widths: 18″w, 24″w
- Top section: full door with two adjustable shelves
- Bottom section: low height pedestal
- Doors hinged left or right

Options

- See tower overview page for more information

Box/file

- Optional felt liner in box drawer

Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18″w pedestals
- Two trash cans for 24″w pedestals

Box/file



Q-AL-T24LPTFDR-B
shown

Trash



Q-AL-T24LPTFDR-T
shown

Floor storage Towers | desk height pedestal

General

- Widths: 18″w, 24″w
- Top section: full door with two adjustable shelves
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Door hinged left or right

Options

- See **tower overview** page for more information

Box/box/file

- Optional felt liner in box drawer

Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18″w pedestals
- Two trash cans for 24″w pedestals

Box/box/file



Q-AL-T24DPTFDR-B
shown

File/file



Q-AL-T24DPTFDR-F
shown

Trash



Q-AL-T24DPTFDR-T
shown

Floor storage Towers | slide out wardrobe | low height pedestal

General

- Width: 24″w
- Top section: full door with two adjustable shelves
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13″
- Slide put wardrobe features maple wood hanging knob
- See tower overview page for more information

Box/file

- Optional felt liner in box drawer

Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18″w pedestals
- Two trash cans for 24″w pedestals

Box/file



Q-AL-T24LWPTSFDR-B
shown

Trash



Q- AL-T24LWPTSFDR-T
shown

Floor storage Towers | slide out wardrobe | desk height pedestal

General

- Width: 24″w
- Depth: 24″d
- Height: 72″h
- Top section: full door with shelving with two adjustable shelves
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13″
- Slide put wardrobe features maple wood hanging knob
- See tower overview page for more information

Box/box/file

- Optional felt liner in box drawer

Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18″w pedestals
- Two trash cans for 24″w pedestals

Box/box/file



Q-AL-T24DWPTSFDR-B
shown

File/file



Q-AL-T24DWPTSFDR-F
shown

Trash



Q-AL-T24DWPTSFDR-T
shown

Floor storage Bookcases

Standard bookcase

- Widths: 30″w, 36″w
- Depth: 14″d
- Heights:
  - 29″h one adjustable shelf
  - 72″h (three adjustable, one stationary shelf)
- Freestanding

Open side bookcase

- Widths: 18″w, 24″w
- Depth: 24″d
- Height: 72″h
- All fixed shelves
- Handed left or right
- Not freestanding

Standard bookcase



Q-AL-T29BC shown 30″w



Q-AL-T72BC shown at 30″w

Open side bookcase



Q-AL-T24STOL shown at 18″w

Floor storage Laterals

General

- Depth: 24″d
- Widths: 24″w, 30″w, 36″w
- Height: 29″h (two drawer)
- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application

Options

- No locking standard (NL). Optional locking



Q-AL-T24LF2 shown at 24″w