Range QuickShip building blocks

Table of contents

Bench kit

Base 3
Ganging kit 3
Power components 4
Worksurfaces 5
Rail mount privacy screens 6

Woksurface privacy screens

Worksurface edge mount 7

Electrical

3 circuit/5 wire 8
4 circuit/8 wire 8

Height adjustable desk

Bases/worksurfaces 9

Work tools

Wire management 10

Bench kit Base

- Widths: 54″w, 60″w, 66″w, 72″w
- Includes height adjustable legs, top racks, cross bars, digital control panel, control box and cables
- Worksurfaces, cable carrier, ganging kits and privacy panels ordered separately
- Creep factor is accounted for in frame size when ganging benches
- Ships KD
- Accommodates two users



Q-HB-72HABK (shown)

Bench kit Ganging kit

- Overall dimensions:
  - GKR model: 14″wx2.75″dx2.75″h
  - GKT model: 22″wx9.25″dx2″h
- Use to gang bench kits together
- Use GKR model when ganging units without cable carriers
- Use GKT model when ganging units with cable carriers

With cable carriers



Q-HB-GKR

Without cable carriers



Q-HB-GKT

Bench kit Power components

Cable carrier

- Widths: 54″w, 60″w, 66″w, 72″w
- Stores and conceals electrical and data
- Available with no power, three circuit (five wire) or four circuit (eight wire) power option
- Carrier includes power block assembly with four outlets each user when power option is selected
- Supports rail mounted privacy panel
- **Note**: Duplex receptacles, power in-feeds and jumpers not included

End cap

- Use to finish end of benching run on cable carrier
- Set of two

Cable entry pole

- Conceals power and data from floor to bench
- Removable panel for cable access

Ganging kit

- Use when ganging benches together
- Version for use with cable carrier, and without

Cable carrier



Q-HB-72CC

End cap



Q-HB-EC

Cable entry pole



Q-HB-CEP

Bench kit Worksurfaces

- Widths: 52″w, 58″w, 64″w, 70″w
- Depths: 24″d, 30″d
- Worksurfaces are 2″ shorter than overall bench kit width
- Worksurface shapes: Rectangle and soft rectangle
- Not for use with side mount modesty panels



Rectangle worksurface



Q-HB-7024HART shown



Q-HB-7030HART shown

Soft rectangle worksurface



Q-HB-7024HASRT shown



Q-HB-7030HASRT shown

Bench kit Rail mount privacy screens

- Widths: 40″w (54″w bench kit), 46″w (60″w bench kit), 52″w (66″w bench kit), 58″w (72″w bench kit)
- Heights: 21.75″h (creates overall height of 42″h) or 27.75″h (creates overall height of 48″h)
- For double sided applications
- Mounts directly to cable carrier, includes post mount brackets
- Available in TFL or HPL laminate (horizontal grain), veneer (vertical grain), or tackable fabric

Laminate



Q-HB-5822LP
42″ overall height



Q-HB-5828LP
48″ overall height

Veneer



Q-HB-5822WP
42″ overall height



Q-HB-5828WP
48″ overall height

Fabric



Q-HB-5822FP
42″ overall height



Q-HB-5828FP
48″ overall height

Privacy screens Worksurface edge mount

Worksurface edge modesty general

- Height: 22.5″h (18″ above and 3″ below worksurface)
- Requires four brackets
- Leaves a 1.5″w gap between modesty panel and worksurface edge for wire management

Worksurface edge modesty

- Widths: 50″w, 56″w, 62″w, 68″w
- Worksurface is 2″ shorter than worksurface width. Use with 52″w, 58″w, 64″w and 70″w worksurfaces
- Requires four brackets

Screen brackets

- Use Q-WEBKT-3 for fabric edge surface modesty panels
- Use Q-WEBKT-2 for TFL and veneer edge surface modesty panels

Bench kit



Laminate
Q-HB-WEMK-58/22.5



Veneer
Q-HB-WEMW-58/22.5



Fabric
Q-HB-WEMF-58/22.5

Screen brackets



Fabric bracket
Q-WEBKT-3



Laminate bracket
Q-WEBKT-2

Electrical 3 circuit/5 wire

- Infeed: Metal, 10′ cord
- Jumper used to connect powered cable carriers when ganged
- Duplexes available in circuit I, II and III



Metal infeed
Q-PWF5M120



Power jumper
Q-MCJ5W38M



Duplex
Q-DPX5W1 shown

Electrical 4 circuit/8 wire

- Infeed: Metal, 10′ cord
- Jumper used to connect powered cable carriers when ganged
- Duplexes available in circuit I, II, III and IV (isolated and dedicated)



Metal infeed
Q-PWF3M120



Power jumper
Q-MCJ8W38M



Duplex
Q-DPX8W1 shown

Height adjustable desk Bases

- Offset freestanding height adjustable base
- Widths: 48″w, 54″w, 60″w, 66″w, 72″w
- Depths: 24″d or 30″d
- Includes height adjustable legs, feet, top racks, digital control panel, control box and cables
- Glides standard, optional casters available
- Accommodates one user
- Worksurface, privacy panel and wire management ordered separately
- **Note:** Worksurface edge privacy panel cannot be used on 24″d worksurfaces
- Ships KD

24″d



Q-HB-7224FSE

30″d



Q-HB-7230FSE

Height adjustable desk Worksurfaces

- Widths: 48″w, 54″w, 60″w, 66″w, 72″w
- Depths: 24″d or 30″d
- Worksurface shapes: Rectangle and soft rectangle
- Privacy panel and wire management ordered separately
- **Note:** Worksurface edge privacy panel cannot be used on 24″d worksurfaces

24″d rectangle



Q-HB-7224HART

30″d rectangle



Q-HB-7230HART

24″d soft rectangle



Q-HB-7224HASRT

30″d soft rectangle



Q-HB-7230HASRT

Work tools Wire management

Velcro wire manager

- Set of four
- Not intended for heavy duty cabling

Wire basket manager

- Widths: 18.13"w, 33.13"w
- Depth: 2.25"d
- Height: 4.25"h
- For heavy duty cabling

Height adjustable

- Adjustable height wire manager commonly used in stand alone height adjustable table applications

Velcro wire manager



Q-WM-V4

Wire basket



Wire basket manager
Q-WBT33H shown

Height adjustable



Table desk manager
Q-WM-HA



Table to table manager
Q-WM-HA2 shown