

Tobee building blocks

---



© F S



## Table of contents

|  |   |
|--|---|
| <a href="#"><u>Overview</u></a>                    | 3 |
| <a href="#"><u>Finishes with edge profiles</u></a> | 3 |
| <a href="#"><u>Pull-up tables</u></a>              | 4 |
| <a href="#"><u>Occasional tables</u></a>           | 5 |
| <a href="#"><u>Cafe/dining tables</u></a>          | 6 |
| <a href="#"><u>Accessories</u></a>                 | 7 |
| <a href="#"><u>Power</u></a>                       | 7 |


## Overview

- Series includes pull-up, occasional, and cafe/dining tables
- Ships knocked down
- Subtle bullnose column detail
- Column and base finish specified separately
- Static columns are available in standard and studio powder coats
- Pneumatic columns are available in luster grey, onyx, ion, and stone powder coat

## Finishes with edge profiles

- TFL or HPL finish with PP edge banding and a flat edge
- Painted finish with flat or knife edge
- Veneer finish with wood edge banding and a flat or knife edge
- Veneer finish with rounded exposed plywood edge
- Solid surface with rounded edge
- Back painted glass with white painted subtop

### Top edges



## Pull-up tables

### General

- Overall width: 19" w
- Overall depth: 19" d
- Overall height:
  - Static column: 27" h
  - Height adjustable column: 22"-32" h
- Table top available in squircle shape
- Column available as static or pneumatic
- Static columns are available in standard and studio powder coats
- Pneumatic columns are available in luster grey, onyx, ion, and stone powder coats
- Static glides

- Maximum weight capacity: 66 lbs.

- Maximum weight capacity for pneumatic column when extended: 50 lbs.

### Options

- Square edge standard, optional knife edge on paint and veneer and optional exposed plywood on veneer
- Rounded edge standard on solid surface

#### Static column



[211-V1919S](#) veneer (shown)  
[211-T1919S](#) TFL or HPL  
[211-S1919S](#) solid surface

#### Pneumatic column



[211-V1919P](#) veneer (shown)  
[211-T1919P](#) TFL or HPL  
[211-S1919P](#) solid surface



plan view

## Occasional tables

### General

- Squircle tables: 24" w x 24" d and 36" w x 36" d
- Rectangular squircle: 24" w x 48" d and 30" w x 48" d
- Overall height: 18" h
- Table tops available in squircle and rectangular squircle
- Table tops available in TFL, HPL, veneer, solid surface, and painted glass
- Adjustable glides with  $\frac{1}{4}$ " h range

### Options

- Square edge standard, optional knife edge on paint & veneer and optional exposed plywood on veneer
- Rounded edge standard on solid surface
- Optional power with cutout for wire management through columns. See [power options](#).

### Squircle



[211-S3636SQ18H](#) solid (shown)  
[211-T3636SQ18H](#) TFL or HPL  
[211-V3636SQ18H](#) veneer  
[211-G3636SQ18H](#) back painted glass



plan view

### Rectangular squircle



[211-V4830RT18H](#) veneer (shown)  
[211-S4830RT18H](#) solid  
[211-T4830RT18H](#) TFL or HPL  
[211-G4830RT18H](#) back painted glass



plan view

### Wire management



Integrated through columns for in-surface and under-surface power

## Cafe/dining tables

### General notes

- Overall height: 29" h
- Table tops available in squircle and rectangular squircle
- Table tops available in TFL, HPL, veneer, solid surface, and painted glass
- Adjustable glides with 1/4" h range

### Options

- Square edge standard, optional knife edge on paint and veneer and optional exposed plywood on veneer
- Rounded edge standard on solid surface
- Optional power with cutout for wire management through columns. See [power options](#).

### Squircle



[211-V3636SQ29H](#) veneer (shown)  
[211-S3636SQ29H](#) solid  
[211-T3636SQ29H](#) TFL or HPL  
[211-G3636SQ29H](#) back painted glass



plan view

### Rectangular squircle



[211-V5430RT29H](#) veneer (shown)  
[211-S5430RT29H](#) solid  
[211-T5430RT29H](#) TFL or HPL  
[211-G5430RT29H](#) back painted glass



plan view

### Wire management



integrated through columns for in surface and under surface power

### Squircle tables

- Single column on squircle tables
- Top sizes: 24" w x 24" d, 30" w x 30" d, 36" w x 36" d, 42" w x 48" d and 48" w x 48" d

### Rectangular squircle tables

- Single column on widths up to 48" w
- Double column on widths 54" w and longer
- Widths available by depth:
  - 24" depth: 30" w, 42" w and 48" w
  - 30" depth: 42" w, 48" w, 54" w, 60" w, 66" w and 72" w
  - 36" depth: 60" w, 66" d and 72" w

## Accessories Hook

- Overall dimensions: 3 7/8" w x 2 3/4" d x 1 1/2" h
- Available in standard and studio powder coats
- For use on cafe/dining tables only
- Maximum weight capacity: 15 lbs.
- Installed on underside of surface
- Hardware kit included



[211-AH](#) for use with TFL, HPL, veneer and glass top

[211-SAH](#) for use with solid surface top

## Power Options

- Available on occasional and cafe/dining tables only
- In surface installed power and under surface power is integrated within column
- Squircle occasional and cafe/dining tables have one power location
- Rectangular squircle cafe/dining tables have two power locations

- Power units are available in black or white distinguished by the B or W in the part number, except for Boone
- Approximately 6' of usable cord on all power supplies beyond the column

### In surface power



PS-113W PIP  
PS-113B PIP  
One USB A + C



PS-114W PIP  
PS-114B PIP  
One AC socket

### Undersurface power



PS-115W  
PS-115B  
One AC socket and one USB A + C



PS-116W  
PS-116B  
Two AC sockets and one USB A + C



[PS-2UM](#) Boone  
One AC socket and two USB o