

Adler building blocks

---





## Table of contents

<a href="#">Series overview</a>	3
<b>Height adjustable</b>	
<a href="#">Overview</a>	4
<a href="#">Cantilever desk</a>	5
<a href="#">Runoff desk</a>	6
<a href="#">Pedestal/shell desks</a>	7
<a href="#">Bridge</a>	8
<a href="#">Fixed bridge</a>	9
<a href="#">Return</a>	10
<a href="#">Fixed return</a>	11
<a href="#">Extended height media panels</a>	12
<b>Modular components</b>	
<a href="#">Worksurfaces</a>	13-14
<a href="#">Supports</a>	15-16
<a href="#">Partial height modesty</a>	17
<a href="#">Modular pedestals</a>	18-24
<a href="#">Swivel bench</a>	25
<a href="#">Mobile pedestals</a>	26
<b>Wallmount components</b>	
<a href="#">Wallmount storage</a>	27-29
<a href="#">Standard height media panels</a>	30-32
<b>Worksurface storage</b>	
<a href="#">Worksurface cabinets</a>	33-34
<a href="#">Highback organizers</a>	35-36
<b>Towers</b>	
<a href="#">Towers/laterals/bookcases</a>	37-45
<b>Accessories</b>	
<a href="#">Work tools</a>	46

## Series overview

### General notes

- See [Adler planning guide](#) for information on how to build up desks, bridges, returns, and credenzas
- Planning guide also includes information on support components

### Pedestal/door glides and hinges

- Drawers feature soft close glides. **Note:** Not available on lateral files
- All hinged doors feature soft close hinges

### Locking

- Non locking is standard. Optional locking is available for the following items, unless noted otherwise:
  - Pedestal drawers and doors
  - Highback and wallmount hinged doors

### Metal rail detail

- Adler pedestals feature a horizontal metal accent rail above doors and drawers
- **Note:** When a contrasting finish is not desired, we recommend using the following laminate and powder coat combinations:

### • Solid laminate:

- Black: onyx powder coat
- Frosty white: bone powder coat
- Grey: luster grey powder coat
- Pure White: polar powder coat
- Slate Grey: oiled bronze powder coat

### • Woodgrain laminate:

- Blonde: gold powder coat
- Burnished: oiled bronze powder coat
- Char: onyx powder coat
- Chestnut: latte powder coat
- Desert: latte powder coat
- Drift: warm grey powder coat
- Finn: stone powder coat
- Kodiak: latte powder coat
- Linen: latte, stone powder coat
- Loft: warm grey powder coat
- Ochre: stone powder coat
- Peak: stone powder coat
- Pecan: oiled bronze powder coat
- Root: oiled bronze, rust powder coat
- Saddle: oiled bronze powder coat
- Sienna: rust powder coat
- Steel: oiled bronze powder coat
- Timber: latte powder coat
- Twig: latte powder coat

**Pedestal lock**



**Metal rail detail**



## Height adjustable Overview

### General notes

- Height range: 29 5/16"-45 5/16"h
- Worksurfaces available as TFL or HPL
- 75 lb. max rating per height adjustable worksurface
- Paddle switch height adjustable controller
- Cantilever and runoff height adjustable desks coordinate with low height storage
- Height adjustable bridges and returns can be ganged to shell and single pedestal desks to create joined L desks, where both worksurfaces raise together
- To maintain spacing with media panels and wall storage, specify fixed bridges and returns with height adjustable desks
- Refer to [Adler planning guide](#) for information on height adjustable and fixed applications, and wire management

### Power

- All height adjustable desks are standard with an PS-77 undersurface power supply
- Optional PS-77 on height adjustable bridges and returns
- PS-77 features six outlets and a 10' power cord
- Optional charging drawer on models with box/box/file pedestals. **Note:** Located in top drawer only

### Wire management

- All height adjustable desks, returns, and bridges standard with metal trough wire manager
- For cantilever and runoff desks, wire manager powder coat will match shroud selection
- For all other height adjustable models wire manager will default to mechanism finish. Black or silver only
- Optional grommets for all surfaces, locations vary by model. Available as black or silver

### Media panel use

- Cantilever and runoff desks to be used with standard media panels for low height worksurfaces
- For remaining height adjustable desks, returns, and bridges, specify media panel offset and use extended media panels
- Fixed height bridges and returns to be used with standard desk height media panels

### Power



Worksurface power supply  
PS-77

### Wire manager



Metal trough

### Media panel offset



Shown on desk and return

## Height adjustable Cantilever desk

### General notes

- Widths: 60"w, 66"w, 72"w
- Depths: 30"d, 36"d
- **Note:** Actual surface dimension is 2" less than overall width
- Base cabinet depth: 24"d
- Base cabinet features open interior and back for wall access. Includes three outlet power supply
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

### Options

- Worksurface shapes: Four rounded corners (RD4C) or two rounded outside corners (RD2C)
- **Note:** For RD2C option, corners along wall will be squared
- Surface available as TFL, HPL, or solid surface
- Optional grommets in any combination of left, center, and right
- Specify partial height [modesty panel](#) separately
- Optional locking on cabinet doors



[AL-T30HACDL](#) shown

### Worksurface shapes



Four rounded corners (RD4C)



Two rounded corners (RD2C)

### Grommets



Cantilever desk plan view  
optional left, center, and right grommets shown (G8)

## Height adjustable Runoff desk

### General notes

- Overall widths: 60" w, 66" w, 72" w
- Overall depths: 30" d, 36" d
- **Note:** Actual surface dimension is 2" less than overall width
- Open base cabinet depth: 24" d
- Base cabinet features a removable adjustable shelf and hinged cabinet back for wall access. Includes three outlet power supply
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

### Options

- Optional grommets in any combination of left, center, and right
- Optional partial height modesty specified within the runoff desk model. Features rounded corners at the bottom. Spans the entire opening between the cabinet and panel base, regardless of desk width



[AL-T30HARDL](#) shown from user side

### Grommets



Runoff desk plan view optional left, center, and right grommets shown (G8)

### Partial modesty



## Height adjustable Pedestal | shell desks

### General notes

- Widths: 60" w, 66" w, 72" w
- Depths: 30" d, 36" d
- Single and double pedestal desks available with 12" w or 18" w pedestals
- **Note:** 18" w pedestals not available for 60" w single or double pedestal desks
- Single pedestal desks are handed left or right
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

- Optional grommets in any combination of left, center, and right. **Note:** Grommet spacing varies from shell, to single or double pedestal desks
- Optional felt liner in box drawers for single and double pedestal desks
- Optional locking on drawer pedestals
- For media panel use, specify left (C6D) or right (C6E) offset. **Note:** Offset not available on double pedestal desks
- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)

### Options

- Full or half height static modesty panels
- Optional partial height modesty. Attaches to underside of the worksurface

### Desk types



Double pedestal  
[AL-T30HADPD18](#) shown at 72" w  
[AL-T30HADPD12](#) (12" w pedestals)



Single pedestal  
[AL-T30HAPDR18](#) shown at 72" w  
[AL-T30HAPDR12](#) (12" w pedestals)



Shell  
[AL-T30HASD](#) shown at 72" w

### Modesty panels

AL-T30HAPDR18 shown



Full static modesty (FMNP)



Full static modesty with partial (FMWP)




Half static modesty (HMNP)



Half static modesty with partial (HMWP)

### Grommets



Shell desk plan view  
 optional left, center, and right grommets shown (G8)



Pedestal desk plan view  
 optional left, center, and right grommets shown (G8)

### Felt liner



Box drawers only

## Height adjustable Bridge

### General

- Widths: 42"w, 48"w, 54"w, 60"w, 66"w, 72"w
- Depth: 24"d
- Short grain worksurface on 42"w-60"w models
- Long grain worksurface on 66"w-72"w models
- Hinged fold down panel on user side for wall access
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

### Options


- Optional center grommet
- For media panel use specify FFST offset

- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)
- Unfinished back standard. Optional finished back, or finished back with grommet
- Support end panels can be added on left, right, or both ends
- **Note:** Bridge must be supported at each end with storage or end panels

### Bridge



[AL-T24HAB](#) shown at 42"w



Hinged panel detail

### Grommet



Plan view  
optional center grommet (G3)

### Outside back options



Unfinished wall access (H3V)



Finished (LX)



Finished with grommet (H4E)

### End panel



End panel right (ERGT) shown

## Height adjustable Fixed bridge

### General

- **Note:** Used with height adjustable shell and single pedestal desks only
- Overall widths: 42"w, 48"w, 54"w, 60"w
- Depth: 24"d
- Overall height: 29 13/16"h
- Short grain worksurface
- Cantilever support bracket included on 54"w and 60"w models
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

### Options

- Full or half height modesty
- Optional grommets in any combination of left, center, and right
- Optional wire access slot for full height modesty

### Bridge



AL-T24FB shown at 42"w with full height modesty (FLMD)

### Outside back options



Half height modesty (HLMD)



Wire access slot (V8) for FLMD modesty only

### Grommets



Plan view optional left, center, and right grommets shown (G8)

## Height adjustable Return

### General

- Widths: 42"w, 48"w, 54"w, 60"w
- Depth: 24"d
- Short grain worksurface
- Models available as box/box/file or file/file pedestal, handed left or right
- 12"w or 18"w pedestal models
- **Note:** 18"w pedestal not available on 42"w return
- Hinged fold down panel on user side for wall access
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information


### Options

- For media panel use specify FFST offset
- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)
- Unfinished back standard. Optional finished back, or finished back with grommet
- Optional center grommet
- Optional locking on pedestals
- Optional felt liner in box drawers

### Return



[AL-T24HARR18-F](#) shown at 48"w (18"w file/file pedestal)



Hinged panel detail

### Outside back options



Unfinished wall access (H3V)




Finished (LX)



Finished with grommet (H4E)

### Grommet



Plan view optional center grommet (G3)

### Felt liner



Box drawers only

## Height adjustable Fixed return

### General

- **Note:** Used with height adjustable shell and single pedestal desks only
- Overall widths: 42"w, 48"w, 54"w, 60"w
- Depth: 24"d
- Overall height: 29 13/16"h
- Models available as box/box/file or file/file pedestal, handed left or right
- 12"w or 18"w pedestal models
- **Note:** 18"w pedestal not available on 42"w return
- Short grain worksurface
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

### Options

- Full or half height modesty
- Optional wire access slot for full height modesty
- Optional grommets in any combination of left, center, and right
- Optional locking on pedestals
- Optional felt liner in box drawers

### Return



[AL-T24FRR18-E](#) shown at 48"w (18"w file/file pedestal)

### Outside back options



Half height modesty (HLMD)



Wire access slot (V8) for FLMD modesty only

### Grommet



Plan view optional left, center, and right grommets shown (G8)

### Felt liner



Box drawers only

## Height adjustable Extended height media panels

### General notes

- For use with height adjustable desks, bridges, and returns
- Widths: 24" w-60" w, in 6" increments
- Height: 25 ¼" h
- Mounts directly to the wall, mounting hardware included

### Full height

- Specify full height when no wallmounted storage is specified
- TFL and upholstered panels have optional shelf. See [full height shelf](#) section

### Partial height

- Specify partial height when wallmounted storage is specified

### Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable). **Note:** Upholstered wall panel with shelf option is not tackable
- **Note:** Upholstered panels wider than 42" w will be two pieces



Full height models  
[AL-T44HADWP](#) (TFL)  
[AL-U44HADWP](#) (upholstered) shown  
[AL-MB44HADWP](#) (markerboard)

Partial height models  
[AL-T25HADWP](#) (TFL)  
[AL-U25HADWP](#) (upholstered)  
[AL-MB25HADWP](#) (markerboard) shown

## Worksurfaces Rectangle

### General

- Height: 1”h

### Long grain worksurfaces

- 23”d/24”d worksurface widths: 18”w-96”w, in 6” increments
- 30”d/36”d worksurface widths: 60”w-84”w, in 6” increments

### Short grain worksurfaces

- Widths: 18”w-54”w, in 6” increments
- Depths: 23”d, 24”d

### Options

- Grommets available in any combination of left, center, and right for all worksurface shapes

### Long grain



[AL-T24LRWS](#) shown

### Short grain



[AL-T24SRWS](#) shown

## Worksurfaces Soft rectangle

### General

- Height: 1”h
- 24”d worksurface widths: 48”w-96”w, in 6” increments
- 30”d/36”d worksurface widths: 60”w-84”w, in 6” increments
- Handed left or right
- Long grain only

### Options

- Grommets available in any combination of left, center, and right



[AL-T24LSRWSR](#) right hand shown

## Worksurfaces Overlay

### General

- Depth: 24”d
- Overall height: 7”h
- 6”h vertical riser support handed left or right
- Riser support is 23”d. Gap can be filled in with a [pedestal filler panel](#) or [static back panel](#)

### Long grain worksurfaces

- Widths: 24”w-96”w, in 6” increments

### Short grain worksurfaces

- Widths: 24”w-54”w, in 6” increments

### Options

- Grommets available in any combination of left, center, and right

### Left hand



[AL-T24LRWSQL](#) (long grain shown)

### Right hand



[AL-T24LRWSQR](#) (long grain shown)

## Supports Legs | main supports

### General

- Models available to use with 24”d, 30”d, and 36”d worksurfaces

### O leg

- Metal leg with rounded corners

### H leg

- Round solid beech legs with metal stretcher

### Wing end assembly

- Left and right models available
- Vertical grain direction

### End panel

- End panel also available in 23”d. Use on a 24”d worksurface when a back panel or support panel is specified
- End panels can be specified at desk or low height. **Note:** Low height depths available as 23”d or 24”d only
- Angle brackets included for support. Use one bracket for 24”d surface, two brackets for 30”d and 36”d worksurfaces
- Vertical grain direction

O leg



[AL-M24OL](#) shown

H leg



[AL-W24HL](#) shown

Wing assembly



[AL-T24WAR](#) shown

End panel



[AL-T24DEP](#) (desk height shown)

## Supports Intermediate supports

### Support panel

- Widths: 12”w, 18”w
- 12”w support panel available as desk or low height. 18”w for desk height only
- Used to create an L support at a corner with an end panel, back panel junction, or another support panel

### Support base

- Width: 12”w
- Depths: 12”d, 18”d
- Top wire management notch at back of the support
- Used to support worksurfaces at a seam, or a wider surface at the center. **Note:** Not to be used with back panel

### Filler panel

- Width: 5”w
- Low and desk height models available
- Used to close in the end gap behind a pedestal when a back panel is not used

### Riser support

- For use with 24”d, 30”d, and 36”d worksurfaces
- Used to support high to low runoff worksurfaces

### Static back panel

- Widths: 18”w-96”w in 6” increments
- Low and desk height models available
- Optional wire access slot. **Note:** Minimum back panel width to specify wire access slot is 24”w
- Use as a desk full height modesty, or secondary surfaces to enclose the back

### Fold down back panel

- Desk height only
- Widths from 12”w-94”w in 1” increments
- Features top fold down panel for wall access
- Models 12”w-48”w feature one fold down door
- Models 49”w and wider feature two fold down doors and a center cantilever support

### Support panel



[AL-T24DSP](#) shown

### Support base



[AL-T24DSB](#) shown

### Filler panel



[AL-TDFP](#) shown

### T riser



[AL-T24TR](#) shown

### Static back panels



[AL-TDSBP](#) shown



Optional wire access (V8)

### Fold down back panels



[AL-TDFDBPB](#) shown



[AL-TDFDBPC](#) shown

## Worksurface accessories Partial height modesty

### General

- Widths: 30" w-78" w in 1" increments
- Height: 12" h
- Available as TFL or frosted acrylic. Horizontal grain for woodgrain TFL modesty
- Modesty mounting brackets included on TFL modesty
- Frosted acrylic modesty requires AL-MPB bracket
  - 30" w-57" w requires two brackets
  - 58" w-78" w requires three brackets

### Options

- Square or curved corners for bottom of modesty panel
- Round corner locations: left corner (RLCR), right corner (RRCR), or both corners (RBCR)

### TFL




[AL-TPMD](#) shown

### Frosted acrylic




[AL-APMD](#) shown

### Corner options



Square corner (X9)



Left corner (RLCR)




Right corner (RRCR)



Both corners (RBCR)

### Acrylic modesty bracket



[AL-MPB](#)

## Pedestals Overview

### General

- All doors and drawers feature soft close hinges and drawer glides
- Desk and low height pedestals require a worksurface, specified separately
- Desk and low height pedestals feature unfinished backs, use with a [static back panel](#) or [filler panel](#) to close in gap
- Bench height pedestals standard with top and finished back
- **Note:** Desk and low height pedestals cannot be freestanding
- See [Adler planning guide](#) for specifying information and filing capacity

### Options

- Integrated or Aero pull
- When Aero pull is specified, 18" w fronts feature 7" w pull and 24" w fronts and wider feature a 14" w pull
- Optional felt liner for box drawers

**Integrated pull**



**Aero pull**



**Felt drawer liner**



## Pedestals Desk height | drawer pedestals

### General notes

- Creates a worksurface height of 29.8”h
- Refer to [pedestal overview](#) page for additional specifying information

### Options

- No lock standard (NL). Optional locking
- Optional felt liner in box drawer(s)

### Box/box/file

- Widths: 18”w, 24”w, 30”w, 36”w
- Depths: 23”d, 29”d, 35”d
- **Note:** 29”d and 35”d only available as 18”w

### File/file

- Widths: 18”w, 24”w, 30”w, 36”w
- Depths: 23”d, 29”d, 35”d
- **Note:** 29”d and 35”d only available as 18”w

### Power tray/box/file

- Widths: 24”w, 30”w, 36”w
- Depth: 24”d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV). **Note:** One power cord per power module
- Power module includes one outlet and one USB-A/USB-C port
- **Note:** The power tray pedestal does not require an additional worksurface or back

### Box/box/file



[AL-T23DBBF](#)  
shown at 18”w

### File/file



[AL-T23DFF](#)  
shown at 18”w

### Power tray/box/file



[AL-T24DPTBF](#)  
shown at 24”w



Power tray top  
Left and right power shown (PLR)

## Pedestals Desk height | storage pedestals

### General notes

- Creates a worksurface height of 29.8”h
- Refer to [pedestal overview](#) page for additional specifying information

### Options

- No lock standard (NL). Optional locking for hinged door and printer pullout pedestals

### Open shelving

- Widths: 18”w, 24”w, 30”w, 36”w
- Depth: 23”d
- One adjustable shelf

### Hinged door

- Widths: 18”w, 24”w, 30”w, 36”w
- Depth: 23”d
- One adjustable shelf
- 18”w features single door, hinged left or right
- 24”w, 30”w, and 36”w features double door

### Printer pullout

- Width: 18”w, 24”w
- Depth: 23”d
- Handed left or right

### Printer pullout continued

- Available interior printer space:
  - 18”w: 15.5”w x 19.6875”d x 15.75”h
  - 24”w: 21”w x 19.6875”d x 15.75”h
- Three outlet power supply and grommet included in drawer back. Note: If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

### Trash pullout

- Width: 18”w, 24”w
- Depth: 23”d
- Rectangle 30 qt. trash can included
- One trash can for 18”w pedestals
- Two trash cans for 24”w pedestals

### Bag cubby

- Width: 12”w
- Depth: 23”d
- Side opening with floor storage and maple wood hanging knob

### Open shelving



[AL-T23DOS](#)  
shown at 18”w

### Hinged door



[AL-T23DHDR](#) single door, 18”w  
[AL-T23DHD](#) double door, 30”w

### Printer pullout



[AL-T23DPPR](#)  
shown at 18”w

### Trash pullout



[AL-T23DTP](#)  
shown at 18”w

[AL-T23DTP](#)  
shown at 24”w

### Bag cubby



[AL-T1223DBC](#)

## Pedestals Low height | drawer pedestals

### General notes

- Creates a worksurface height of 22.75”h
- Refer to [pedestal overview](#) page for additional specifying information

### Options

- No lock standard (NL). Optional locking

### Box/file

- Widths: 18”w, 24”w, 30”w, 36”w
- Depth: 23”d
- Optional felt liner in box drawer

### Power tray/file

- Widths: 24”w, 30”w, 36”w
- Depth: 24”d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV)
- Power module includes one outlet, and one USB-A/USB-C port

### Box/file



[AL-T23LBF](#)  
shown at 18”w

### Power tray/file



[AL-T24LPTF](#)  
shown at 24”w



Power tray top  
Left and right power shown (PLR)

## Pedestals Low height | storage pedestals

### General notes

- Creates a worksurface height of 22.75”h
- Depth: 23”d
- Refer to [pedestal overview](#) page for additional specifying information

### Options

- No lock standard (NL). Optional locking for hinged door and printer pedestals

### Open shelving

- Widths: 18”w, 24”w, 30”w, 36”w
- One adjustable shelf

### Hinged door

- Widths: 18”w, 24”w, 30”w, 36”w
- One adjustable shelf
- 18”w features single door, hinged left or right
- 24”w, 30”w, and 36”w features double door

### Trash pullout

- Widths: 18”w, 24”w
- One round 23.5 qt. trash can included

### Printer pullout

- Widths: 18”w, 24”w
- Handed left or right
- Available interior printer space:
  - 18”w: 15.5”w x 19.6875”d x 10.75”h
  - 24”w: 21”w x 19.6875”d x 10.75”h
- Three outlet power supply and grommet included in drawer back. **Note:** If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

### Open shelving



[AL-T23LOS](#)  
shown at 18”w

### Hinged door



Single door  
[AL-T23LHDR](#) shown



Double door  
[AL-T23LHD](#) shown at 24”w

### Trash pullout



[AL-T23LTP](#)  
shown at 18”w

### Printer pullout



[AL-T23LPPR](#)  
shown at 18”w

## Pedestals Corner pedestals

### Corner pedestal general notes

- Use with [open pedestal for corner](#) to create a corner at a worksurface junction
- Widths:
  - 42" w (18" w pedestal)
  - 48" w (24" w pedestal)
  - 54" w (30" w pedestal)
  - 60" w (36" w pedestal)
- Depth: 23" d
- **Note:** Trash and printer pullout configurations available on 42" w and 48" w models only
- Pedestal location handed left or right
- Refer to [pedestal overview](#) page for additional specifying information

### Low height corner pedestals

- Creates a worksurface height of 22.75" h
- Trash model includes round 23.5 qt. trash can

### Desk height corner pedestals

- Creates a worksurface height of 29.8" h
- Trash model includes round 30 qt. trash can

### Options

- Felt drawer liner available in top box drawer when C5Z or C5A pedestal is specified
- No lock standard (NL). Optional locking for drawer, door, and printer pedestals

### Low height



Box/file  
[AL-T23LCSL-B](#) shown at 42" w



Open shelf  
[AL-T23LCSL-S](#) shown at 42" w



Trash pullout  
[AL-T23LCSL-T](#) shown at 42" w



Printer pullout  
[AL-T23LCSL-P](#) shown at 42" w

### Desk height



Box/box/file  
[AL-T23DCSL-B](#) shown at 42" w



File/file  
[AL-T23DCSL-F](#) shown at 42" w



Open shelf  
[AL-T23DCSL-S](#) shown at 42" w



Trash pullout  
[AL-T23DCSL-T](#) shown at 42" w



Printer pullout  
[AL-T23DCSL-P](#) shown at 42" w

## Pedestals Open pedestal for corner

- Widths: 18.75" w, 24.75" w, 30.75" w, 36.75" w
- Desk or low height
- Use with corner pedestals to create a corner at a worksurface junction



[AL-T23DCOS](#) (desk height)  
[AL-T23LCOS](#) (low height)

## Floor storage Bench height pedestals

### General notes

- Creates a 15.75”h worksurface height
- Widths: 24”w, 30”w, 36”w
- Depth: 24”d
- Adjustable shelf for open and hinged door models
- Refer to [pedestal overview](#) page for additional specifying information

### Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for drawer and door pedestals
- Can be used with [floor storage cushions](#), specified separately

### Box drawers



[AL-T24SB-B](#)  
shown at 24”w

### File drawer



[AL-T24SB-F](#)  
shown at 24”w

### Open shelf



[AL-T24SB-S](#)  
shown at 24”w

### Hinged doors



[AL-T24SB-D](#)  
shown at 24”w

## Floor storage Cushions

- Use over bench or low height storage
- Widths: 24”w, 30”w, 36”w, 48”w, 60”w, 72”w
- Depths:
  - 24”d (no media panels)
  - 23”d (use with media panels)
- Height: 1.5”h
- Field installed
- Attaches to storage with dual lock strip

### Full depth



[AL-SC](#) shown

### Media panel depth



[AL-SCMP](#) shown

## Floor storage Swivel bench

### General notes

- Bench height pedestals with cushioned swivel bench
- Widths: 54" w, 66" w
- Depth: 24" d
- Overall height: 19.72" h
- 54" w features two 24" w sections, 66" w features two 30" w sections
- 20" d HPL swivel bench with 1.5" thick fixed cushion top
- Swivel bench has 275 lb. max rating
- 30" w cushion on 54" w unit, 42" w cushion on 66" w unit
- Casters are locking and standard in black
- Finished back standard
- Adjustable shelf in each section for open and hinged door models
- **Note:** 2" of clear space is required at end of bench for swivel bench to be operational
- Refer to [pedestal overview](#) page for additional specifying information

- **Note:** Over time, carpets may show indentation patterns from repeated caster travel. This tracking or shading, similar to what appears when a stationary chair, table, or desk is moved, is a normal characteristic on a variety of pile carpets under consistent friction. In many cases, these marks can be reduced or eliminated through routine vacuuming or steam cleaning. Daily use and moving the bench while seated can increase the visibility of these patterns. The integrated bench solution is intended to serve as a touchdown seat and provide additional seating when needed.

### Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for file drawers and hinged door models only

### Box drawers



[AL-T5424SBR-B](#) shown

### File drawers



[AL-T5424SBR-F](#) shown

### Open shelving



[AL-T5424SBR-S](#) shown

### Hinged doors



[AL-T5424SBR-D](#) shown

## Mobile pedestals

### General notes

- Width: 18" w
- Depth: 20.75" d
- Recessed casters

### Options

- No locking standard. Optional locking on file drawers only
- Optional felt liner in box drawers

### Finished top

- Height: 25.5" h
- Finished laminate top
- Box/file drawers

### Cushion top


- Height: 18.75" h
- Available as two box drawers or file drawer

### Finished top




[AL-T18MPBE](#)

### Cushion top



Two box drawers  
[AL-T18MPC-B](#)



File drawer  
[AL-T18MPC-F](#)

## Wallmount Hinged door organizer

### General notes

- Can be used with [partial height media panels](#)
- Widths: 24”w-96”w in 6” increments
- Depth: 15”d
- Height: 18.5”h
- 24”w-42”w features one section
- 48”w-84”w features two sections
- 90”w-96”w features three sections
- Two hinged doors per section
- Soft close hinges standard

### Options

- Door standard as TFL with integrated or Aero pull
- Optional frosted acrylic and back painted glass doors. Touch latch included on acrylic and glass doors
- No locking standard. Optional locking for TFL doors only
- Optional integrated LED tasklight (TSKL)



[AL-THDO4](#) shown at 72”w



integrated pull (AS)



Aero pull



Task light (TSKL)

## Wallmount Sliding door organizer

### General notes

- Can be used with [partial height media panels](#)
- Widths: 30"w-96"w in 6" increments
- Depth: 14.125"d
- Height: 18.5"h
- Two sections per width
- 30"w-72"w models feature single sliding door per section (two doors total)
- 78"w-96"w models feature double sliding doors per section (four doors total)

### General notes continued

- Doors available as TFL only with integrated sliding door pull
- Soft close track standard

### Options


- Optional integrated LED tasklight (TSKL)



AL-TSDO2  
72"w shown



AL-TSDO4  
84"w shown



Sliding door pull



Task light (TSKL)

## Wallmount Open organizer | wall shelf

### General notes

- Can be used with [partial height media panels](#)
- Widths: 24"w-60"w in 6" increments
- Depths: 14.125"d
- Height: 18.5"h
- Wallmount hardware included

### Options

- Optional integrated LED tasklight (TSKL)

### Open shelf

- 24"w-42"w features one opening
- 48"w-60"w features two openings

### Cantilever shelf

- TFL shelf corners can be square, or with a 4" radius at one or both ends
- Optional painted shelf with beveled edge
- Vertical grain on back, long grain on shelf

### Open shelf



AL-TOSO2 shown at 60"w

### Cantilever shelf



AL-TCS shown at 60"w

### Cantilever shelf options



TFL, square corner (X9)



TFL, left round corner (RLCR)



TFL, right round corner (RRCR)



TFL, both round corner (RBCR)



Painted, beveled shelf



Task light (TSKL)

## Wallmount Standard height media panels | full height

### General notes

- For use above worksurfaces when no wallmounted storage is specified
- Widths: 24”w-60”w
- Heights:
  - 56.2813”h (for bench height pedestals)
  - 49.25”h (for low height pedestals)
  - 42.1875”h (for desk height pedestals)
- Mounts directly to the wall, mounting hardware included
- **Note:** TFL and upholstered panels have optional shelf. See [full height shelf](#) section

### TFL

- Vertical grain back panel

### Upholstered

- Upholstered models are tackable
- **Note:** Upholstered wall panel with shelf option is not tackable
- **Note:** Fabric panels wider than 42”w will be two pieces

### Markerboard

- HPL laminate dry erase markerboard

### Bench height



30”w shown  
[AL-T56BWP](#) (TFL)  
[AL-U56BWP](#) (fabric)  
[AL-MB56BWP](#) (markerboard)

### Low height



30”w shown  
[AL-T49LWP](#) (TFL)  
[AL-U49LWP](#) (fabric)  
[AL-MB49LWP](#) (markerboard)

### Desk height



30”w shown  
[AL-T42DWP](#) (TFL)  
[AL-U42DWP](#) (fabric)  
[AL-MB42DWP](#) (markerboard)

### Optional shelf



For full height TFL or upholstered wall panels only

## Wallmount Standard height media panels | full height shelf options

- Available on full height TFL and upholstered media panels only
- Shelf standard as TFL with square edge
- Optional painted shelf with beveled edge
- **Note:** Optional shelf not available on upholstered panels wider than 42"
- TFL shelf corners can be square or with 4" radius at one or both ends
- Painted shelf is standard with front beveled edge
- Optional integrated LED tasklight on shelf with daisy chain models available
- Shelf weight limit is 5 lbs. maximum per linear foot
- Ganging for shelf ends, refer to [Adler planning guide](#) for more information



Square corner (X9)



Left round corner (RLCR)



Right round corner (RRCR)



Both round corner (RBCR)



Painted, beveled shelf



Task light

## Wallmount Standard height media panels | partial height

### General notes

- For use above worksurfaces when wallmounted storage is specified
- Widths: 24" w - 60" w
- Heights:
  - 37.7813" h (for bench height pedestals)
  - 30.75" h (for low height pedestals)
  - 23.6875" h (for desk height pedestals)
- Mounts directly to the wall, mounting hardware included

### Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable)
- **Note:** Upholstered panels wider than 42" w will be two pieces

### Bench height



30" w shown  
[AL-T37BWP](#) (TFL)  
[AL-U37BWP](#) (fabric)  
[AL-MB37BWP](#) (markerboard)

### Low height



30" w shown  
[AL-T30LWP](#) (TFL)  
[AL-U30LWP](#) (fabric)  
[AL-MB30LWP](#) (markerboard)

### Desk height



30" w shown  
[AL-T23DWP](#) (TFL)  
[AL-U23DWP](#) (fabric)  
[AL-MB23DWP](#) (markerboard)

## Worksurface storage Cabinets | open shelving

### General notes

- Heights:
  - 42" h (for desk height pedestals)
  - 49" h (for low height pedestals)
- 42" h features one adjustable shelf
- 49" h features two adjustable shelves
- Standard with finished back

### Open cabinet

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 14.125" d
- Standard with finished back

### Door/open cabinet

- Widths: 24" w, 30" w, 36" w
- Depth: 15" d
- Door hinged left or right. Soft close hinges
- Door section standard with two coat hooks (R7), optional shelving (R8)
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

### Open cabinet



Desk height (24" w shown)  
[AL-TDOSC](#)



Low height (24" w shown)  
[AL-TLOSC](#)

### Door/open cabinet



Desk height (24" w shown)  
[AL-TDSCOL](#)



Low height (24" w shown)  
[AL-TLSCOL](#)

### Door interior options



Interior hook (R7)  
standard



Interior shelves (R8)

## Worksurface storage Cabinets | hinged door

### General notes

- Heights: 42" h (desk height), 49" h (low height)
- 42" h has one adjustable shelf
- 49" h has two adjustable shelves

### Single door cabinet

- Width: 18" w, 24" w
- Depth: 15" d
- Hinged right or left door

### Double door cabinet

- Width: 30" w, 36" w
- Depth: 15" d

### Options

- Single hinged door cabinets standard with coat hooks (R7). Optional shelving available (R8)
- Double door hinged door cabinets standard with coat rod
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

### Single door



Desk height (24" w shown)  
[AL-TDDSCR](#)



Low height (24" w shown)  
[AL-TLDSCR](#)

### Double door



Desk height (30" w shown)  
[AL-TDDSC](#)



Low height (30" w shown)  
[AL-TLDSC](#)

### Door interior options



Interior hook (R7) standard for 18" w-24" w



Interior coat rod (R7) standard for 30" w-36" w



Interior shelves (R8)

## Worksurface storage Highback organizers | open and hinged doors

### General notes

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Height: 42.1875"h
- Depth: 15"h
- Two sections per model

### Hinged door

- Two hinged doors per section
- Door standard as TFL
- TFL door pulls: Integrated bottom pull or Aero pull
- Optional frosted acrylic and back painted glass doors with touch latch

### Options

- Optional locking for hinged TFL doors only
- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

### Open shelf



AL-THOOS2 shown at 60"w

### Hinged door



AL-THOHD4 shown at 60"w with Aero pull

### Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

### Task light



(TSKL)

## Worksurface storage Highback organizers | sliding doors

### General notes

- Widths: 60" w, 66" w, 72" w, 78" w, 84" w
- Height: 42.1875" h
- Depth: 15" h
- Two sections per model
- 60" w-72" w models feature single sliding door per section (two doors total)
- 78" w-84" w models feature double sliding doors per section (four doors total)
- Doors available as TFL only with integrated sliding door pull

### Options

- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

### Sliding door



[AL-THOSD4](#) shown at 60" w



AL-THOSD4 shown at 84" w



Sliding door pull

### Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

### Task light



(TSKL)

## Towers Overview

### General

- Towers are available as full door, pedestal with upper storage (wth or without side hinged wardrobe), and slide out wardrobe
- Depth: All towers are 24" d
- Heights: All towers are 72" h

### Hinged doors

- All TFL doors can be specified with no pull (AS), or metal Aero pull. Touch latch standard when no pull (AS) is specified
- **Note:** All towers on following pages are shown with Aero pull to show pull placement
- No pull standard on frosted acrylic or back painted glass doors. Touch latch door standard on these door fronts
- Soft close hinge on all doors

### Pedestals

- See [pedestal overview](#) page for more information on pull details for tower pedestals
- Towers with pedestals are available with low or desk height pedestal storage

### Locking

- Optional locking on TFL hinged doors only
- Locking available for box, file, and printer pedestal drawers only

### Tower types



Full door



Pedestal



Hinged wardrobe



Slide out wardrobe



Slide out wardrobe detail

## Towers Full door

### General note

- Width: 18''w
- Door hinged left or right

### Options

- See [tower overview](#) page for more information
- Interior available as wardrobe (R7) or shelving (R8)

- Wardrobe (R7) features hanging bar and fixed bottom shelf
- Shelving (R8) features two fixed and three adjustable shelves



[AL-T24WSDR](#) shown  
R7 hanging bar (standard)



[AL-T24WSDR](#) shown  
R8 hanging bar

## Towers Low height pedestal

### General

- Widths: 18" w, 24" w
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: low height pedestal
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/file

- Optional felt liner in box drawer

### Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Printer pullout

- Interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 10.75" h
  - 24" w: 21" w x 19.6875" d x 10.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Half door



Box/file  
[AL-T24LPTHDR-B](#) shown



Printer  
[AL-T24LPTHDR-P](#) shown



Trash  
[AL-T24LPTHDR-T](#) shown

### Full door



Box/file  
[AL-T24LPTFDR-B](#) shown



Printer  
[AL-T24LPTFDR-P](#) shown



Trash  
[AL-T24LPTFDR-T](#) shown

## Towers Desk height pedestal

### General

- Widths: 18" w, 24" w
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/box/file

- Optional felt liner in box drawer

### Printer pullout

- Interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 15.75" h
  - 24" w: 21" w x 19.6875" d x 15.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Half door



Box/box/file  
[AL-T24DPTHDR-B](#) shown



File/file  
[AL-T24DPTHDR-F](#) shown



Printer  
[AL-T24DPTHDR-P](#) shown



Trash  
[AL-T24DPTHDR-T](#) shown

### Full door



Box/box/file  
[AL-T24DPTFDR-B](#) shown



File/file  
[AL-T24DPTFDR-F](#) shown



Printer  
[AL-T24DPTFDR-P](#) shown



Trash  
[AL-T24DPTFDR-T](#) shown

## Towers Low height pedestal | hinged side wardrobe

### General

- Widths: 30" w, 36" w
- Wardrobes are 12" w, with 18" w or 24" w pedestal tower
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right

### Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Printer pullout

- Available interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 10.75" h
  - 24" w: 21" w x 19.6875" d x 10.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Options

- See [tower overview](#) page for more information

### Box/file

- Optional felt liner in box drawer

### Half door



Box/file  
[AL-T24LWPTHDR-B](#) shown



Printer  
[AL-T24LWPTHDR-P](#) shown



Trash  
[AL-T24LWPTHDR-T](#) shown

### Full door



Box/file  
[AL-T24LWPTFDR-B](#) shown



Printer  
[AL-T24LWPTFDR-P](#) shown



Trash  
[AL-T24LWPTFDR-T](#) shown

## Towers Desk height pedestal | hinged side wardrobe

### General

- Widths: 30"w, 36"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

### Options

- See [tower overview](#) page for more information

### Box/box/file

- Optional felt liner in box drawer

### Printer pullout

- Interior printer space:
  - 18"w: 15.5"w x 19.6875"d x 15.75"h
  - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

### Half door



Box/box/file  
[AL-T24DWPTHDR-B](#) shown



File/file  
[AL-T24DWPTHDR-F](#) shown



Printer  
[AL-T24DWPTHDR-P](#) shown



Trash  
[AL-T24DWPTHDR-T](#) shown

### Full door



Box/box/file  
[AL-T24DWPTHDR-B](#) shown



File/file  
[AL-T24DWPTHDR-F](#) shown



Printer  
[AL-T24DWPTHDR-P](#) shown



Trash  
[AL-T24DWPTHDR-T](#) shown

## Towers Low height pedestal | slide out wardrobe

### General

- Width: 24" w
- Wardrobes are 12" w, with 18" w or 24" w pedestal tower
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- See [tower overview](#) page for more information

### Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Printer pullout

- Interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 10.75" h
  - 24" w: 21" w x 19.6875" d x 10.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Box/file

- Optional felt liner in box drawer

### Half door



Box/file  
[AL-T24LWPTSHDR-B](#) shown



Printer  
[AL-T24LWPTSHDR-P](#) shown



Trash  
[AL-T24LWPTSHDR-T](#) shown

### Full door



Box/file  
[AL-T24LWPTSFDR-B](#) shown



Printer  
[AL-T24LWPTSFDR-P](#) shown



Trash  
[AL-T24LWPTSFDR-T](#) shown

## Towers Desk height pedestal | slide out wardrobe

### General

- Width: 24" w
- Depth: 24" d
- Height: 72" h
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- Slide out wardrobe features maple wood hanging knob
- See [tower overview](#) page for more information

### Box/box/file

- Optional felt liner in box drawer

### Printer pullout

- Available interior printer space:
  - 18" w: 15.5" w x 19.6875" d x 15.75" h
  - 24" w: 21" w x 19.6875" d x 15.75" h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

### Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

### Half door



Box/box/file  
[AL-T24DWPTSHDR-B](#) shown



File/file  
[AL-T24DWPTSHDR-F](#) shown



Printer  
[AL-T24DWPTSHDR-P](#) shown



Trash  
[AL-T24DWPTSHDR-T](#) shown

### Full door



Box/box/file  
[AL-T24DWPTSFDR-B](#) shown



File/file  
[AL-T24DWPTSFDR-F](#) shown



Printer  
[AL-T24DWPTSFDR-P](#) shown



Trash  
[AL-T24DWPTSFDR-T](#) shown

## Bookcases

### Standard bookcase

- Widths: 30" w, 36" w
- Depth: 14" d
- Heights:
  - 29" h one adjustable shelf
  - 72" h (three adjustable, one stationary shelf)

### Open side bookcase

- Widths: 18" w, 24" w
- Depth: 24" d
- Height: 72" h
- All fixed shelves

### Standard bookcase



[AL-T29BC](#) shown 30" w



[AL-T72BC](#) shown at 30" w

### Open side bookcase



[AL-T24STOL](#) shown at 18" w

## Laterals


### General

- Depth: 24" d
- Widths: 24" w, 30" w, 36" w
- Heights:
  - 29" h (two drawer)
  - 42" h (three drawer)
  - 54" h (four drawer)


- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application

### Options

- No locking standard. Optional locking



[AL-T24LF2](#) shown at 24" w



[AL-T24LF3](#) shown at 24" w



[AL-T24LF4](#) shown at 24" w

## Work tools

### Monitor arms

- Single or double monitor arms
- Available in silver, black, or white
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs.


### Storage add ons

- DA19-1 pencil tray to be used in box drawers of 18"w pedestals only
- Pencil drawer - black molded plastic, flush mount

### CPU holder

- Mounts to underside of surface


### Monitor arms



Single arm  
**MA-5**

Double arm  
**MA-5D**


### Storage add ons



Pencil tray  
**DA19-1**

Pencil drawer  
**PD-1**

### CPU holder



**CPUH-1**