

Adler building blocks



Table of contents

<u>Series overview</u>	3
Height adjustable	
<u>Overview</u>	4
<u>Cantilever desk</u>	5
<u>Runoff desk</u>	6
<u>Pedestal/shell desks</u>	7
<u>Bridge</u>	8
<u>Fixed bridge</u>	9
<u>Return</u>	10
<u>Fixed return</u>	11
<u>Extended height media panels</u>	12
Modular components	
<u>Worksurfaces</u>	13-14
<u>Supports</u>	15-16
<u>Partial height modesty</u>	17
<u>Modular pedestals</u>	18-24
<u>Swivel bench</u>	25
<u>Mobile pedestals</u>	26
Wallmount components	
<u>Wallmount storage</u>	27-29
<u>Standard height media panels</u>	30-32
Worksurface storage	
<u>Worksurface cabinets</u>	33-34
<u>Highback organizers</u>	35-36
Towers	
<u>Towers/laterals/bookcases</u>	37-45
Accessories	
<u>Work tools</u>	46

Series overview

General notes

- See [Adler planning guide](#) for information on how to build up desks, bridges, returns, and credenzas
- Planning guide also includes information on support components

Pedestal/door glides and hinges

- Drawers feature soft close glides. **Note:** Not available on lateral files
- All hinged doors feature soft close hinges

Locking

- Non locking is standard. Optional locking is available for the following items, unless noted otherwise:
 - Pedestal drawers and doors
 - Highback and wallmount hinged doors

Metal rail detail

- Adler pedestals feature a horizontal metal accent rail above doors and drawers
- **Note:** When a contrasting finish is not desired, we recommend using the following laminate and powder coat combinations:

• Solid laminate:

- Black: onyx powder coat
- Frosty white: bone powder coat
- Grey: luster grey powder coat
- Pure White: polar powder coat
- Slate Grey: oiled bronze powder coat

• Woodgrain laminate:

- Blonde: gold powder coat
- Burnished: oiled bronze powder coat
- Char: onyx powder coat
- Chestnut: latte powder coat
- Desert: latte powder coat
- Drift: warm grey powder coat
- Finn: stone powder coat
- Kodiak: latte powder coat
- Linen: latte, stone powder coat
- Loft: warm grey powder coat
- Ochre: stone powder coat
- Peak: stone powder coat
- Pecan: oiled bronze powder coat
- Root: oiled bronze, rust powder coat
- Saddle: oiled bronze powder coat
- Sienna: rust powder coat
- Steel: oiled bronze powder coat
- Timber: latte powder coat
- Twig: latte powder coat

Pedestal lock



Metal rail detail



Height adjustable Overview

General notes

- Height range: 29 1/8"-45 1/8"h
- Worksurfaces available as TFL or HPL
- 75 lb. max rating per height adjustable worksurface
- Paddle switch height adjustable controller
- Cantilever and runoff height adjustable desks coordinate with low height storage
- Height adjustable bridges and returns can be ganged to shell and single pedestal desks to create joined L desks, where both worksurfaces raise together
- To maintain spacing with media panels and wall storage, specify fixed bridges and returns with height adjustable desks
- Refer to [Adler planning guide](#) for information on height adjustable and fixed applications, and wire management

Power

- All height adjustable desks are standard with an PS-77 undersurface power supply
- Optional PS-77 on height adjustable bridges and returns
- PS-77 features six outlets and a 10' power cord
- Optional charging drawer on models with box/box/file pedestals. **Note:** Located in top drawer only

Wire management

- All height adjustable desks, returns, and bridges standard with metal trough wire manager
- For cantilever and runoff desks, wire manager powder coat will match shroud selection
- For all other height adjustable models wire manager will default to mechanism finish. Black or silver only
- Optional grommets for all surfaces, locations vary by model. Available as black or silver

Media panel use

- Cantilever and runoff desks to be used with standard media panels for low height worksurfaces
- For remaining height adjustable desks, returns, and bridges, specify media panel offset and use extended media panels
- Fixed height bridges and returns to be used with standard desk height media panels

Power



Worksurface power supply
PS-77

Wire manager



Metal trough

Media panel offset



Shown on desk and return

Height adjustable Cantilever desk

General notes

- Widths: 60"w, 66"w, 72"w
- Depths: 30"d, 36"d
- **Note:** Actual surface dimension is 2" less than overall width
- Base cabinet depth: 24"d
- Base cabinet features open interior and back for wall access. Includes three outlet power supply
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

Options

- Worksurface shapes: Four rounded corners (RD4C) or two rounded outside corners (RD2C)
- **Note:** For RD2C option, corners along wall will be squared
- Surface available as TFL, HPL, or solid surface
- Optional grommets in any combination of left, center, and right
- Specify partial height [modesty panel](#) separately
- Optional locking on cabinet doors



[AL-T30HACDL](#) shown

Worksurface shapes




Four rounded corners (RD4C)



Two rounded corners (RD2C)

Grommets



Cantilever desk plan view
optional left, center, and right grommets shown (G8)

Height adjustable Runoff desk

General notes

- Overall widths: 60"w, 66"w, 72"w
- Overall depths: 30"d, 36"d
- **Note:** Actual surface dimension is 2" less than overall width
- Open base cabinet depth: 24"d
- Base cabinet features a removable adjustable shelf and hinged cabinet back for wall access. Includes three outlet power supply
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information


Options

- Optional grommets in any combination of left, center, and right
- Optional partial height modesty specified within the runoff desk model. Features rounded corners at the bottom. Spans the entire opening between the cabinet and panel base, regardless of desk width



[AL-T30HARDL](#) shown from user side

Grommets



Runoff desk plan view
optional left, center, and right grommets shown (G8)

Partial modesty



Height adjustable Pedestal | shell desks

General notes

- Widths: 60"w, 66"w, 72"w
- Depths: 30"d, 36"d
- Single and double pedestal desks available with 12"w or 18"w pedestals
- **Note:** 18"w pedestals not available for 60"w single or double pedestal desks
- Single pedestal desks are handed left or right
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information
- For media panel use, specify left (C6D) or right (C6E) offset. **Note:** Offset not available on double pedestal desks
- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)

Options

- Full or half height static modesty panels
- Optional partial height modesty specified within the desk model. Attaches to underside of the worksurface
- Optional grommets in any combination of left, center, and right. **Note:** Grommet spacing varies from shell, to single or double pedestal desks
- Optional felt liner in box drawers for single and double pedestal desks
- Optional locking on drawer pedestals

Desk types



Double pedestal
[AL-T30HADPD18](#) shown at 72"w
[AL-T30HADPD12](#) (12"w pedestals)



Single pedestal
[AL-T30HAPDR18](#) shown at 72"w
[AL-T30HAPDR12](#) (12"w pedestals)



Shell
[AL-T30HASD](#) shown at 72"w

Modesty panels

[AL-T30HAPDR18](#) shown at 72"w



Full static modesty (FMNP)



Full static modesty with partial (FMWP)




Half static modesty (HMNP)



Half static modesty with partial (HMWP)

Grommets



Shell desk plan view
optional left, center, and right grommets
shown (G8)



Pedestal desk plan view
optional left, center, and right grommets
shown (G8)

Felt liner



Box drawers only

Height adjustable Bridge

General

- Widths: 42"w, 48"w, 54"w, 60"w, 66"w, 72"w
- Depth: 24"d
- Short grain worksurface on 42"w-60"w models
- Long grain worksurface on 66"w-72"w models
- Hinged fold down panel on user side for wall access
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

Options


- Optional center grommet
- For media panel use specify FFST offset

- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)
- Unfinished back standard. Optional finished back, or finished back with grommet
- Support end panels can be added on left, right, or both ends. **Note:** Bridge must be supported at each end with storage or end panels

Bridge



[AL-T24HAB](#) shown at 42"w



Hinged panel detail

Grommet



Plan view
optional center grommet (G3)

Outside back options



Unfinished wall access (H3V)



Finished (LX)



Finished with grommet (H4E)

End panel



End panel right (ERGT) shown

Height adjustable Fixed bridge

General

- **Note:** Used with height adjustable shell and single pedestal desks only
- Overall widths: 42"w, 48"w, 54"w, 60"w
- **Note:** Worksurface 2" less than overall width
- Depth: 24"d
- Overall height: 29 1³/₁₆"h
- Short grain worksurface
- Cantilever support bracket included on 54"w and 60"w models
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

Options

- Full or half height modesty
- Optional wire access slot for full height modesty
- Optional grommets in any combination of left, center, and right

Bridge



AL-T24FB shown at 42"w with full height modesty (FLMD)

Outside back options



Half height modesty (HLMD)



Wire access slot (V8) for FLMD modesty only

Grommets



Plan view optional left, center, and right grommets shown (G8)

Height adjustable Return

General

- Widths: 42"w, 48"w, 54"w, 60"w
- Depth: 24"d
- Short grain worksurface
- Models available as box/box/file or file/file pedestal, handed left or right
- 12"w or 18"w pedestal models
- **Note:** 18"w pedestal not available on 42"w return
- Hinged fold down panel on user side for wall access
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information


Options

- For media panel use specify FFST offset
- **Note:** Media panel recesses behind worksurface, must be used with [extended height media panels](#)
- Unfinished back standard. Optional finished back, or finished back with grommet
- Optional center grommet
- Optional locking on pedestals
- Optional felt liner in box drawers

Return



AL-T24HARR18-F shown at 48"w
(18"w file/file pedestal)



Hinged panel detail

Outside back options



Unfinished wall access (H3V)




Finished (LX)



Finished with grommet (H4E)

Grommet



Plan view
optional center grommet (G3)

Felt liner



Box drawers only

Height adjustable Fixed return

General

- **Note:** Used with height adjustable shell and single pedestal desks only
- Overall widths: 42"w, 48"w, 54"w, 60"w
- **Note:** Worksurface 2" less than overall width
- Depth: 24"d
- Overall height: 29 13/16"h
- Models available as box/box/file or file/file pedestal, handed left or right
- 12"w or 18"w pedestal models
- **Note:** 18"w pedestal not available on 42"w return
- Short grain worksurface
- Refer to [height adjustable overview](#) page and [planning guide](#) for additional information

Options

- Full or half height modesty
- Optional wire access slot for full height modesty
- Optional grommets in any combination of left, center, and right
- Optional locking on pedestals
- Optional felt liner in box drawers

Return



AL-T24FRR18-E shown at 48"w
(18"w file/file pedestal)

Outside back options



Half height modesty (HLMD)



Wire access slot (V8)
for FLMD modesty only

Grommet



Plan view
optional left, center, and right
grommets shown (G8)

Felt liner



Box drawers only

Height adjustable Extended height media panels

General notes

- For use with height adjustable desks, bridges, and returns. **Note:** Not for use with cantilever or runoff desks
- Widths: 24"w-60"w, in 6" increments
- Height: 25 ¼"h
- Mounts directly to the wall, mounting hardware included

Full height

- Specify full height when no wallmounted storage is specified
- TFL and upholstered panels have optional shelf. See [full height shelf](#) section

Partial height

- Specify partial height when wallmounted storage is specified

Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable). **Note:** Upholstered wall panel with shelf option is not tackable
- **Note:** Upholstered panels wider than 42"w will be two pieces



Full height models

[AL-T44HADWP](#) (TFL)
[AL-U44HADWP](#) (upholstered) shown
[AL-MB44HADWP](#) (markerboard)

Partial height models

[AL-T25HADWP](#) (TFL)
[AL-U25HADWP](#) (upholstered)
[AL-MB25HADWP](#) (markerboard) shown

Worksurfaces Rectangle

General

- Height: 1" h

Long grain worksurfaces

- 23" d / 24" d worksurface widths: 18" w - 96" w, in 6" increments
- 30" d / 36" d worksurface widths: 60" w - 84" w, in 6" increments

Short grain worksurfaces

- Widths: 18" w - 54" w, in 6" increments
- Depths: 23" d, 24" d

Options

- Grommets available in any combination of left, center, and right for all worksurface shapes

Long grain



[AL-T24LRWS](#) shown

Short grain



[AL-T24SRWS](#) shown

Worksurfaces Soft rectangle

General

- Height: 1" h
- 24" d worksurface widths: 48" w - 96" w, in 6" increments
- 30" d / 36" d worksurface widths: 60" w - 84" w, in 6" increments
- Handed left or right
- Long grain only

Options

- Grommets available in any combination of left, center, and right



[AL-T24LSRWSR](#) right hand shown

Worksurfaces Overlay

General

- Depth: 24"d
- Overall height: 7"h
- 6"h vertical riser support handed left or right
- Riser support is 23"d. Gap can be filled in with a [pedestal filler panel](#) or [static back panel](#)

Long grain worksurfaces

- Widths: 24"w-96"w, in 6" increments

Short grain worksurfaces

- Widths: 24"w-54"w, in 6" increments

Options

- Grommets available in any combination of left, center, and right

Left hand



[AL-T24LRWSQL](#) (long grain shown)

Right hand



[AL-T24LRWSQR](#) (long grain shown)

Supports Legs | main supports

General

- Models available to use with 24"d, 30"d, and 36"d worksurfaces

O leg

- Metal leg with rounded corners

H leg

- Round solid beech legs with metal stretcher

Wing end assembly

- Left and right models available
- Vertical grain direction
- Ships KD

End panel

- End panel also available in 23"d. Use on a 24"d worksurface when a back panel or support panel is specified
- End panels can be specified at desk or low height. **Note:** Low height depths available as 23"d or 24"d only
- Angle brackets included for support. Use one bracket for 24"d surface, two brackets for 30"d and 36"d worksurfaces
- Vertical grain direction

O leg



[AL-M24OL](#) shown

H leg



[AL-W24HL](#) shown

Wing assembly



[AL-T24WAR](#) shown

End panel



[AL-T24DEP](#) (desk height shown)

Supports Intermediate supports

Support panel

- Widths: 12"w, 18"w
- 12"w support panel available as desk or low height. 18"w for desk height only
- Used to create an L support at a corner with an end panel, back panel junction, or another support panel

Support base

- Width: 12"w
- Depths: 12"d, 18"d
- Top wire management notch at back of the support
- Used to support worksurfaces at a seam, or a wider surface at the center. **Note:** Not to be used with back panel

Filler panel

- Width: 5"w
- Low and desk height models available
- Used to close in the end gap behind a pedestal when a back panel is not specified

Riser support

- For use with 24"d, 30"d, and 36"d worksurfaces
- Used to support high to low runoff worksurfaces

Static back panel

- Widths: 18"w-96"w, in 6" increments
- Low and desk height models available
- Optional wire access slot. **Note:** Minimum back panel width to specify wire access slot is 24"w
- Use as a desk full height modesty, or secondary surfaces to enclose the back

Fold down back panel

- Desk height only
- Widths from 12"w-94"w, in 1" increments
- Features top fold down panel for wall access
- Models 12"w-48"w feature one fold down door
- Models 49"w and wider feature two fold down doors and a center cantilever support

Support panel



[AL-T24DSP](#) shown

Support base



[AL-T24DSB](#) shown

Filler panel



[AL-TDFP](#) shown

T riser



[AL-T24TR](#) shown

Static back panels



[AL-TDSBP](#) shown



Optional wire access (V8)

Fold down back panels



[AL-TDFDBPB](#) shown



[AL-TDFDBPC](#) shown

Worksurface accessories Partial height modesty

General

- Widths: 30"w-78"w, in 1" increments
- Height: 12"h
- Available as TFL or frosted acrylic. Horizontal grain for woodgrain TFL modesty
- Modesty mounting brackets included on TFL modesty
- Frosted acrylic modesty requires AL-MPB bracket
 - 30"w-57"w requires two brackets
 - 58"w-78"w requires three brackets

Options

- Square or curved corners for bottom of modesty panel
- Round corner locations: left corner (RLCR), right corner (RRCR), or both corners (RBCR)

TFL




[AL-TPMD](#) shown

Frosted acrylic




[AL-APMD](#) shown

Corner options



Square corner (X9)



Left corner (RLCR)




Right corner (RRCR)



Both corners (RBCR)

Acrylic modesty bracket



[AL-MPB](#)

Pedestals Overview

General

- All doors and drawers feature soft close hinges and drawer glides
- Desk and low height pedestals require a worksurface, specified separately
- Desk and low height pedestals feature unfinished backs, use with a [static back panel](#) or [filler panel](#) to close in gap
- Bench height pedestals standard with top and finished back
- **Note:** Desk and low height pedestals cannot be freestanding
- See [Adler planning guide](#) for specifying information and filing capacity

Options

- Integrated or Aero pull
- When Aero pull is specified, 18" w fronts feature 7" w pull and 24" w fronts and wider feature a 14" w pull
- Optional felt liner for box drawers

Integrated pull



Aero pull



Felt drawer liner



Pedestals Desk height | drawer pedestals

General notes

- Creates a worksurface height of 29.8" h
- Refer to [pedestal overview](#) page for additional specifying information

Options

- No lock standard (NL). Optional locking
- Optional felt liner in box drawer(s)

Box/box/file

- Widths: 18" w, 24" w, 30" w, 36" w
- Depths: 23" d, 29" d, 35" d
- **Note:** 29" d and 35" d only available as 18" w

File/file

- Widths: 18" w, 24" w, 30" w, 36" w
- Depths: 23" d, 29" d, 35" d
- **Note:** 29" d and 35" d only available as 18" w

Power tray/box/file

- Widths: 24" w, 30" w, 36" w
- Depth: 24" d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV). **Note:** One power cord per power supply
- Power supply includes one outlet and one USB-A/USB-C port
- **Note:** The power tray pedestal does not require a worksurface or back panel

Box/box/file



[AL-T23DBBE](#)
shown at 18" w

File/file



[AL-T23DFE](#)
shown at 18" w

Power tray/box/file



[AL-T24DPTBE](#)
shown at 24" w



Power tray top
Left and right power shown (PLR)

Pedestals Desk height | storage pedestals

General notes

- Creates a worksurface height of 29.8" h
- Refer to [pedestal overview](#) page for additional specifying information

Options

- No lock standard (NL). Optional locking for hinged door and printer pullout pedestals

Open shelving

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 23" d
- One adjustable shelf
- Removable back panel for wall access

Hinged door

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 23" d
- One adjustable shelf
- 18" w features single door, hinged left or right
- 24" w, 30" w, and 36" w features double door

Printer pullout

- Width: 18" w, 24" w
- Depth: 23" d
- Handed left or right

Printer pullout continued

- Available interior printer space:
 - 18" w: 15.5" w x 19.6875" d x 15.75" h
 - 24" w: 21" w x 19.6875" d x 15.75" h
- Three outlet power supply and grommet included in drawer back. **Note:** If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

Trash pullout

- Width: 18" w, 24" w
- Depth: 23" d
- Rectangle 30 qt. trash can included
- One trash can for 18" w pedestals
- Two trash cans for 24" w pedestals

Bag cubby

- Width: 12" w
- Depth: 23" d
- Side opening with floor storage and maple wood hanging knob

Open shelving




[AL-T23DOS](#)
shown at 18" w

Hinged door



[AL-T23DHDR](#)
single door, 18" w



[AL-T23DHD](#)
double door, 30" w

Printer pullout



[AL-T23DPPR](#)
shown at 18" w

Trash pullout



[AL-T23DTP](#)
shown at 18" w



[AL-T23DTP](#)
shown at 24" w

Bag cubby



[AL-T1223DBC](#)

Pedestals Low height | drawer pedestals

General notes

- Creates a worksurface height of 22.75"h
- Refer to [pedestal overview](#) page for additional specifying information

Options

- No lock standard (NL). Optional locking

Box/file

- Widths: 18"w, 24"w, 30"w, 36"w
- Depth: 23"d
- Optional felt liner in box drawer

Power tray/file

- Widths: 24"w, 30"w, 36"w
- Depth: 24"d
- Felt liner in power tray top standard
- No power standard. Optional power in left (PL), right (PR), or left and right (PLR) locations
- Power available as black (BL), white (WH), or silver (SV)
- Power module includes one outlet, and one USB-A/USB-C port

Box/file



[AL-T23LBF](#)
shown at 18"w

Power tray/file



[AL-T24LPTF](#)
shown at 24"w



Power tray top
Left and right power shown (PLR)

Pedestals Low height | storage pedestals

General notes

- Creates a worksurface height of 22.75"h
- Depth: 23"d
- Refer to [pedestal overview](#) page for additional specifying information

Options

- No lock standard (NL). Optional locking for hinged door and printer pedestals

Open shelving

- Widths: 18"w, 24"w, 30"w, 36"w
- One adjustable shelf

Hinged door

- Widths: 18"w, 24"w, 30"w, 36"w
- One adjustable shelf
- 18"w features single door, hinged left or right
- 24"w, 30"w, and 36"w features double door

Trash pullout

- Widths: 18"w, 24"w
- One round 23.5 qt. trash can included

Printer pullout


- Widths: 18"w, 24"w
- Handed left or right
- Available interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 10.75"h
 - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. **Note:** If a back panel is added to the pedestal, a grommet will need to be field cut to allow for outlet cord to pass through

Open shelving



[AL-T23LOS](#)
shown at 18"w

Hinged door



Single door
[AL-T23LHDR](#) shown



Double door
[AL-T23LHD](#) shown at 24"w

Trash pullout



[AL-T23LTP](#)
shown at 18"w

Printer pullout



[AL-T23LPPR](#)
shown at 18"w

Pedestals Corner pedestals

Corner pedestal general notes

- Use with [open pedestal for corner](#) to create a corner at a worksurface junction
- Widths:
 - 42" w (18" w pedestal)
 - 48" w (24" w pedestal)
 - 54" w (30" w pedestal)
 - 60" w (36" w pedestal)
- Depth: 23" d
- **Note:** Trash and printer pullout configurations available on 42" w and 48" w models only
- Pedestal location handed left or right
- Refer to [pedestal overview](#) page for additional specifying information

Low height corner pedestals

- Creates a worksurface height of 22.75" h
- Trash model includes round 23.5 qt. trash can

Desk height corner pedestals

- Creates a worksurface height of 29.8" h
- Trash model includes round 30 qt. trash can

Options

- Felt drawer liner available in top box drawer when C5Z or C5A pedestal is specified
- No lock standard (NL). Optional locking for drawer, door, and printer pedestals

Low height



Box/file
[AL-T23LCSL-B](#) shown at 42" w



Open shelf
[AL-T23LCSL-S](#) shown at 42" w



Trash pullout
[AL-T23LCSL-T](#) shown at 42" w



Printer pullout
[AL-T23LCSL-P](#) shown at 42" w

Desk height



Box/box/file
[AL-T23DCSL-B](#) shown at 42" w



File/file
[AL-T23DCSL-F](#) shown at 42" w



Open shelf
[AL-T23DCSL-S](#) shown at 42" w



Trash pullout
[AL-T23DCSL-T](#) shown at 42" w



Printer pullout
[AL-T23DCSL-P](#) shown at 42" w

Pedestals Open pedestal for corner

- Widths: 18.75" w, 24.75" w, 30.75" w, 36.75" w
- Desk or low height
- Use with corner pedestals to create a corner at a worksurface junction



[AL-T23DCOS](#) (desk height)
[AL-T23LCOS](#) (low height)

Floor storage Bench height pedestals

General notes

- Creates a 15.75" h worksurface height
- Widths: 24" w, 30" w, 36" w
- Depth: 24" d
- Adjustable shelf for open and hinged door models
- Refer to [pedestal overview](#) page for additional specifying information

Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for drawer and door pedestals
- Can be used with [floor storage cushions](#), specified separately

Box drawers




[AL-T24SB-B](#)
shown at 24" w

File drawer



[AL-T24SB-F](#)
shown at 24" w

Open shelf



[AL-T24SB-S](#)
shown at 24" w

Hinged doors



[AL-T24SB-D](#)
shown at 24" w

Floor storage Cushions

- Use over bench or low height storage
- Widths: 24" w, 30" w, 36" w, 48" w, 60" w, 72" w
- Depths:
 - 24" d (no media panels)
 - 23" d (use with media panels)
- Height: 1.5" h
- Field installed
- Attaches to storage with dual lock strip

Full depth



[AL-SC](#) shown

Media panel depth



[AL-SCMP](#) shown

Floor storage Swivel bench

General notes

- Bench height pedestals with cushioned swivel bench
- Widths: 54"w, 66"w
- Depth: 24"d
- Overall height: 19.72"h
- 54"w features two 24"w sections, 66"w features two 30"w sections
- 20"d HPL swivel bench with 1.5" thick fixed cushion top
- Swivel bench has 275 lb. max rating
- 30"w cushion on 54"w unit, 42"w cushion on 66"w unit
- Casters are locking and standard in black
- Finished back standard
- Adjustable shelf in each section for open and hinged door models
- **Note:** 2" of clear space is required at end of bench for swivel bench to be operational
- Refer to [pedestal overview](#) page for additional specifying information

- **Note:** Over time, carpets may show indentation patterns from repeated caster travel. This tracking or shading, similar to what appears when a stationary chair, table, or desk is moved, is a normal characteristic on a variety of pile carpets under consistent friction. In many cases, these marks can be reduced or eliminated through routine vacuuming or steam cleaning. Daily use and moving the bench while seated can increase the visibility of these patterns. The integrated bench solution is intended to serve as a touchdown seat and provide additional seating when needed.

Options

- Optional felt liner for box drawers
- No lock standard (NL). Optional locking for file drawers and hinged door models only

Box drawers



[AL-T5424SBR-B](#) shown

File drawers



[AL-T5424SBR-F](#) shown

Open shelving



[AL-T5424SBR-S](#) shown

Hinged doors



[AL-T5424SBR-D](#) shown

Mobile pedestals

General notes

- Width: 18" w
- Depth: 20.75" d
- Recessed casters

Options

- No locking standard. Optional locking on file drawers only
- Optional felt liner in box drawers

Finished top

- Height: 25.5" h
- Finished laminate top
- Box/file drawers

Cushion top


- Height: 18.75" h
- Available as two box drawers or file drawer

Finished top



[AL-T18MPBE](#)

Cushion top



Two box drawers
[AL-T18MPC-B](#)



File drawer
[AL-T18MPC-F](#)

Wallmount Hinged door organizer

General notes

- Can be used with [partial height media panels](#)
- Widths: 24"w-96"w in 6" increments
- Depth: 15"d
- Height: 18.5"h
- 24"w-42"w features one section
- 48"w-84"w features two sections
- 90"w-96"w features three sections
- Two hinged doors per section
- Soft close hinges standard

Options

- Door standard as TFL with integrated or Aero pull
- Optional frosted acrylic and back painted glass doors. Touch latch included on acrylic and glass doors
- No locking standard. Optional locking for TFL doors only
- Optional integrated LED tasklight (TSKL)



[AL-THDO4](#) shown at 72"w



integrated pull (AS)



Aero pull



Task light (TSKL)

Wallmount Sliding door organizer

General notes

- Can be used with [partial height media panels](#)
- Widths: 30"w-96"w in 6" increments
- Depth: 14.125"d
- Height: 18.5"h
- Two sections per width
- 30"w-72"w models feature single sliding door per section (two doors total)
- 78"w-96"w models feature double sliding doors per section (four doors total)

General notes continued

- Doors available as TFL only with integrated sliding door pull
- Soft close track standard

Options


- Optional integrated LED tasklight (TSKL)




AL-TSDO2
72"w shown



[AL-TSDO4](#)
84"w shown



Sliding door pull



Task light (TSKL)

Wallmount Open organizer | wall shelf

General notes

- Can be used with [partial height media panels](#)
- Widths: 24"w-60"w in 6" increments
- Depths: 14.125"d
- Height: 18.5"h

Options

- Optional integrated LED tasklight (TSKL)

Open shelf

- 24"w-42"w features one opening
- 48"w-60"w features two openings

Cantilever shelf

- TFL shelf corners can be square, or with a 4" radius at one or both ends
- Optional painted shelf with beveled edge
- Vertical grain on back, long grain on shelf

Open shelf



[AL-TOSO2](#) shown at 60"w

Cantilever shelf




[AL-TCS](#) shown at 60"w

Cantilever shelf options



TFL, square corner (X9)



TFL, left round corner (RLCR)



TFL, right round corner (RRCR)



TFL, both round corner (RBCR)



Painted beveled shelf



Task light (TSKL)

Wallmount Standard height media panels | full height

General notes

- For use above static worksurfaces when no wallmounted storage is specified
- Widths: 24"w-60"w, in 6" increments
- Heights:
 - 56.2813"h (for bench height)
 - 49.25"h (for low height or height adjustable cantilver and runoff desks)
 - 42.1875"h (for desk height)
- Mounts directly to the wall, mounting hardware included
- **Note:** TFL and upholstered panels have optional shelf. See [full height shelf](#) section

TFL

- Vertical grain back panel

Upholstered

- Upholstered models are tackable
- **Note:** Upholstered wall panel with shelf option is not tackable
- **Note:** Fabric panels wider than 42"w will be two pieces

Markerboard

- HPL laminate dry erase markerboard

Bench height



30"w shown
[AL-T56BWP](#) (TFL)
[AL-U56BWP](#) (fabric)
[AL-MB56BWP](#) (markerboard)

Low height



30"w shown
[AL-T49LWP](#) (TFL)
[AL-U49LWP](#) (fabric)
[AL-MB49LWP](#) (markerboard)

Desk height



30"w shown
[AL-T42DWP](#) (TFL)
[AL-U42DWP](#) (fabric)
[AL-MB42DWP](#) (markerboard)

Optional shelf



For full height TFL or upholstered wall panels only

Wallmount Standard height media panels | full height shelf options

- Available on full height TFL and upholstered media panels only
- Shelf standard as TFL with square edge
- Optional painted shelf with beveled edge
- **Note:** Optional shelf not available on upholstered panels wider than 42"
- TFL shelf corners can be square or with 4" radius at one or both ends
- Painted shelf is standard with front beveled edge
- Optional integrated LED tasklight on shelf with daisy chain models available
- Shelf weight limit is 5 lbs. maximum per linear foot
- Ganging for shelf ends, refer to [Adler planning guide](#) for more information



Square corner (X9)



Left round corner (RLCR)



Right round corner (RRCR)



Both round corner (RBCR)



Painted, beveled shelf



Task light

Wallmount Standard height media panels | partial height

General notes

- For use above static worksurfaces when wallmounted storage is specified
- Widths: 24" w - 60" w
- Heights:
 - 37.7813" h (for bench height)
 - 30.75" h (for low height or height adjustable cantilever and runoff desks)
 - 23.6875" h (for desk height pedestals)
- Mounts directly to the wall, mounting hardware included

Materials

- TFL (vertical grain)
- Markerboard (HPL laminate)
- Upholstered (tackable)
- **Note:** Upholstered panels wider than 42" w will be two pieces

Bench height



30" w shown
[AL-T37BWP](#) (TFL)
[AL-U37BWP](#) (fabric)
[AL-MB37BWP](#) (markerboard)

Low height



30" w shown
[AL-T30LWP](#) (TFL)
[AL-U30LWP](#) (fabric)
[AL-MB30LWP](#) (markerboard)

Desk height



30" w shown
[AL-T23DWP](#) (TFL)
[AL-U23DWP](#) (fabric)
[AL-MB23DWP](#) (markerboard)

Worksurface storage Cabinets | open shelving

General notes

- Heights:
 - 42" h (for desk height)
 - 49" h (for low height)
- 42" h features one adjustable shelf
- 49" h features two adjustable shelves
- Standard with finished back

Open cabinet

- Widths: 18" w, 24" w, 30" w, 36" w
- Depth: 14.125" d
- Standard with finished back

Door/open cabinet

- Widths: 24" w, 30" w, 36" w
- Depth: 15" d
- Door hinged left or right. Soft close hinges
- Door section standard with two coat hooks (R7), optional shelving (R8)
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

Open cabinet



Desk height (24" w shown)
[AL-TDOSC](#)



Low height (24" w shown)
[AL-TLOSC](#)

Door/open cabinet



Desk height (24" w shown)
[AL-TDDSCOL](#)



Low height (24" w shown)
[AL-TLDSCOL](#)

Door interior options



Interior hook (R7)
standard



Interior shelves (R8)

Worksurface storage Cabinets | hinged door

General notes

- Heights: 42" h (desk height), 49" h (low height)
- 42" h has one adjustable shelf
- 49" h has two adjustable shelves

Single door cabinet

- Width: 18" w, 24" w
- Depth: 15" d
- Hinged right or left door

Double door cabinet

- Width: 30" w, 36" w
- Depth: 15" d

Options

- Single hinged door cabinets standard with coat hooks (R7). Optional shelving available (R8)
- Double door hinged door cabinets standard with coat rod
- Door standard as TFL with no pull (AS) or Aero pull
- Optional frosted acrylic and back painted glass doors
- Touch latch included TFL doors with no pull (AS), and on acrylic and glass doors

Single door



Desk height (24" w shown)
[AL-TDDSCR](#)



Low height (24" w shown)
[AL-TLDSCR](#)

Double door



Desk height (30" w shown)
[AL-TDDSC](#)



Low height (30" w shown)
[AL-TLDSC](#)

Door interior options



Interior hook (R7) standard
for 18" w-24" w



Interior coat rod (R7) standard
for 30" w-36" w



Interior shelves (R8)

Worksurface storage Highback organizers | open and hinged doors

General notes

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Height: 42.1875"h
- Depth: 15"h
- Two sections per model

Hinged door

- Two hinged doors per section
- Door standard as TFL
- TFL door pulls: integrated bottom pull or Aero pull
- Optional frosted acrylic and back painted glass doors with touch latch

Options

- Optional locking for hinged TFL doors only
- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

Open shelf



AL-THOOS2 shown at 60"w

Hinged door



AL-THOHD4 shown at 60"w with Aero pull

Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

Task light



(TSKL)

Worksurface storage Highback organizers | sliding doors

General notes

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Height: 42.1875"h
- Depth: 15"h
- Two sections per model
- 60"w-72"w models feature single sliding door per section (two doors total)
- 78"w-84"w models feature double sliding doors per section (four doors total)
- Doors available as TFL only with integrated sliding door pull

Options

- No insert standard. Tackboard (TB) or tackboard/markerboard/tackboard (W4) insert available. Markerboard is a dry erase laminate
- Optional integrated LED tasklight (TSKL)

Sliding door



AL-THOSD4 shown at 60"w



AL-THOSD4 shown at 84"w



Sliding door pull

Insert options



Tackboard (TB)



Tackboard/markerboard/tackboard (W4)

Task light



(TSKL)

Towers Overview

General

- Towers are available as full door, pedestal with upper storage (wth or without side hinged wardrobe), and slide out wardrobe
- Depth: All towers are 24" d
- Heights: All towers are 72" h

Hinged doors

- All TFL doors can be specified with no pull (AS), or metal Aero pull. Touch latch standard when no pull (AS) is specified
- **Note:** All towers on following pages are shown with Aero pull to show pull placement
- No pull standard on frosted acrylic or back painted glass doors. Touch latch door standard on these door fronts
- Soft close hinge on all doors

Pedestals

- See [pedestal overview](#) page for more information on pull details for tower pedestals
- Towers with pedestals are available with low or desk height pedestal storage

Locking

- Optional locking on TFL hinged doors only
- Locking available for box, file, and printer pedestal drawers only

Tower types



Full door



Pedestal



Hinged wardrobe



Slide out wardrobe



Slide out wardrobe detail

Towers Full door

General note

- Width: 18"w
- Door hinged left or right

Options

- See [tower overview](#) page for more information
- Interior available as wardrobe (R7) or shelving (R8)

- Wardrobe (R7) features hanging bar and fixed bottom shelf
- Shelving (R8) features two fixed and three adjustable shelves



[AL-T24WSDR](#) shown
R7 hanging bar (standard)



[AL-T24WSDR](#) shown
R8 hanging bar

Towers Low height pedestal

General

- Widths: 18"w, 24"w
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: low height pedestal
- Doors hinged left or right

Options

- See [tower overview](#) page for more information

Box/file

- Optional felt liner in box drawer

Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Printer pullout

- Interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 10.75"h
 - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Half door



Box/file
[AL-T24LPTHDR-B](#) shown



Printer
[AL-T24LPTHDR-P](#) shown



Trash
[AL-T24LPTHDR-T](#) shown

Full door



Box/file
[AL-T24LPTFDR-B](#) shown



Printer
[AL-T24LPTFDR-P](#) shown



Trash
[AL-T24LPTFDR-T](#) shown

Towers Desk height pedestal

General

- Widths: 18"w, 24"w
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

Options

- See [tower overview](#) page for more information

Box/box/file

- Optional felt liner in box drawer

Printer pullout

- Interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 15.75"h
 - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Half door



Box/box/file
[AL-T24DPTHDR-B](#) shown



File/file
[AL-T24DPTHDR-F](#) shown



Printer
[AL-T24DPTHDR-P](#) shown



Trash
[AL-T24DPTHDR-T](#) shown

Full door



Box/box/file
[AL-T24DPTFDR-B](#) shown



File/file
[AL-T24DPTFDR-F](#) shown



Printer
[AL-T24DPTFDR-P](#) shown



Trash
[AL-T24DPTFDR-T](#) shown

Towers Hinged side wardrobe | low height pedestal

General

- Widths: 30"w, 36"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right

Options

- See [tower overview](#) page for more information

Box/file

- Optional felt liner in box drawer

Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Printer pullout

- Available interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 10.75"h
 - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Half door



Box/file
[AL-T24LWPTHDR-B](#) shown



Printer
[AL-T24LWPTHDR-P](#) shown



Trash
[AL-T24LWPTHDR-T](#) shown

Full door



Box/file
[AL-T24LWPTFDR-B](#) shown



Printer
[AL-T24LWPTFDR-P](#) shown



Trash
[AL-T24LWPTFDR-T](#) shown

Towers Hinged side wardrobe | desk height pedestal

General

- Widths: 30"w, 36"w
- Wardrobes are 12"w, with 18"w or 24"w pedestal tower
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right

Options

- See [tower overview](#) page for more information

Box/box/file

- Optional felt liner in box drawer

Printer pullout

- Interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 15.75"h
 - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Half door



Box/box/file
[AL-T24DWPTHDR-B](#) shown



File/file
[AL-T24DWPTHDR-F](#) shown



Printer
[AL-T24DWPTHDR-P](#) shown



Trash
[AL-T24DWPTHDR-T](#) shown

Full door



Box/box/file
[AL-T24DWPTHDR-B](#) shown



File/file
[AL-T24DWPTHDR-F](#) shown



Printer
[AL-T24DWPTHDR-P](#) shown



Trash
[AL-T24DWPTHDR-T](#) shown

Towers Slide out wardrobe | low height pedestal

General

- Width: 24"w
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular low height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- Slide put wardrobe features maple wood hanging knob
- See [tower overview](#) page for more information

Trash pullout

- Round 23.5 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Printer pullout

- Interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 10.75"h
 - 24"w: 21"w x 19.6875"d x 10.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Box/file

- Optional felt liner in box drawer

Half door



Box/file
[AL-T24LWPTSHDR-B](#) shown



Printer
[AL-T24LWPTSHDR-P](#) shown



Trash
[AL-T24LWPTSHDR-T](#) shown

Full door



Box/file
[AL-T24LWPTSFDR-B](#) shown



Printer
[AL-T24LWPTSFDR-P](#) shown



Trash
[AL-T24LWPTSFDR-T](#) shown

Towers slide out wardrobe | desk height pedestal

General

- Width: 24"w
- Depth: 24"d
- Height: 72"h
- Top section: half or full door with shelving
- Full door features two adjustable shelves
- Half door features one adjustable and top fixed shelf
- Bottom section: pedestal aligns with modular desk height storage pedestals
- Doors hinged left or right
- Interior shelf depth is 13"
- Slide put wardrobe features maple wood hanging knob
- See [tower overview](#) page for more information

Box/box/file

- Optional felt liner in box drawer

Printer pullout

- Available interior printer space:
 - 18"w: 15.5"w x 19.6875"d x 15.75"h
 - 24"w: 21"w x 19.6875"d x 15.75"h
- Three outlet power supply and grommet included in drawer back. Grommet also included in tower back

Trash pullout

- Rectangle 30 qt. trash can included
- One trash can for 18"w pedestals
- Two trash cans for 24"w pedestals

Half door



Box/box/file
[AL-T24DWPTSHDR-B](#) shown



File/file
[AL-T24DWPTSHDR-F](#) shown



Printer
[AL-T24DWPTSHDR-P](#) shown



Trash
[AL-T24DWPTSHDR-T](#) shown

Full door



Box/box/file
[AL-T24DWPTSFDR-B](#) shown



File/file
[AL-T24DWPTSFDR-F](#) shown



Printer
[AL-T24DWPTSFDR-P](#) shown



Trash
[AL-T24DWPTSFDR-T](#) shown

Bookcases

Standard bookcase

- Widths: 30"w, 36"w
- Depth: 14"d
- Heights:
 - 29"h one adjustable shelf
 - 72"h (three adjustable, one stationary shelf)
- Freestanding

Open side bookcase

- Widths: 18"w, 24"w
- Depth: 24"d
- Height: 72"h
- All fixed shelves
- Not freestanding

Standard bookcase



[AL-T29BC](#) shown 30"w



[AL-T72BC](#) shown at 30"w

Open side bookcase



[AL-T24STOL](#) shown at 18"w

Laterals


General

- Depth: 24"d
- Widths: 24"w, 30"w, 36"w
- Heights:
 - 29"h (two drawer)
 - 42"h (three drawer)
 - 54"h (four drawer)


- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application

Options

- No locking standard. Optional locking



[AL-T24LF2](#) shown at 24"w



[AL-T24LF3](#) shown at 24"w



[AL-T24LF4](#) shown at 24"w

Work tools

Monitor arms

- Single or double monitor arms
- Available in silver, black, or white
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs.


Storage add ons

- DA19-1 pencil tray to be used in box drawers of 18"w pedestals only
- Pencil drawer - black molded plastic, flush mount

CPU holder

- Mounts to underside of surface


Monitor arms



Single arm
[MA-5](#)

Double arm
[MA-5D](#)


Storage add ons



Pencil tray
[DA19-1](#)

Pencil drawer
[PD-1](#)

CPU holder



[CPUH-1](#)