

Aptos building blocks

---





## Table of contents

Height adjustable - peninsula desks	3
Height adjustable - sweep top desks	4
Height adjustable - credenzas	5-6
Built up - desks	7-8
Built up - return/bridge	9
Built up - credenzas	10-11
Built up - low height floor storage	12
Storage - highback organizer	13
Storage - worksurface cabinets	14
Storage - wallmount organizers	15-16
Storage - lateral files and bookcases	17
Storage - towers	18-19
Storage - mobile pedestals	20
Modular - wallmount tackboards	21
Modular - desk surfaces/cabinet tops	22
Modular - runoff desk surfaces	23
Modular - elevated runoff desk surfaces	24
Modular - worksurface accessories	25
Modular - pedestals, desk height	26-27
Modular - pedestals, low height	28
Modular - supports	29-30
Table desks/conference tops	31-38
Benching	39-51
Power supplies	52
Lighting	53
Work accessories	54-55
Wire management	56

## Height adjustable Peninsula desks

### General

- Ships KD. Top, cabinet and panel base ship separately
- Table maximum weight is 100 lbs
- Optional PS-77 power supply
- Panel base handed left or right, removable interior access panel

### Worksurfaces general

- 30x68 (28x66 actual), 30x74 (28x72 actual), 36x68 (34x66 actual), 36x74 (34x72 actual)
- 2" wall end clearance, and 1" clearance on each side of the worksurface
- Veneer or solid surface, rectangle or soft rectangle surface shapes
- Field installed grommet recommend for wire management

### Veneer worksurface

- Long grain direction
- Square edge standard, optional 2" flat knife edge
- Knife edge option on rectangular surface profile on approach and user sides
- Knife edge option on the soft rectangular worksurface profile around the perimeter

### Solid surface worksurface

- Knife edge standard for both worksurface shapes
- Rectangular surface features 2" flat knife profile on approach and user sides
- Soft rectangular surface features 2" flat knife profile around perimeter

### Cabinet

- 18"d or 24"d low height cabinet, long grain surface
- Unfinished back
- One adjustable and one stationary shelf on user side, removable access panel on approach side
- Open section has hinged down back panel for wall access

### Veneer

left hand shown



34-6830HALPDS shown  
User side, 18"d

### Solid surface

left hand shown



34-6830HALPDC shown  
User side, 24"d

### Worksurface shapes



Rectangle (C8L)



Soft rectangle (C8M)

## Height Adjustable Sweep top desks

### General

- Ships KD. Top, cabinet and panel base ship separately
- Optional PS-77 power supply
- Table maximum weight is 100 lbs

### Worksurfaces

- 68x48 (66x46 actual), 68x54 (66x52 actual), 68x60 (66x58 actual), 74x60 (72x58 actual)
- 2" wall end clearance, and 1" clearance on each side of the worksurface
- Veneer or solid surface. Long grain on veneer
- 2" flat knife profile around perimeter
- Field installed grommet recommended for wire management

### Base

- Column base standard, optional panel base. Note: Panel base is standard on desks
- Handed left or right
- Removable interior access panel on panel base
- **Note:** 24"d low cabinet desks 68"w and smaller only available with a panel base support

### Cabinet

- 18"d or 24"d low height cabinet, long grain surface
- Unfinished back
- One adjustable and one stationary shelf in center cabinet
- Removable access panel on approach and user side
- Open section has hinged down back panel for wall access

### 18"d cabinets



Veneer surface  
34-6848HALSTDS shown



Solid surface  
34-6848HALSTDSC shown

### 24"d cabinets



Veneer surface, column base  
34-6848HALSTD shown



solid surface, column base  
34-6848HALSTDC shown

### Optional panel base



Veneer surface  
shown with 24"d cabinet



Solid surface  
shown with 24"d cabinet

### Surface sizes

plan view



68x48



68x54



68x60



74x60



## Height adjustable Credenza | low cabinet

### General

- Worksurface shapes: rectangle or soft rectangle
- 12" d low height cabinet with removable access panel and unfinished back
- Optional PS-77 power supply
- Ships KD. Top, low height cabinet ship separately
- Field installed grommet recommended for wire management
- Table maximum weight is 100 lbs
- **Note:** Must connect to 18" w pedestal or end panel at both ends for stability
- **Note:** Clamp mount accessories not for use on flat knife profiles

### Solid surface worksurface

- Knife edge standard for both worksurface shapes
- Rectangular surface features 2" flat knife profile on user side
- Soft rectangular surface features 2" flat knife profile around perimeter

### Centered worksurface

- 48x26 or 60x26. Actual surface size is 46x24 and 58x24
- 2" wall end clearance, and 1" clearance on each side of the worksurface

### Veneer worksurface

- Long grain direction
- Square edge standard, optional 2" flat knife edge
- Knife edge option on rectangular surface profile on user side
- Knife edge option on the soft rectangular worksurface profiled around the perimeter

### Left and right worksurface

- 55x26 or 67x26. Actual surface size is 54x24 and 66x24
- Left and right credenza: 2" wall end clearance, and 1" clearance on non overhang side
- Surface overhangs cabinet by 7"

### Surface shapes



Rectangle (C8L)



Soft rectangle (C8M)

### Surface materials



34-6026HARC shown  
Veneer



34-6026HARCC shown  
Solid surface

### Credenza worksurface locations



34-6026HARC shown  
Centered



34-5526HARL shown  
Left



34-5526HARR shown  
Right

## Height adjustable Credenza | kneespace

### General

- 48x26 or 60x26, actual surface size is 46x24 and 58x24
- 7" w low height panel bases with removable access panels. 18"d or 24"d
- Worksurface shapes: rectangle or soft rectangle
- Veneer or solid surface worksurfaces
- Optional PS-77 power supply
- Ships KD. Top and panel bases ship separately
- Field installed grommet recommended for wire management
- Table maximum weight is 100 lbs
- **Note:** Must connect to pedestal or storage cabinet for stability

### Veneer worksurface

- Long grain direction
- Square edge standard, optional 2" flat knife edge
- Knife edge option on rectangular surface profile on user side
- Knife edge option on the soft rectangular worksurface profile around the perimeter

### Solid surface worksurface

- Knife edge standard for both worksurface shapes
- Rectangular surface features 2" flat knife profile on user side
- Soft rectangular surface features 2" flat knife profile around perimeter

### Surface shapes



Rectangle (C8L)



Soft rectangle (C8M)

### Surface materials



34-6026HAKCS shown  
Veneer



34-6026HAKCCS shown  
Solid surface

## Built up Desks | double pedestal

### General notes

- Box/box/file pedestal on user left. Two box drawers hidden by top file drawer front
- File/file pedestal on user right
- Full height modesty panel
- Optional locking
- Optional grommets: left, right, or left and right
- 66" w desks feature 15" w pedestals
- 72" and 84" w desks feature 18" w pedestals

### Recessed modesty

- Sizes available:
  - Rectangular: 30x60, 36x66, 30x72, 36x72, 42x72, 36x84, 42x84
- 6" approach side overhang

### Breakfront modesty

- Sizes available:
  - Rectangular: 30x66, 36x66, 30x72, 36x72, 36x84
- Modesty panel recesses 5" between pedestals

### Breakfront recessed modesty

- Sizes available:
  - Rectangular: 36x72, 36x78, 36x84, 42x72, 42x78, 42x84
- 6" approach side overhang with modesty panel recessed 5" between pedestals

### Recessed modesty



34-7230DP shown  
Approach side



User side

### Breakfront modesty



34-7230DPFT shown  
Approach side



User side

### Recessed breakfront modesty



34-7236DPFTR shown  
Approach side



User side

### Grommets



Plan view  
optional left and right grommets

## Built up Desks | single pedestal

### General notes

- Box/box/file pedestal on user left or right. Two box drawers hidden by top file drawer front
- Full height modesty panel
- Optional locking
- Optional grommets: left, right, or left and right
- 66" w desks feature 15" w pedestals
- 72" and 84" w desks feature 18" w pedestals

### Flush modesty

- Sizes available:
  - Rectangular: 30x66 or 30x72
- Modesty is flush to edge of worksurface on approach side

### Recessed modesty

- Sizes available:
  - Rectangular: 36x66 or 36x72
- 6" approach side overhang

### Breakfront modesty

- Sizes available:
  - Rectangular: 30x66, 36x66, 30x72, 36x72
- Modesty panel recesses 5" between pedestals

### Asymmetrical modesty

- Sizes available:
  - Rectangular: 30x66, 36x66, 30x72, 36x72
- Modesty panel recesses 5" next to pedestal

### 30" d flush modesty



34-7230RPD shown  
Approach side

User side

### 36" d recessed modesty



34-7236RPD shown  
Approach side

User side

### Breakfront modesty



34-7230RPDFT shown  
Approach side

User side

### Asymmetrical modesty



34-7230RPDA shown  
Approach side

User side

### Grommets



Plan view  
optional left and right grommets

### Interior leg detail





## Built up Returns | bridges

### General notes

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- Finished back. Optional hinged access panel

### Bridge

- 22x42 or 22x48

### Bridge with end panel

- 22x42 or 22x48, handed left or right
- Cannot be used with modular pedestals

### Bridge



342442BR shown  
Finished back panel (FX)



Optional hinged back panel (FZ)

### Bridge with end panel




34-2442RR shown  
Finished back panel (FX)




Optional hinged back panel (FZ)

### Bridge options



Plan view  
Center grommet standard. optional left and right grommets



Optional hinged access panel (FZ)

## Built up Credenzas | pedestals

### General notes

- Unfinished back standard. Optional finished back or hinged access panel for all pedestal credenzas
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

### Kneespace Personal storage

- 24x66 or 22x72
- Two slide out personal storage pedestals with hidden box drawers

### Kneespace Double pedestal

- 24x66 or 22x72
- Two file/file pedestals
- 66" w desks feature 15" w pedestals
- 72" and 84" w desks feature 18" w pedestals

### Single pedestal

- File/file or lateral file credenza
- 24x66 or 24x72
- Pedestal credenza features 18" w file/file
- Lateral credenza 24x66 features 30" w lateral file drawers. 24x72 features 36" w lateral file drawers
- Handed left or right

### Kneespace Personal storage



34-6624CR12 shown

### Kneespace Double pedestal



34-6624CR15 shown

### Single pedestal




34-6624CRR18 shown  
File/file




34-6624CRRL shown  
Lateral file

### Options



Plan view  
Center grommet standard. optional left and right grommets



Lateral and multi file  
optional hinged access panel (FZ)





## Built up Credenzas | storage

### General notes

- Finished back panel
- Grommets can be specified in any combination of left, right and center

### Double lateral file

- 24x60 or 24x72
- 60" w features four 30" w drawers and 72" w features four 36" w drawers
- No center grommet option

### Pedestal/lateral file

- 24x66 or 24x72
- Two 18" w file/file drawers at each end
- Centered lateral file drawers
- 66" w features two 30" w drawers and 72" w features two 36" W drawers

### Double lateral file



34-7224CLF shown

### Pedestal/lateral file



34-7224CR18LF shown



## Built up Low height floor storage

### General

- Depth: 18" d
- Handed left or right based on wider section location
- All shelving sections feature one stationary and one adjustable shelf
- Includes .75" thick top and finished back panel

### 60"-72"w

- Widths:
  - 60"w: Two 30"w openings
  - 72"w: Two 36"w openings
- Storage configurations:
  - Double box/lateral file
  - Box/lateral and open shelving. Handed based on lateral file location
  - Double open shelving

### 42"-54"w

- Widths:
  - 42"w: 12"w and 30"w openings
  - 48"w: 18"w and 30"w openings
  - 54"w: 18"w and 36"w openings
- Storage configurations:
  - Box/lateral and box/file
  - Box/file and wide open shelving
  - Open shelving and lateral
  - Open shelving

### 42"-54"w storage



34-L4218FSR1  
Box/lateral and box/file



34-L4218FSR12  
Box/file and wide open shelving



34-L4218FSR3  
Open shelving and lateral



34-L4218FSR4  
Open shelving

### 60"-72"w storage



34-L6018FSR1  
Double lateral file



34-L6018FSR3  
Wide open shelving, lateral



34-L6018FSR3  
Wide double open shelving

## Storage Highback organizer

### General

- Widths: 60"w, 66"w, 72"w
- Height: 38.75"h
- Depth: 15.63"d
- Highback organizers with open sections are handed based on door location
- Unfinished back. Optional finished back
- Optional tackboard available
- Optional integrated LED tasklight, located on left side

### Lift up door

- Available with one lift up door and one open section, or two lift up doors
- Soft opening and closing mechanism
- Wood divider panels

### Hinged door

- Available with two hinged doors and one open section, or four hinged doors
- One storage section per set of doors
- Wood divider panels

### Sliding glass door

- Available with one sliding glass door and one open section, or two sliding glass doors
- Glass divider panel matches door finish

### Tackboard

- One piece tackboard
- Insets between highback organizer vertical panels
- Specified separately

### Lift up door



34-6639LD1 shown  
Single door/open



34-6639LD2 shown  
Double door

### Hinged door



34-6639RHD2 shown  
Double door/open



34-6639HD4 shown  
Four doors

### Sliding glass door



34-6639HG1 shown  
Single door/open



34-6639HG2 shown  
Double door

### Tackboard



FT1234 shown

## Storage Worksurface cabinets

### General

- Depth: Open cabinet is 14.5”d, hinged and asymmetrical cabinet is 15.63”d
- Height: 38.75”h
- Unfinished back standard. Optional finished back
- Two adjustable 1” thick shelves with beveled edge and one fixed shelf, per section

### Open

- Widths: 12”w, 15”w, 18”w, 24”w, 30”w, 36”w
- 24”w - 30”w have center divider and four adjustable shelves, and two fixed shelves total

### Hinged

- Widths: 12”w, 15”w, 18”w
- Cabinet is handed based on door hinge location

### Asymmetrical

- Widths: 24”w, 30”w, 36”w
- Cabinet is handed based on door hinge location
- Open shelf opposite closed door. 24”w has 8.25”w open shelf. 30”w and 36”w have 11.25”w open shelf

### Open



34-1539DS15 shown  
12”w-18”w



34-3039DS15  
24”w-36”w

### Hinged door



34-1539RDS1 shown

### Asymmetrical



34-3039RDS1 shown

## Storage Wallmount organizers

### General

- Height: 14.5”h
- Depth: Lift up and hinged door organizers are 15.63”d, glass door organizers are 14.5”d
- Optional integrated LED tasklight, located on left

### Hinged door organizer

- Widths: 60”w - 108”w in 6” increments
- 60”-78”w features two hinged door with open section (handed), or four hinged doors
- 84”-108”w features either six hinged doors, four hinged doors with open center section, or center hinged doors with open end sections

### Lift up door organizer

- Widths: 60”w - 108”w in 6” increments
- 60”-78”w features one lift up door with open section (handed), or two lift up doors
- 84”-108”w features either three lift up doors, two lift up doors with open center section, or center lift up door with open end sections
- Soft opening and closing mechanism

### 60”-78”w lift up door



Lift up door with open section  
34-6015RWS1 shown



Two lift up doors  
34-6015WS2 shown

### 84”-108”w lift up door



Three lift up doors  
34-8415WS3 shown



Two lift up doors with open center section  
34-8415WS2 shown



Center lift up door with open end sections  
34-8415WS1 shown

### 60”-78”w hinged door



Two hinged doors with open section  
34-6015RHDW2 shown



Four hinged doors  
34-6015HDW4 shown

### 94”-108”w hinged door



Six hinged doors  
34-8415HDW6 shown



Two hinged doors at each end with open center section  
34-8415HDW4 shown



Two hinged doors in center with open end sections  
34-8415HDW2 shown

## Storage Wallmount organizers, continued

### General

- Height: 14.5”h
- Depth: Lift up and hinged door organizers are 15.63”d, glass door organizers are 14.5”d
- Optional tackboard available
- Optional integrated LED tasklight, located on left

### Sliding glass door organizer

- Widths: 60”w, 66”w, 72”w, 78”w, 84”w, 90”w, 96”w, 102”w, 108”w
- 60”-78”w features one sliding glass door with open section (handed), or two sliding glass doors
- 84”-108”w features center sliding glass door with open sections at each end
- Glass divider panel matches door color

### Open end organizer

- Widths: 60”w, 66”w, 72”w
- Open section cantilevered fixed shelf (no end panel)
- Door option opposite end:
  - Lift up door
  - Two hinged doors
  - One sliding glass door
- Shelf maximum weight is 25 lbs per foot

### Open shelf

- Widths: 30”w-108”w in 6” increments
- Depth: 14.5”d
- Cantilevered fixed shelf
- Ganged to other shelves in left, right or center locations
- Shelf maximum weight is 25 lbs per foot

### Glass door organizers



One sliding glass door  
34-6015LWSG1 shown



Two sliding glass doors  
34-6015WSG2 shown



Center sliding glass door with open end sections  
34-8415WSG1 shown

### Open end organizers



One lift up door  
34-6015RWS1NE shown



Two hinged doors  
34-6015RHDW2NE shown



One sliding glass door  
34-6015RWSG1NE shown

### Open shelf



34-6615WS shown

## Storage Lateral files and bookcases

### Lateral files

- Widths: 30" w and 36" w
- Depth: 24" d
- Heights: 29.5" h (2 drawer), 43.13" h (3 drawer), 56" h (4 drawer)
- Letter or legal filing
- Finished back

### Bookcases

- Widths: 30" w and 36" w, center divider panel
- Depth: 12" d
- Heights: 29" h, 42" h, 55" h, 68.25" h
- 29" h: two stationary and two adjustable shelves
- 42" h: two stationary and four adjustable shelves
- 55" h: two stationary and six adjustable shelves
- 68.25" h: two stationary and eight adjustable shelves
- 1" thick shelves with beveled edge
- Unfinished back standard, optional finished back

### Lateral files



2 Drawer lateral  
34-3629LFC shown



3 Drawer lateral  
34-3643LFC shown



4 Drawer lateral  
34-3656LFC shown

### Bookcases



29" h  
34-3629BC shown



42" h  
34-3642BC shown



55" h  
34-3655BC shown



68.25" h  
34-3668BC shown



## Storage Towers, privacy height

### General

- Heights: 42" h
- Unfinished back standard, optional finished back
- Coat sections: 18" d towers feature a coat hook, 24" d towers feature a hang rod
- Option for coat sections to be two adjustable 1" thick shelves with beveled edge and one fixed shelf

### Open storage

- Widths: 12" w, 18" w, 24" w, 30" w, 36" w
- Depths: 16.75" d or 22.75" d
- 24" w-36" w have center divider
- Two adjustable 1" thick shelves with beveled edge and one fixed shelf per section
- **Note:** 12" w x 16.75" d not to be used as freestanding

### Hinged door

- Widths: 12" w, 18" w, 24" w, 30" w, 36" w
- Depths: 17.88" d or 23.88" d
- 24" w-36" w have center divider
- Single door cabinets are hinged left or right and features coat storage as standard
- Double door cabinets feature coat storage on right side, and two adjustable 1" thick shelves with beveled edge and one fixed shelf on left
- Optional pull for double door cabinets will be added to right door only

### Open/hinged door

- Widths: 24" w, 30" w, 36" w with center divider
- Depths: 17.88" d or 23.88" d
- Open/hinged door cabinets feature coat storage on right side, and two adjustable 1" thick shelves with beveled edge and one fixed shelf on left
- Optional pull for door

### Open



34-1842SC15S shown



34-3042SC15S shown

### Hinged door



34-1842RSC1S shown



34-3042SC1S shown

### Open/hinged



34-3042RSC1S shown



## Storage Towers, tall height

### General

- Heights: 68.25" h
- Unfinished back standard, optional finished back
- Coat sections: 18" d towers feature a coat hook, 24" d towers feature a hang rod
- Option for coat sections to be three adjustable 1" thick shelves with beveled edge and two fixed shelves

### Open storage

- Widths: 12" w, 18" w, 24" w, 30" w, 36" w
- Depths: 16.75" d or 22.75" d
- 24" w-36" w have center divider
- Three adjustable 1" thick shelves with beveled edge and two fixed shelves per section
- **Note:** 12" w x 16.75" d not to be used as freestanding

### Hinged door

- Widths: 12" w, 18" w, 24" w, 30" w, 36" w
- Depths: 17.88" d or 23.88" d
- 24" w-36" w have center divider
- Single door cabinets are hinged left or right and features coat storage as standard
- Double door cabinets feature coat storage on right side, and three adjustable 1" thick shelves with beveled edge and two fixed shelves on left
- Optional pull for double door cabinets will be added to right door only

### Open/hinged door

- Widths: 24" w, 30" w, 36" w with center divider
- Depths: 17.88" d or 23.88" d
- Open/hinged door cabinets feature coat storage on right side, and two adjustable 1" thick shelves with beveled edge and one fixed shelf on left
- Optional pull for door

### Open display



34-1868SC15S shown 34-3068SC15S shown

### Hinged door



34-1868RSC1S shown 34-3068SC1S shown

### Open/door



34-3068RSC1S shown

**Storage** Mobile pedestals

**Mobile pedestal** Finished top

- 15" w x 17.88" d x 20.81" h
- One box drawer and one file drawer for letter filing behind full front
- Optional cushion top with french seam detail around perimeter

**Mobile pedestal** PET top

- 15" w x 17.88" d x 20.81" h
- One box drawer and one file drawer for letter filing behind full front
- Grey PET insert on top with dividers

**Finished top**



34-1518MP

**Cushion top**



34-1518SC

**PET top**



34-1518MPT



Top detail

## Modular Wallmount tackboards

- 24" h tackboard: use between worksurface height and wallmount
- 31.25" h tackboard: use between low height and wallmount
- 38.63" h tackboard: use when tackboard is over worksurface height cabinets, no wallmount storage
- 45.88" h tackboard: use when tackboard is over low height cabinets, no wallmount storage
- 102" w and 108" w tackboards are two pieces
- Includes support rail to mount to wall

**24" h**



FTW2008 shown

**31.25" h**



FTW2022 shown

**38.63" h**



FTW3034 shown

**45.88" h**



FTW3046 shown



## Modular Desk surfaces/cabinet tops

### General

- Optional grommet: any combination of left, right and center
- **Note:** Unsupported spans greater than 48" require worksurface straightener

### Modular desk top

- Use with modular desk pedestals and supports
- Depths: 30"d, 36"d, 42"d
- Widths: 60"-84"w in 6" increments. Note: 42"d available as 78"w and 84"w only
- 1.1875" thick surface with square profile on all four sides
- Long grain
- Clamp plates required at surface connection points, specified separately

### Worksurface height cabinet top

- Use with worksurface height cabinets, or as a bridge or return. Clamp plates required at surface connection points, specified separately
- Depth: 24"d
- Widths: 30"w-120"w in 6" increments
- 1.1875" thick surface with square profile on approach and user side
- Long or short grain

### Low height cabinet top

- Use with low height cabinets. **Note:** Not to be used as a bridge or return
- Depths: 18"d or 24"d
- Widths: 30"w-96"w in 6" increments
- 0.75" thick surface with square edge on user side
- Long or short grain

### Desk height worksurfaces




Long grain  
34-6630MDT shown




Short grain - for worksurface height cabinet top  
34-2460MCT shown


### Low height worksurfaces



Long grain  
34-L4224MCT shown



Short grain  
34-L1842MCT shown



Optional left, center, and right grommets shown

## Modular Runoff desk surfaces

### General

- Short grain veneer surface or substrate
- Specify leg/column supports separately
- Clamp plates included

### Veneer

- Use with worksurface height pedestals and worksurfaces
- Rectangle shape only
- Depths: 30" d or 36" d
- Widths: 60" w, 66" w, 72" w
- 1.1875" thick surface with flat profile on all three sides

### Glass or solid surface overlay

- Subtop flat edge connects to worksurface height pedestals and worksurfaces
- Soft rectangle:
  - 30" d or 36" d
  - 66" w, 72" w, 78" w
- Eased rectangle:
  - 36" d or 42" d
  - 66" w, 72" w, 78" w
- Wedge:
  - 36" d: widths 66" w, 72" w, 78" w
  - 42" d: widths 72" w and 78" w only
- 1.6875" total thickness including 0.5" glass or solid surface overlay. 1.1875" thick subtop with flat edge all three sides
- **Note:** Overlay surfaces will raise overall surface height by 0.5"

### Veneer



34-6630RT shown

### Glass overlay



34-6630SRTGOL shown with A9B back painted glass


### Solid surface overlay



34-6630SRTCOL shown

### Overlay surface shapes

Shown in glass overlay



Soft rectangle  
34-6630SRTGOL shown



Eased rectangle  
34-6636VTGOL shown



Wedge  
34-6636WTGOL shown

## Modular Elevated runoff desk surfaces

### General

- Use with low height pedestals and worksurfaces
- Specify standoffs, leg or column supports separately. Requires two standoffs along return
- 1.1875" thick surface
- Optional power supply or grommet cutout
- **Note:** Clamp on accessories will not work on flat knife profiles

### Veneer or solid surface

- Rectangle (veneer only):
  - 30"d: 66"w, 72"w, 78"w, 84"w
  - 36"d: 72"w, 78"w, 84"w
  - Flat profile on four sides
  - **Note:** Use 30x66 with 18"d cabinets only

### • Soft rectangle:

- 30"d: 66"w, 72"w, 78"w, 84"w
- 36"d: 72"w, 78"w, 84"w
- 2" flat knife profile around perimeter
- **Note:** Use 30x66 with 18"d cabinets only

### • Wedge:

- 36"d: 66"w, 72"w
- 42"d: 66"w, 72"w, 78"w
- 2" flat knife profile around perimeter
- **Note:** Use 36x66 and 42x66 with 18"d cabinets only

### • Sweep:

- 46x66, 52x66, 58x66, 58x72, 58x78
- Handed left or right
- 2" flat knife profile around perimeter
- **Note:** Use 46x66, 52x66, and 58x66 with 18"d cabinets only

### Veneer



### Solid surface



### Worksurface shapes



Rectangular  
34-663ORTE shown



Soft rectangle  
34-663OSRTE shown



Wedge  
34-6636WTE shown



Sweep left hand  
34-6658SWTEL shown



Sweep right hand  
34-6658SWTER shown

## Modular Worksurface accessories

### Partial modesty panel

- Widths: 32", 38"w, 44"w, 50"w, 56"w
- Depth: 0.75"d
- Height: 7"h
- Below surface modesty panel
- Vertical grain veneer panel
- Field installed

### Edge mount privacy panel

- Widths: 38"w, 44"w, 50"w, 56"w
- Depth: 1.44"d
- Heights: 19.5"h (for 42"h applications) and 25.5"h (for 48"h applications)
- Fabric or veneer panel. Fabric is tackable, vertical grain veneer panel
- Mounts to underside of worksurface, brackets included
- Leaves 1.5" wire management gap between privacy panel and surface edge
- Field installed
- **Note:** Fabric edge modesty not for use with open plan height adjustable worksurfaces

### Partial modesty panels



34-0732MP shown

### Edge mount privacy panel



Fabric (for 42" applications)  
34-3820PPE shown



Fabric (for 48" applications)  
34-3826PPE shown



Veneer (for 42" applications)  
34-3820WPE shown



Veneer (for 48" applications)  
34-3826WPE shown



## Modular Drawer pedestals, desk height

### General

- Use with modular worksurfaces
- 29.75 and 35.75" d pedestals feature finished back. 22.63" d pedestals feature unfinished back, use with modular back panels or filler strip
- Optional locking
- File drawers can accommodate letter or legal filing
- **Note:** Cannot be used as freestanding units

### Box/box/file

- Top section features two box drawer hidden behind file drawer front. Bottom section is file drawer
- 22.63" d pedestal available as 15" w or 18" w
- 29.75" d and 35.75" d available as 15" w

### File/file

- Two file drawers
- 22.63" d pedestal available as 15" w or 18" w
- 29.75" d and 35.75" d available as 15" w

### Open/file

- Open shelf above file drawer
- 22.63" d pedestal available as 15" w or 18" w
- 29.75" d and 35.75" d available as 15" w

### Open/lateral

- Open shelf above lateral file drawer
- Width: 30" or 36" w
- Depth: 22.63" d

### Lateral file

- Two lateral file drawers
- Width: 30" or 36" w
- Depth: 22.63" d

### Slide out storage

- Bottom storage drawer and hidden box drawer behind pedestal front
- Width: 12" w
- Depths: 22.63" d, 29.75" d, 35.75" d
- **Note:** Slide out pedestal will not work under left or right grommet

### Box/box/file



15" w or 18" w  
34-W1524MPD1 shown

### File/file



15" w or 18" w  
34-W1524MPD3 shown

### Open/file



15" w or 18" w  
34-W1524MPD9 shown

### Open/lateral



30" w or 36" w  
34-W3024MPD9 shown

### Lateral file



30" w or 36" w  
34-W3024MPD3 shown

### Slide out storage



12" w  
34-W1224MPD15 shown

## Modular Storage pedestals, desk height

### General

- Use with modular worksurfaces
- **Note:** Cannot be used as freestanding units

### Shelf pedestals

- Widths: 12"w, 15"w, 18"w, 30"w, 36"w
- Depth: 21.5"d
- One stationary and one adjustable shelf
- 12"w pedestal will not work under left or right grommet
- Hinged down back for wall access

### Open/door

- 30"w or 36"w
- 22.63"d
- One stationary and one adjustable shelf in each section
- Unfinished back, specify modular back panel or filler panel separately
- Left or right hinged door
- Optional locking

### Hinged door

- 22.63"d single door models available in 12"w, 15"w, or 18"w
- 22.63"d double door models available in 30"w or 36"w
- 29.75"d and 35.75"d models available in 15"w
- One stationary and one adjustable shelf
- 12"w pedestal will not work under left or right grommet
- Optional locking
- Hinge down back for wall access

### Shelf pedestals



12-18"w pedestals  
34-W1524MPD6 shown

30-36"w pedestals  
34-W3024MPD6 shown

### Open/door



Open/door  
34-W3024RMPD14 shown

### Hinged door



Single door  
34-W1524RMPD4 shown

Double door  
34-W3024MPD4 shown

## Modular Pedestals, low height

### General

- Widths: 30" w or 36" w
- Depths: 16.63" d or 22.63" d
- Use with 18" d or 24" d modular worksurfaces for low height storage, specified separately
- Unfinished back, use with modular back panels or filler strip
- Optional locking for drawer and door pedestals
- **Note:** Cannot be used as freestanding units

### Open/file

- One wide open shelf and one lateral file drawer

### Open shelving

- One stationary and one adjustable shelf

### Double door

- Two hinged doors
- One stationary and one adjustable shelf

### Box/file

- One wide box drawer and one lateral file drawer

### Hinged door/open

- Hinged door handed left or right

### Box/box/file



18" d or 24" d  
34-L3024MPD8 shown

### Open/file



18" d or 24" d  
34-L3024MPD9 shown

### Open shelving



18" d or 24" d  
34-L3024MPD6 shown

### Double door



18" d or 24" d  
34-L3024MPD4 shown

### Open shelving/hinged door



18" d or 24" d  
34-L3024RMPD14 shown

## Modular Supports, veneer

### Wing Assembly

- Worksurface height support
- Use with 30"d and 36"d modular worksurface
- Finished back
- Two stationary shelves on interior side
- **Note:** Cannot be used as a freestanding units

### End panel

- 34-18EP: use with 18"d modular cabinet tops
- 34-24EP: use with 24"d modular cabinet tops
- 34-30EP: use with 30"d rectangular runoff surfaces
- 34-36EP: use with 36"d rectangular runoff surfaces
- If attaching a 34-18EP or 34-24EP to a back panel, specify SCWBKT-1 bracket separately

### Filler panel

- Use on backside of pedestals to fill 1.25" top overhang gap at end of run when not using a back panel
- Available for worksurface and low heights

### Back panel

- Widths available between 30"-108"w in 6" increments
- Available for worksurface and low heights
- Provides a finished back for modular pedestals or end panels
- Finished on both sides
- Aligns with bottom of the pedestal (1.5" above floor)
- Specify as full length

### Fold down back panel

- Widths available between 12"-94"w, worksurface height only
- Any width in 1/8" increments available within ranges noted
- Upper section folds down to provides wall access for cable management
- 12"-48"w features one fold down access panel
- 48.06"-94"w features two fold down access panels and center support cantilever bracket
- Unfinished back
- Feet included for support
- Specify length to fit between pedestals or end panels



Wing assembly  
34-W1530RWA shown



End panel  
34-24EP shown




Filler panel  
34-2806BFP shown (desk height)  
34-L2806BFP shown (low height)




Back panel  
34-2830MCB shown (desk height)  
34-L2830MCB shown (low height)



Fold down back panel  
34-28MFBB shown



Hinged access panel 12"-48"w



Hinged access panel 48.06"-94"w



## Modular Supports, metal

### General

- Includes cable management cavity with top and bottom retaining clips

### Trifoil column base

- Worksurface height support for runoff worksurfaces
- 4.25" diameter extruded trifoil shape
- **Note:** Not for use with conference or table desk surfaces

### Trifoil pedestal base

- Support for 30" square and 36" round tops
- 4.25" diameter extruded trifoil shape
- 22" diameter disc base
- **Note:** Color finish option is for column, disc base standard in powder coat black

### Duofoil legs

- Worksurface height support
- 3.5" x 1.5" extruded duofoil shape
- Legs mount at 10 degree angle
- Sold in pairs
- Available with glides or casters
- **Note:** Caster version not for use with overlay tops

### Duofoil standoffs

- Used to connect worksurface height tops with low height cabinets
- 3.5" x 1.5" extruded duofoil shape
- Legs mount perpendicular to worksurface
- Sold individually
- **Note:** Requires field boring of low height worksurface



Trifoil column  
34-TFC



Trifoil pedestal  
34-TFP



Duofoil, glides  
34-DFC



Duofoil, casters  
34-DFCC



Duofoil, standoff  
34-DFS

## Table/conference top Veneer

### General

- 1.1875" thick veneer surface
- 2" flat knife profile around perimeter
- **Note:** Clamp on accessories will not work on 2" flat knife edge
- Specify bases separately
- For 30x30 and 36" dia. tops use 34-TFP trifoil base
- Tops 42" and up require two sets of 34-DFC duofoil legs

### Soft square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60
- 4" radius on corners
- For grommet or power supply cutout, specify ST model

### Eased square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60
- For grommet or power supply cutout, specify SST model

### Round

- Diameters: 36", 42", 48", 54", 60"
- For grommet or power supply cutout, specify VT model

### Soft square



Plan view



34-30ST on 34-TFP trifoil base



34-42ST on 34-DFC duofoil legs

### Eased square



Plan view



34-30SST on 34-TFP trifoil base



34-42SST on 34-DFC duofoil legs

### Round



Plan view



34-36RT on 34-TFP trifoil base



34-42RT on 34-DFC duofoil legs

## Table/conference top Veneer, continued

### General

- 1.1875" thick veneer surface
- 2" flat knife profile around perimeter
- **Note:** Clamp on accessories will not work on 2" flat knife edge
- Specify bases separately

### Soft rectangle

- Widths: 72"w, 84"w, 96"w, 108"w
- Depths: 36"d or 42"d
- 72"w and 84"w tops require two sets of duofoil legs
- 96"w and 108"w tops require three sets of duofoil legs
- For grommet or power supply cutout, specify RT model

### Eased rectangle

- Widths: 66"w, 72"w, 78"w, 84"w
- Depths: 36"d or 42"d
- All top sizes require two sets of duofoil legs
- For grommet or power supply cutout, specify VT model

### Eased rectangle



Plan view



34-6636VT with four 34-DFC duofoil legs

### Soft rectangle



Plan view



34-7236SRT with four 34-DFC duofoil legs



34-9636SRT with six 34-DFC duofoil legs



## Table/conference top Glass Overlay

### General

- 1.1875" thick veneer surface
- 2" flat knife profile around perimeter
- **Note:** Clamp on accessories will not work on 2" flat knife edge
- Specify bases separately
- For 30x30 and 36" dia. tops use use 34-TFP trifoil base
- Tops 42" and up require two sets of 34-DFC duofoil legs

### Soft square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60
- 4" radius on corners

### Eased square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60

### Round

- Diameters: 36", 42", 48", 54", 60"

### Soft square



Plan view



34-30STG on 34-TFP trifoil base



34-42STG on 34-DFC duofoil legs

### Eased square



Plan view



34-30SSTG on 34-TFP trifoil base



34-42SSTG on 34-DFC duofoil legs

### Round



Plan view



34-36RTG on 34-TFP trifoil base



34-42RTG on 34-DFC duofoil legs

## Table/conference top Glass overlay, continued

### General

- 1.1875" thick veneer subtop with 0.375" glass overlay, 1.5625" total thickness
- Veneer subtop with flat edge inset 1.5" around perimeter
- Specify bases separately

### Soft rectangle

- Widths: 72"w, 84"w, 96"w, 108"w
- Depths: 36"d or 42"d
- 72"w and 84"w tops require two sets of duofoil legs
- 96"w and 108"w tops require three sets of duofoil legs

### Soft rectangle



Plan view



34-7236RTG with four 34-DFC duofoil legs



34-9636RTG with six 34-DFC duofoil legs

## Table/conference top Solid surface, no overlay

### General

- 1.1875" thick solid surface
- 2" flat knife profile around perimeter
- **Note:** Clamp on accessories will not work on 2" flat knife edge
- Specify bases separately
- For 30x30 and 36" dia. tops use use 34-TFP trifoil base
- Tops 42" and up require two sets of 34-DFC duofoil legs

### Soft square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60
- 4" radius on corners


### Eased square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60

### Round

- Diameters: 36", 42", 48", 54", 60"

### Soft square



Plan view



34-30STCNO on 34-TFP trifoil base



34-42DTCNO on 34-DFC duofoil legs

### Eased square



Plan view



34-30SSTCNO on 34-TFP trifoil base



34-42SSTCNO on 34-DFC duofoil legs

### Round



Plan view



34-36RTCNO on 34-TFP trifoil base



34-42RTCNO on 34-DFC duofoil legs

## Table/conference top Solid surface, no overlay continued

### General

- 1.1875" thick solid surface
- Veneer subtop with flat edge inset 1.5" around perimeter
- Specify bases separately
- 72"w and 84"w tops require two sets of duofoil legs
- 96"w and 108"w tops require three sets of duofoil legs


### Eased rectangle

- Widths: 72"w, 84"w, 96wW, 108"w
- Depths: 36"d or 42"d
- For grommet or power supply cutout, specify VTC model

### Soft rectangle

- Widths: 72"w, 84"w, 96"w, 108"w
- Depths: 36"d or 42"d

### Eased rectangle



Plan view




34-7236VTCNO with four 34-DFC duofoil legs



34-9636VTCNO with six 34-DFC duofoil legs

### Soft rectangle



Plan view



34-7236SRTCNO with four 34-DFC duofoil legs



34-9636SRTCNO with six 34-DFC duofoil legs

## Table/conference top Solid surface with overlay

### General

- 1.1875" thick veneer subtop with 0.5" solid surface overlay, 1.6875" total thickness
- Specify bases separately
- For 30x30 and 36" dia. tops use use 34-TFP trifoil base
- Tops 42" and up require two sets of 34-DFC duofoil legs

### Soft square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60
- 4" radius on corners


### Eased square

- Sizes: 30x30, 42x42, 48x48, 54x54, 60x60

### Round

- Diameters: 36", 42", 48", 54", 60"

### Soft square



Plan view




34-30STC on 34-TFP trifoil base



34-42STC on 34-DFC duofoil legs

### Eased square



Plan view



34-30SSTC on 34-TFP trifoil base



34-42SSTC on 34-DFC duofoil legs

### Round



Plan view



34-36RTC on 34-TFP trifoil base



34-42RTC shown on 34-DFC duofoil legs

## Table/conference top Solid surface, with overlay continued


### General

- 1.1875" thick veneer subtop with 0.5" solid surface overlay, 1.6875" total thickness
- Specify bases separately
- 72"w and 84"w tops require two sets of duofoil legs
- 96"w and 108"w tops require three sets of duofoil legs

### Soft rectangle

- Widths: 72"w, 84"w, 96"w, 108"w
- Depths: 36"d or 42"d

### Soft rectangle



Plan view



34-7236RTC with four 34-DFC duofoil legs



34-9636RTC with six 34-DFC duofoil legs

## Benching Fixed height bases

### General

- Low height base and cabinets include fixed duofoil standoffs
- Includes cutout for mounting cross rail
- Removable access panel

### End cabinet, open shelf back

- 60" w x 18" d x 22.25" h
- One adjustable and one stationary shelf per section
- Option to pre bore holes for privacy screen. Mounts centered on 60" d and offset 3" from open shelf side

### Panel base

- Widths: 30" w or 60" w
- 6" d x 22.25" h
- Use at end of runs

### Panel base



30" w  
34-4206FHWC1



60" w  
34-6006FHWC1

### End cabinet

open shelf back



34-6018FHWC2  
Exterior side



Interior side



## Benching Fixed height bases, continued

### General

- Low height base and cabinets include fixed duofoil standoffs
- Includes cutout for mounting cross rail
- Removable access panel

### End cabinet, open end shelves

- Depths: 18”d or 30”d
- 60”w x 22.25”h
- Unfinished back. Optional finished back on 18”d only
- One adjustable and one stationary shelf per section
- Option to pre bore holes for privacy screen. 18”d mounts centered on 60”d and offset 3” from open shelf side. 30”d mounts centered on length and depth

### Middle cabinet, open end shelves

- Depths: 18”d or 30”d
- 60”w x 22.25”h
- One adjustable and one stationary shelf per section, on both sides. Center divider panel
- Option to pre bore holes for privacy screen on 30”d cabinet. Mounts centered on length and depth

### End cabinet

open end shelves



18”d  
34-6018FHWC4



30”d  
34-6030FHWC4

### Middle cabinet

open end shelves



18”d  
34-6018FHWC5



30”d  
34-6030FHWC5

## Benching Fixed height worksurfaces

### General

- Depth: 30"
- Widths: 54"w, 60"w, 66"w, 83"w
- 1.1875" thick veneer or solid surface worksurfaces
- Worksurface shapes available as rectangle or soft rectangle
- Solid surface table maximum weight allowance is 100 lbs
- Use with open plan fixed bases

### Rectangle

- 2" flat knife profile on users side
- **Note:** Clamp on accessories will not work on 2" flat knife profile


### Soft rectangle

- 2" flat knife profile around perimeter
- 4" radius on corners
- **Note:** Clamp on accessories will not work on 2" flat knife profile

### Rectangle



Veneer  
34-6030FHRT shown




Solid surface  
34-6030FHRTC shown

### Soft rectangle



Veneer  
34-6030FHSRT shown



Solid surface  
34-6030FHSRTC shown

## Benching Height adjustable bases

### General

- Height adjustable control, switch and cables specified with height adjustable worksurface
- Low height base and cabinets include height adjustable columns
- Includes cutout for mounting cross rail
- Removable access panel

### Panel base

- Widths: 30"w or 60"w
- 6"d x 22.25"h
- Use at end of runs

### End cabinet, open shelf back

- Widths: 30"w or 60"w
- 18"d x 22.25"h
- One adjustable and one stationary shelf per section
- Option to pre bore holes for privacy screen on 60"w end cabinet. Mounts centered on 60"d and offset 3" from open shelf side

### End cabinet, unfinished back

- Depths: 18"d or 30"d
- 60"w x 22.25"h
- Unfinished back. Optional finished back on 18"d only

### Panel base



30"w  
34-3006HAWC1

60"w  
34-6006HAWC1

### End cabinet open shelf back



30"w exterior side  
34-3018HAWC2

30"w interior side

60"w exterior side  
34-6018HAWC2

60"w interior side

### End cabinet unfinished back



18"d  
34-3018HAWC4

30"d  
34-3030HAWC4

Optional finished back (LX)  
for 18"d only

## Benching Height adjustable bases, continued

### General

- Height adjustable control, switch and cables specified with height adjustable worksurface
- Low height base and cabinets include height adjustable columns
- Includes cutout for mounting cross rail
- Removable access panel

### End cabinet, open end shelves

- Depths: 18"d or 30"d
- 60"w x 22.25"h
- Unfinished back. Optional finished back on 18"d only
- One adjustable and one stationary shelf per section
- Option to pre bore holes for privacy screen. 18"d mounts centered on 60"d and offset 3" from open shelf side. 30"d mounts centered on length and depth

### Middle cabinet

- Depths: 18"d or 30"d
- 30"w x 22.25"h
- One adjustable and one stationary shelf per section, on both sides. Center divider panel

### Middle cabinet, open end shelves

- Depths: 18"d or 30"d
- 60"w x 22.25"h
- One adjustable and one stationary shelf per section, on both sides. Center divider panel
- Option to pre bore holes for privacy screen on 30"d cabinet. Mounts centered on length and depth

### End cabinet

open end shelves



18"d  
34-6018HAWC4



30"d  
34-6030HAWC4

### Middle cabinet



18"d  
34-3018HAWC5



30"d  
34-3030HAWC5

### Middle cabinet

open end shelves



18"d  
34-6018HAWC5



30"d  
34-6030HAWC5

## Benching Height adjustable worksurfaces

### General

- Depth: 30"
- Widths: 54"w, 60"w, 66"w, 83"w
- 1.1875" thick veneer or solid surface worksurfaces
- Height adjustable control, switch and cables included with height adjustable worksurfaces
- Worksurface shapes available as rectangle or soft rectangle
- Table maximum weight allowance is 100 lbs
- Use with open plan height adjustable bases

### Rectangle

- 2" flat knife profile on users side
- **Note:** Clamp on accessories will not work on 2" flat knife profile


### Soft rectangle

- 2" flat knife profile around perimeter
- 4" radius on corners
- **Note:** Clamp on accessories will not work on 2" flat knife profile

### Rectangle



Veneer  
34-6630HART shown




Solid surface  
34-6630HARTC shown

### Soft rectangle



Veneer  
34-6030HASRT shown



Solid surface  
34-6630HASRTC shown

## Benching Height adjustable manager desk

- Sweep top manager desk, handed left or right
- Desk sizes: 68x60 (66x58 actual surface size) or 74x60 (72x58 actual surface size)
- 2" flat knife profile around perimeter
- Column base standard for runoff support, optional panel base
- Fixed height duofoil standoffs opposite of desk, use with fixed height worksurfaces (specified separately)
- 60"w x 30"d low height cabinet, long grain on cabinet top
- One adjustable and one stationary shelf centered on height adjustable side
- Finished back on fixed height standoff side
- 1.1875" thick veneer or solid surface worksurfaces
- Height adjustable control, switch and cables included with height adjustable worksurfaces
- Table maximum weight allowance is 100 lbs
- Removable access panels each side
- Field installed grommet recommended for wire management
- **Note:** Clamp on accessories will not work on 2" flat knife profile

### Veneer



34-6860HALSTDM shown

### Solid surface



34-6860HALSTDMC shown

### Plan view



68x60



74x60

## Benching Cross rails

### General

- Use with open plan fixed height and height adjustable bases
- Supports power, privacy screens and cable baskets
- Option to pre bore holes for privacy panels
- 6”d x 1.75”h
- Widths:
  - 44”w (use with 54”w worksurfaces)
  - 50”w (use with 60”w worksurfaces)
  - 56”w (use with 66”w worksurfaces)
  - 62”w (use with 72”w worksurfaces)

### Basic power

- 3 + 1 wire configuration
- One power block assembly included, does not include duplex receptacles or infeeds
- Four outlets each user
- UL listed components

### Premium power

- Includes same items as basic power cross rail
- Silver powder coat face plates cover power block assembly

### Chicago power

- One power block assembly with outlet boxes and face plates
- Receptacles not included
- Hard wired on site

### Cross rail wire management

- Attaches to underside of cross rail
- Cable basket:
  - 32”w (use with 54”w and 60”w cross rails)
  - 44”w (use with 66”w and 72”w cross rails)
- PET basket:
  - 32”w (use with 54”w and 60”w cross rails)
  - 44”w (use with 66”w and 72”w cross rails)

### No power



34-54PRB shown

### Basic power



34-54PRB-4 shown

### Premium power



34-54PRA-4 shown

### Chicago power



34-54PRC-4 shown



## Benching storage Shared floor storage

### General

- 22.25" h low height storage
- Includes 0.75" thick top
- All shelving sections feature one stationary and one adjustable shelf

### Open storage, alternating

- Yin yang storage configuration
- Depth: 18" d
- Widths: 30" w, 36" w, 42" w, 48" w

### Open storage, back to back

- Shelving on each side, center divider along width
- Depth: 30" d
- Widths: 30" w, 36" w, 42" w, 48" w, 54" w, 60" w
- 42" w features 12" w and 30" w open shelving
- 48" w features 18" w and 30" w open shelving
- 54" w features 18" w and 36" w open shelving
- 60" w features 30" w and 30" w open shelving

### Open storage

alternating



34-3018SGC1 shown



34-4218SGC1 shown

### Open storage

back to back



30-3030SGC4 shown



34-4230SGC9 shown



34-6030SGC9 shown

## Benching storage Shared floor storage, continued

### General

- 22.25" h low height back to back storage
- Depth: 30" d
- Includes 0.75" thick top
- All shelving sections feature one stationary and one adjustable shelf

### Box/lateral

- One box drawer and one lateral file drawer on each side, center divider along width
- Widths: 30" w and 36" w

### Box/file and box/lateral file

- Box/file and box/lateral drawer on each side, center divider along width. Not handed
- 42" w features 12" w and 30" w open shelving
- 48" w features 18" w and 30" w open shelving
- 54" w features 18" w and 36" w open shelving

### Open with box/file

- Open shelving and one box/file drawer on each side, center divider along width. Not handed
- 30" w features 15" w box/file and 15" w open shelf
- 36" w features 18" w box/file and 18" w open shelf
- 42" w features 12" w box/file and 30" w open shelf
- 48" w features 18" w box/file and 30" w open shelf
- 54" w features 18" w box/file and 36" w open shelf

### Open with box/lateral file

- Open shelving and one box/file drawer on each side, center divider along width. Not handed
- 42" w features 12" w box/ lateral and 30" w open shelf
- 48" w features 18" w box/lateral and 30" w open shelf
- 54" w features 18" w box/lateral and 36" w open shelf
- 60" w features 30" w box/lateral and 30" w open shelf

### Box/lateral file



34-3030SGC2 shown

### Box/file and box/lateral file



34-4230SGC6 shown

### Open with box/file



34-3030SGC3 shown



34-4230SGC8 shown

### Open with box/lateral file



34-4830SGC7 shown

## Benching storage Towers

### General

- Double sided cabinet
- 30" planning depth

### Privacy height

- Widths: 12"w, 18"w, 24"w
- 27.5"d x 42"h
- Open tower:
  - Two adjustable 1" thick shelves with beveled edges and one fixed shelf, each side
- Hinged door tower:
  - Coat hook standard, each side
  - Optional two adjustable 1" thick shelves with beveled edges and one fixed shelf, each coat hooks section

### Tall height

- Widths: 12"w, 18"w, 24"w
- 27.5"d x 68.25"h
- Open tower:
  - Four adjustable 1" thick shelves with beveled edges and two fixed shelves, each side
- Hinged door tower:
  - Coat hook standard, each side
  - Optional four adjustable 1" thick shelves with beveled edges and one fixed shelf, each side
- Open/hinged door tower:
  - Coat hook behind hinged door, each side
  - 10.875"w three adjustable 1" thick shelves with beveled edges and two fixed shelves next to door, each side
  - Optional three adjustable shelves with and two fixed shelves in coat hook section, each side

### Privacy height



Open shelving  
34-1842SC15D shown



Hinged door  
34-1842SC1D shown

### Tall height



Open shelving  
34-1868SC15D shown



Hinged door  
34-1868SC1D shown



Open/hinged door  
34-2468SC11D shown

## Benching accessories Cushions and privacy screens

### Floor storage cushions

- 14x14, 29x14, 35x14, 29x29 and 35x29
- Height: 1.75”h
- 14”d used with 18”d applications, 29”d used with 30”d applications
- Option to attach to low height storage with industrial hook and loop, or movable
- Field installed

### Privacy screens

- Use on low height fixed or height adjustable cabinet bases and cross rails
- Widths: 38”w, 44”w, 50”w, 56”w
- Depth: 1.44”d
- Heights: 19.5”h (for 42”h applications) and 25.5”h (for 48”h applications)
- Fabric or veneer panel. Fabric is tackable, vertical grain veneer panel
- Field installed, includes surface mounting post brackets
- Requires drilling two pilot holes in cabinet top for installation

### Floor storage cushions



34-1414SC



34-2914SC shown



34-2929SC



34-3529SC

### Privacy screen



Fabric (for 42” applications)  
34-3820PP shown



Fabric (for 48” applications)  
34-3826PP



Veneer (for 42” applications)  
34-3820WP



Veneer (for 48” applications)  
34-3826WP

## Benching Electrical

- Infeed options include: liquid tight, metal, NYC code, plug and play, and title 24, liquid and metal infeeds are 10' long, NYC code and plug and play infeeds are 6' long
- **Note:** Plug and play infeed limits system, must use all circuit I duplexes
- Duplexes available in circuit I, II, III and IV. Separate model numbers for PWF4M120N infeeds. 15 AMP
- Jumpers: Use MCJ8W48M for 18" cabinets, and MCJ8W60M for 30" cabinets




Hardwired infeed -  
Liquid Tight or metal  
PWF3L120 / PWF3M120




Hardwired infeed -  
NYC  
PWF3NYC



Plug and play infeed  
PWF3M20AMP




Power jumper  
MCJ8W\_M




Duplex  
DPX8W\_

## Data

- While most end users may prefer to supply their own data items, OFS does offer the below data solutions, coordinate with your end user to determine the best scenario for their needs
- Data module box can be mounted anywhere underneath the surface, includes two adapter ports, and adapter kit for jacks and couplers
- Standard inserts available are RJ-11 voice hard wire jack and RJ-45 voice and data hard wire jack, all other jack options to be sourced separately



Data box  
DM1



Voice jack **RJ-11**  
Data jack **RJ-45**

## Power supplies

### Max

- Free place power to any surface
- Solid ash housing, four cord finishes
- 10' woven cord with leather strap. 45° grounded flat plug for flush wall mounting
- 15 amp 125 volt 1875 watt
- Three grounded power outlets
- Desktop, wall, or vertical mount

### Mya

- Free place power to any surface
- Solid ash housing, four cord finishes
- Powder coated steel base
- 10' woven cord with leather strap. 45° grounded flat plug for flush wall mounting
- 15 amp 125 volt 1875 watt
- Three grounded power outlets

### Misc power

- PS-77: (6) outlet surge protector, 10' power cord
- PS-100: (1) Outlet, (1) USB-A charging port, (1) USB-C charging port, 9' braided power cord
- WC-2: Wireless charging, single or multi unit, field installed

### Max



Power strip  
PS-3AC

### Mya



Power strip with base  
PS-3ACS

### Misc power



Undersurface  
PS-77



Set on power  
PS-100



Set on power  
WC-2

## Lighting

### Tilly

- 6" diameter table top base or clamp mount. **Note:** Clamps to worksurfaces 0.5"-1.25" thick
- Single or double arm
- Powder coated aluminum
- Brightness dimming
- 3' silver cord and 9' black 18 watt wall transformer
- Automatic shutoff after 10 hours
- Optional USB

### JoJo

- Pendant lamp
- Powder coated aluminum shade
- Opal glass diffuser
- 10' cord, hardwired only
- Full range dimming with wireless control
- Optional 20" cord with dual 2A USB-A ports

### Ella

- Two heights: freestanding floor lamp or surface mounted
- Frosted acrylic diffuser
- Powder coated aluminum/steel
- Brightness dimming
- 11' cord
- Automatic shutoff after 10 hours
- Optional 2 amp USB-A charging ports (surface mount only)
- **Note:** Surface mount requires a 3.5" diameter hole and mounts to a surface that is .935" to 1.185" thick

### Tilly



LCA-TL3BM shown

### Ella



LCA-TL1

### JoJo



LCA-PL1



## Work accessories

### Coop

- 13.5" w x 9.5" d x 7.5" h
- Powder coated aluminum
- Solid white oak handle
- Divided storage compartments

### Skid

- 3.5" w x 8.5" d x 3" h
- Powder coated steel base and pencil cup
- Integrated solid white oak tray

### Prio

- Nesting storage vessels. 3 piece set in two finish palettes: Neutral and Earth
- 2.5" w x 2.5" d
- Heights: 3", 4.13" and 5.25" h all included
- Powder coated aluminum and thermoplastic
- Removable rubber bottoms for water resistance and easy cleaning

### Porter

- Formed aluminum planter
- Width: 15"
- Heights: 17" h, 25" h, and 35" h
- Depths: 15" d and 30" d
- Height adjustable inner-tray accepts standard liners
- Ships flat packed
- No tools necessary for assembly
- Plastic liner included

### Duke

- 1.75" w x 1.5" d x 3.25" h
- Solid ash
- Metal stud and plastic wall anchor for mounting

Coop




LCA-DC1

Skid



LCA-DT01

Prio



LCA-NSV1  
Earth shown

Porter



LCA-PL15\_\_\_\_\_

Duke



LCA-WH1

## Work accessories Continued

### Keyboard trays

- Keyboard arm KBA-1 and Wood Tray WKT to be used together
- Keyboard arm KBA-2: Arm assembly with built in clamps, no additional tray needed
- Keyboard KBA-3 features integrated keyboard and mouse tray
- Wood keyboard tray WK/S: extendable tray

### Monitor arms

- Monitor arm MA-1 (single) and MA-1D (double), clamp on

### Sit to stand

- Sit to stand monitor/keyboard arm, available with single or double monitor arm
- Desktop sit to stand workstation integrated keyboard tray, space for two monitors, available in white finish


### Storage add ons

- PET pencil tray insert. Grey PET divided pencil tray. Use DA18-1 in 15" w box drawer pedestal. Use DA14-1 in 18" w box drawer pedestals
- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface. Not compatible with tables that use straighteners or troughs
  - OCD: Use with single, double pedestal desks or peninsula tops with no modesty
  - OCD1: Use with peninsula tops with a modesty

### Misc items

- CPU Holder: mounts to underside of surface

### Keyboard trays



Keyboard arm  
KBA-1


Wood tray  
WKT

Keyboard arm  
KBA-2

Keyboard tray  
KBA-3

Wood keyboard tray  
WK/S


### Monitor arms



Single arm  
MA-1

Double arm  
MA-1D


### Sit to stand



Monitor/keyboard arm  
single arm shown  
MKA-1S\_

Workstation  
SSW-1W

### Storage add ons




Pencil tray  
DA18-1 / DA14-1

Pencil drawer  
PD-1

Center drawer  
OCD/OCD1

### Misc items




CPU holder  
CPUH-1

## Wire management


- Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Cable management clip, mounts to underside of surface, three positions, not intended for heavy duty cabling
- Wire management cord stay comes as a set of two, and can manage cords ¼" diameter along any TFL or veneer item
- Plastic, wire basket, trough and PET wire manager are used to manage user cords horizontally along underside of surface
- Fabric wire manager and table to table connection are commonly used to manage wires that span from a height adjustable surface to a fixed height surface
- Adjustable height wire manager commonly used in stand alone height adjustable table applications



Velcro wire manager  
WM-V4



Cable management undersurface clip  
CM30-NR



Cord stay  
WMCS



Plastic wire manager  
WM2-\_\_



Wire basket manager  
WBT-\_\_H



Wire management trough  
WMT-\_\_




PET wire manager  
WM-P\_\_



Fabric wire manager  
WM-HA6



Height adjustable table desk manager  
WM-HA



Height adjustable table to table manager  
WM-HA\_