

Edges		Pulls
 Square (EY)	 Soft bullnose	 Tab with metal bracket

Standard finish selection

<http://ofs.com/resources/finishes>

- | | |
|---------------|---|
| Veneer | <ul style="list-style-type: none"> • Standard veneers • Super matte veneers • Quarter cut only |
| Laminate | <ul style="list-style-type: none"> • Standard and studio solid HPL laminates • Standard and studio woodgrain HPL laminates • Note: HPL laminates applied to worksurfaces only |
| Paint | <ul style="list-style-type: none"> • Standard and studio paints |
| Solid surface | <ul style="list-style-type: none"> • Standard solid surface offering |
| Powder coat | <ul style="list-style-type: none"> • Standard and studio powder coats |

Series details

- | | |
|--------------|--|
| Heights | <ul style="list-style-type: none"> • Fixed desk overall heights: <ul style="list-style-type: none"> - Worksurface height: 29"h - Wardrobe height: 82"h • Credenzas (no cushion): <ul style="list-style-type: none"> - 20"h • Credenzas (with cushion): <ul style="list-style-type: none"> - 19"h |
| Drawer pulls | <ul style="list-style-type: none"> • Tab pull with bracket • Tab pull available in two materials: <ul style="list-style-type: none"> - Nylon: Grey, Navy, Black, Tan - Leather: Brown, Grey, Rust, Black, Navy, Beige • Bracket is available in all standard and studio powder coats and Ion super matte powder coat |
| Slides | <ul style="list-style-type: none"> • All drawer slides are soft close |
| Grommets | <ul style="list-style-type: none"> • For height adjustable desks only • Round grommet • Optional on all height adjustable worksurfaces • Black or Polished Aluminum |

Worksurface

- | | |
|----------------------------|---|
| Construction/
materials | <ul style="list-style-type: none"> • 1" thick worksurface • Paint, HPL, or veneer <ul style="list-style-type: none"> - 3-ply construction • Solid surface <ul style="list-style-type: none"> - subtop is 12mm Russian Birch |
| Edge | <ul style="list-style-type: none"> • Square <ul style="list-style-type: none"> - For HPL and veneer worksurfaces - 2mm wood edge • Soft bullnose <ul style="list-style-type: none"> - For paint and solid surface worksurfaces |

Height adjustable components

Lift mechanism	2 stage column constructed out of 2mm thick powder coated steel - Steel shroud that conceals the lift mechanism is available in all standard and studio powder coats - Singular lift mechanism range: 28"-44" 10' power cord, 8'6" of usable cord length - Table maximum weight allowance is 75 lbs
Controller	- Paddle switch height adjustable controller - One preset height
Freestanding base	- Pedestal with integrated wire management - Steel base plate available in standard and studio powder coats - Adjustable levelers, allow for up to ¼" of leveling
Wall mounted base	- Wall mounted pedestal with integrated wire management - Non-skid plastic glides
Wire management	- Wire management shroud within desk base column - Optional metal wire manager. Available as black or shroud matching
Power and charging	3 outlet power strip standard in height adjustable base - Optional PS-77 power supply for under worksurface

Fixed height desk

Construction	- Desk and wardrobe storage combined into one unit - Desk offset 1.5" from wall for wire management
Support	- Entire unit mounts to wall, wardrobe 6" AFF - Worksurface bracket finish in either Luster Grey, Onyx, or Bone White
Wardrobe	- Quartered or super matte veneer with wood edgebanding - Upholstered surround fabrics are limited to Ally approved textiles list - Surround conceals wardrobe chassis - Optional hinged door with touch latch, no pull - Includes fixed shelf, one adjustable shelf, and two coat hooks - Steel coat hooks available in standard and studio powder coats

Credenza

Construction	- Drawers are mitre fold dark maple vinyl wrapped particleboard - Drawer sides and backs are .5" thick - Drawer bottoms: tray drawer .125" thick, box and file drawers .25" thick - Drawer fronts are field replaceable - Drawers have ¾ extension and soft close slides with steel ballbearing suspensions - File rails include in all file drawers to accommodate letter or legal filing - Non locking standard. Optional locking for file drawer and hinged door sections
Cushion top	- Cushion models feature 3.5" cushion on 1" substrate - Total cushion height: 4.5"h - Fabric is ran railroad only Note: Leather cannot be specified
Tray storage	- Credenzas with legs feature option to add tray storage between legs - Standard and studio powder coats
Locking	Optional locking for file drawer and hinged door sections only



Occasional tables

Top	• Top shapes: Square, round, rectangle • Fixed or height adjustable • Top available in paint, HPL, veneer or solid surface
Base	• Base available as veneer or upholstered • Non skid plastic glides
Height adjustable	• Electric height adjustable base • Height range: 16.5"-26.5" • Metal shroud on height adjustable tables available in all standard and studio powder coats • 10' power cord, 8'6" of usable cord length
Power	• Optional power modules centered in surface • PS-91 or PS-92 • Power available in black or white • 10' power cord, 8'6" of usable cord length

Wall panels

Construction	• Flat and curved wall panels • Note: Curved available only with cork face • Curved wall panel features open side storage with steel coat hook • Steel coat hooks available in standard and studio powder coats • When modular wall panels are joined at a seam, a trim strip will be added when the left wall panel • Supports TV with mount up to 55 lbs.
Materials	• Face available as: cork, HPL markerboard, veneer • All panels will have an upholstered edge and are restricted to Ally approved textiles list
Marker tray	• Available in all standard and studio powder coats • Mounts to back side of wall panel at the bottom