



Low back upholstered swivel base 85015-L

Overall dimensions	19.5"w x 22.75"d x 32"h (armless) 24.5"w x 22.75"d x 32.75"h (arms)	Weight	16 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	9	
Seat to top of back	17.5"	COM	1.5 yds.	基
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Mid back upholstered swivel base 85015-M

Overall dimensions	19.5"w x 22.75"d x 35.25"h (armless) 24.5"w x 22.75"d x 36"h (arms)	Weight	16 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	9	
Seat to top of back	21"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available		
Fully upholstered chair	Arms - standard/studio powder coats or polished chrome		
4-Prong swivel base	Base - standard/studio powder coats or polished aluminum		
Molded curved plywood one-piece shell	Casters/glides		

Mid back plastic swivel base 85115-M

Overall dimensions	18.75"w x 21.5"d x 34.75"h (armless) 24.5"w x 21.5"d x 35.5"h (arms)	Weight	14 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	18.75"w x 17"d x 17.5"h (armless) 18.75"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	9	
Seat to top of back	20.5"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft	
Top of arm to seat	8"			

Standard features	Options available
 Molded plastic one-piece shell 4-Prong swivel base 	 Shell finish Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished aluminum Casters/glides Upholstered seat pad

Low back swivel base 85215-L

Overall dimensions	19"w x 19.5"d x 32"h (armless) 24"w x 19.5"d x 32.5"h (arms)	Weight	13 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17."d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	9	
Seat to top of back	17"	сом	0.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8"			

Mid back swivel base 85215-M

Overall dimensions	19"w x 21"d x 35"h (armless) 24"w x 21"d x 35.5"h (arms)	Weight	13 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	9	
Seat to top of back	20.5"	СОМ	0.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of Arm to Seat	8.5"			

imagine a place® 800.521.5381 Spec sheets 1 of 6 ofs.com







Standard features	Options available		
3D molded veneer one-piece shell 4-Prong swivel base	 Shell finish - standard veneers on ash or walnut Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished aluminum Casters/glides Upholstered seat pad 		

Low back upholstered 4-leg steel base 85038-L

_					
	Overall dimensions	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
	Seat dimensions	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	Cubic feet	11	
	Seat to top of back	18"	СОМ	1.5 yds.	
	Top of arm to floor	26"	COL	30 sq. ft.	
	Top of arm to seat	7.5"			uu uu <i>U</i> L

Mid back upholstered 4-leg steel base 85038-M

Overall dimensions	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	Cubic feet	11	
Seat to top of back	21"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			00 00 0 0

Standard features	Options available		
Fully upholstered chair	Arms - standard/studio powder coats or polished chrome		
4-Leg steel base	Base - standard/studio powder coats or polished chrome		
Molded curved plywood one-piece shell	Casters/glides		

Mid back plastic 4-leg steel base 85138-M

Overall dimensions	22.5"w x 22"d x 34.5"h (armless) 24.5"w x 22"d x 34.5"h (arms)	Weight	18 lbs. (armless) 22 lbs. (arms)	
Seat dimensions	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.75"w x 17"d x 18.25"h (seat pad)	Cubic feet	11	
Seat to top of back	20.5"	СОМ	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft	
Top of arm to seat	8"			ou uo a c

Standard features	Options available
 Molded plastic one-piece shell 4-Leg steel base Stacks four high (armless only) 	Shell finish Arm - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Casters/glides Upholstered seat pad (stacking with upholstered seats is not recommended)

Low back 4-leg steel base 85438-L

•				
Overall dimensions	22.5"w x 20.5"d x 32"h (armless) 24"w x 20.5"d x 32"h (arms)	Weight	17 lbs. (armless) 21 lbs. (arms)	
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad)	Cubic feet	11	
Seat to top of back	17"	СОМ	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	H H # H
Top of arm to seat	8.5"			

Mid back 4-leg steel base 85438-M

ofs.com imagine a place* 800.521.5381 Spec sheets 2 of 6



Harpin

Overall dimensions 22.5" w x 22"d x 35"h (armless) 24" w x 22"d x 35"h (armless) Weight 21 lbs. (armless) 21 lbs. (arms) Seat dimensions 19" w x 17"d x 18"h (armless) 19" w x 17"d x 18"h (arms) 19" w x 17"d x 18.25"h (seat pad) Cubic feet 11 Seat to top of back Top of arm to floor 26" 20.5" COM 2.75 yds. Top of arm to seat 8.5" COL 15 sq. ft.					
19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad) Seat to top of back 20.5" COM .75 yds. Top of arm to floor 26" COL 15 sq. ft.	Overall dimensions	, ,	Weight	, ,	
Top of arm to floor 26" COL 15 sq. ft.	Seat dimensions	19"w x 17"d x 18"h (arms)	Cubic feet	11	
	Seat to top of back	20.5"	СОМ	.75 yds.	
	Top of arm to floor	26"	COL	15 sq. ft.	# # #
	Top of arm to seat	8.5"			

Standard features	Options available
3D molded veneer one-piece shell 4-Leg steel base	Shell finish - standard veneers on ash or walnut Arm - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Casters/glides Upholstered seat pad

Low back upholstered 4-leg wood base 85238-L

Overall dimensions	19.5"w x 22.25"d x 32.75"h (armless) 24.25"w x 22.25"d x 32.75"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arms)	Cubic feet	9	
Seat to top of back	18"	COM	1.5 yds.	/ \
Top of arm to floor	25.75"	COL	30 sq. ft.	// \/ // \/
Top of arm to seat	7.5"			

Mid back upholstered 4-leg wood base 85238-M

Overall dimensions	19.5"w x 22.25"d x 36"h (armless) 24.25"w x 22.25"d x 36"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arm)	Cubic feet	9	
Seat to top of back	21"	СОМ	1.5 yds.	
Top of arm to floor	25.75"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available
 Fully upholstered chair 4-Leg wood base Molded curved plywood one-piece shell Nylon glides 	 Arm - standard/studio powder coats or polished chrome Base - standard veneer finishes on ash or standard/studio paints on beech X-stretcher finish - standard/studio powder coats or polished chrome

Mid back plastic 4-leg wood base 85338-M

Overall dimensions	18.5"w x 22"d x 35.5"h (armless) 24.25"w x 22"d x 35.5"h (arms)	Weight	17 lbs. (armless) 21 lbs. (arms)	
Seat dimensions	18.5"w x 17"d x 17.5"h (armless) 18.5"w x 17"d x 17.5"h (arms) 18.5"w x 17.5"d x 18.5"h (seat pad)	Cubic feet	9	
Seat to top of back	20.5"	СОМ	.75 yds.	
Top of arm to floor	25.75"	COL	15 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available
Molded plastic one-piece shell 4-Leg wood base Nylon glides	 Shell finish Arm - standard/studio powder coats or polished chrome Base - standard veneer finishes on ash or standard/studio paints on beech X-stretcher finish - standard/studio powder coats or polished chrome Upholstered seat pad

Standard finish/textile selection

ofs.comimagine a place*800.521.5381Spec sheets3 of 6





Low back 4-leg wood base 85538-L

Overall dimensions	19.25"w x 20.75"d x 32"h (armless) 24"w x 20.75"d x 32"h (arms)	Weight	15 lbs. (armless) 19 lbs. (arms)	
Seat dimensions	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	Cubic feet	9	
Seat to top of back	17"	СОМ	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8.5"			

Mid back 4-leg wood base 85538-M

	1			
Overall dimensions	19.25"w x 21.5"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	Weight	18 lbs. (armless) 22 lbs. (arms)	
Seat dimensions	19"w x 17"d x 18"h (armless) 18.5"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	Cubic feet	9	
Seat to top of back	20.75"	COM	.75 yds.	// \\ // \\
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8.5"			

Standard features	Options available
3D molded veneer one-piece shell4-Leg wood baseNylon glides	 Shell finish - standard veneers on ash or walnut Arms - standard/studio powder coats or polished chrome Base - standard veneer finishes on ash or standard/studio paints on beech
	 X-stretcher finish - standard/studio powder coats or polished chrome
	Upholstered seat

Low back upholstered sled base 85035-L

Overall dimensions	21.5"w x 22.5"d x 32.25"h (armless) 24.5"w x 22.5"d x 32.25"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	11	
Seat to top of back	18"	СОМ	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Mid back upholstered sled base 85035-M

Overall dimensions	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	11	
Seat to top of back	21"	СОМ	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			u

Standard features	Options available
Fully upholstered chairSled baseMolded curved plywood one-piece shell	Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome

ofs.comimagine a place*800.521.5381Spec sheets4 of 6









Mid back plastic guest sled base 85135-M

Overall dimensions	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	Weight	20 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.5"h (seat pad)	Cubic feet	11	
Seat to top of back	20.5"	СОМ	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available
Molded plastic one-piece shell Sled base Stacks four high (armless only)	Shell finish Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Upholstered seat (stacking with upholstered seats is not recommended)

Low back guest sled base 85235-L

Overall dimensions	22"w x 22.5"d x 32"h (armless) 24"w x 22.5"d x 32"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	11	
Seat to top of back	17"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	U ()
Top of arm to seat	8.5"			

Mid back guest sled base 85235-M

•				
Overall dimensions	22"w x 22"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	12	
Seat to top of back	20.5"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8.5"			

Standard features	Options available
3D molded veneer one-piece shell Sled base Stacks four high (armless only)	 Shell finish - standard veneers on ash or walnut Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Upholstered seat (stacking with upholstered seats is not recommended)

ofs.com imagine a place® 800.521.5381 Spec sheets 5 of 6









https://ofs.com/resources/textiles

- Fabric must be approved and tested for use
- Patterned fabric will be randomly applied, no matching patterns.
- NOTE: Due to the unique shape of the Harpin shell leather can not be applied.

https://ofs.com/resources/finishes

Frame construction - fully upholstered

Seat/back

• Upholstery grade molded plywood shell

Upholstery

• All fabric pieces are cut with automated cutters that utilize precise patterns

Assembly

· Metal and wood components fastened by bolts with thread locker

Foam

- .5" Premium grade foam
- 67.5 lb. Compression
- 3.13 Density

Back

- .5" Premium grade foam
- 67.5 lb. Compression
- 3.13 Density

Frame construction - molded plastic

Seat/back

· Plastic molded shell

Assembly

· Metal and wood components fastened by bolts with thread locker

Frame construction - finished shell

Seat/back

• Finish grade 3D molded veneer one-piece shell in ash or walnut species (dependent on finish selection)

Assembly

· Metal and wood components fastened by bolts with thread locker

Base construction

Swivel

• 4-Prong swivel base with felt glides or caster option

Metal

• 4-Leg tube steel base with glide or caster option. Stacks 4 high armless only.

Sled

• 12 mm wire rod frame. Stacks 4 high armless only

Wood

• 4-Leg wood base legs are connected to a mount and x-stretcher. Ash wood legs for veneer finishes, beech wood legs for paints.

imagine a place® ofs.com 800.521.5381 Spec sheets 6 of 6