

Low back upholstered swivel base 85015-L

Overall dimensions	19.5"w x 22.75"d x 32"h (armless) 24.5"w x 22.75"d x 32.75"h (arms)	Weight	16 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	15	
Seat to top of back	17.5"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Mid back upholstered swivel base 85015-M

Overall dimensions	19.5"w x 22.75"d x 35.25"h (armless) 24.5"w x 22.75"d x 36"h (arms)	Weight	16 lbs. (armless) 25 lbs. (arms)	
Seat dimensions	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	15	
Seat to top of back	21"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> Fully upholstered chair 4-Prong swivel base Molded curved plywood one-piece shell Supports up to 275 lbs 	<ul style="list-style-type: none"> Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished aluminum Casters/glides

Mid back plastic swivel base 85115-M

Overall dimensions	18.75"w x 21.5"d x 34.75"h (armless) 24.5"w x 21.5"d x 35.5"h (arms)	Weight	14 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	18.75"w x 17"d x 17.5"h (armless) 18.75"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	15	
Seat to top of back	20.5"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8"			

Standard features	Options available
<ul style="list-style-type: none"> Molded plastic one-piece shell 4-Prong swivel base Supports up to 275 lbs 	<ul style="list-style-type: none"> Shell finish Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished aluminum Casters/glides Upholstered seat pad

Low back swivel base 85215-L

Overall dimensions	19"w x 19.5"d x 32"h (armless) 24"w x 19.5"d x 32.5"h (arms)	Weight	13 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	15	
Seat to top of back	17"	COM	0.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8"			

Mid back swivel base 85215-M

Overall dimensions	19"w x 21"d x 35"h (armless) 24"w x 21"d x 35.5"h (arms)	Weight	13 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	15	
Seat to top of back	20.5"	COM	0.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of Arm to Seat	8.5"			



Standard features	Options available
<ul style="list-style-type: none"> • 3D molded veneer one-piece shell • 4-Prong swivel base • Supports up to 275 lbs 	<ul style="list-style-type: none"> • Shell finish - standard veneers on ash or walnut • Arms - standard/studio powder coats or polished chrome • Base - standard/studio powder coats or polished aluminum • Casters/glides • Upholstered seat pad

Low back upholstered 4-leg steel base 85038-L

Overall dimensions	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	Cubic feet	15	
Seat to top of back	18"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Mid back upholstered 4-leg steel base 85038-M

Overall dimensions	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)	
Seat dimensions	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	Cubic feet	15	
Seat to top of back	21"	COM	1.5 yds.	
Top of arm to floor	26"	COL	30 sq. ft.	
Top of arm to seat	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> • Fully upholstered chair • 4-Leg steel base • Molded curved plywood one-piece shell • Supports up to 275 lbs • Stacks four high (armless only) 	<ul style="list-style-type: none"> • Arms - standard/studio powder coats or polished chrome • Base - standard/studio powder coats or polished chrome • Casters/glides

Mid back plastic 4-leg steel base 85138-M

Overall dimensions	22.5"w x 22"d x 34.5"h (armless) 24.5"w x 22"d x 34.5"h (arms)	Weight	18 lbs. (armless) 22 lbs. (arms)	
Seat dimensions	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.75"w x 17"d x 18.25"h (seat pad)	Cubic feet	15	
Seat to top of back	20.5"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8"			

Standard features	Options available
<ul style="list-style-type: none"> • Molded plastic one-piece shell • 4-Leg steel base • Supports up to 275 lbs • Stacks four high (armless only) 	<ul style="list-style-type: none"> • Shell finish • Arm - standard/studio powder coats or polished chrome • Base - standard/studio powder coats or polished chrome • Casters/glides • Upholstered seat pad


Low back 4-leg steel base 85438-L

Overall dimensions	22.5"w x 20.5"d x 32"h (armless) 24"w x 20.5"d x 32"h (arms)	Weight	17 lbs. (armless) 21 lbs. (arms)	
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad)	Cubic feet	15	
Seat to top of back	17"	COM	.75 yds.	
Top of arm to floor	26"	COL	15 sq. ft.	
Top of arm to seat	8.5"			



Mid back 4-leg steel base 85438-M


Overall dimensions	22.5"w x 22"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	Weight	17 lbs. (armless) 21 lbs. (arms)
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad)	Cubic feet	15
Seat to top of back	20.5"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> • 3D molded veneer one-piece shell • 4-Leg steel base • Supports up to 275 lbs 	<ul style="list-style-type: none"> • Shell finish - standard veneers on ash or walnut • Arm - standard/studio powder coats or polished chrome • Base - standard/studio powder coats or polished chrome • Casters/glides • Upholstered seat pad

Low back upholstered 4-leg wood base 85238-L

Overall dimensions	19.5"w x 22.25"d x 32.75"h (armless) 24.25"w x 22.25"d x 32.75"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)
Seat dimensions	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arms)	Cubic feet	15
Seat to top of back	18"	COM	1.5 yds.
Top of arm to floor	25.75"	COL	30 sq. ft.
Top of arm to seat	7.5"		



Mid back upholstered 4-leg wood base 85238-M

Overall dimensions	19.5"w x 22.25"d x 36"h (armless) 24.25"w x 22.25"d x 36"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)
Seat dimensions	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arm)	Cubic feet	15
Seat to top of back	21"	COM	1.5 yds.
Top of arm to floor	25.75"	COL	30 sq. ft.
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Fully upholstered chair • 4-Leg wood base • Molded curved plywood one-piece shell • Nylon glides • Supports up to 275 lbs 	<ul style="list-style-type: none"> • Arm - standard/studio powder coats or polished chrome • Base - standard veneer finishes on ash or standard/studio paints on beech • X-stretcher finish - standard/studio powder coats or polished chrome

Mid back plastic 4-leg wood base 85338-M


Overall dimensions	18.5"w x 22"d x 35.5"h (armless) 24.25"w x 22"d x 35.5"h (arms)	Weight	17 lbs. (armless) 21 lbs. (arms)
Seat dimensions	18.5"w x 17"d x 17.5"h (armless) 18.5"w x 17"d x 17.5"h (arms) 18.5"w x 17.5"d x 18.5"h (seat pad)	Cubic feet	15
Seat to top of back	20.5"	COM	.75 yds.
Top of arm to floor	25.75"	COL	15 sq. ft.
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Molded plastic one-piece shell • 4-Leg wood base • Nylon glides • Supports up to 275 lbs 	<ul style="list-style-type: none"> • Shell finish • Arm - standard/studio powder coats or polished chrome • Base - standard veneer finishes on ash or standard/studio paints on beech • X-stretcher finish - standard/studio powder coats or polished chrome • Upholstered seat pad

Low back 4-leg wood base 85538-L

Overall dimensions	19.25"w x 20.75"d x 32"h (armless) 24"w x 20.75"d x 32"h (arms)	Weight	15 lbs. (armless) 19 lbs. (arms)
Seat dimensions	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	Cubic feet	15
Seat to top of back	17"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	8.5"		



Mid back 4-leg wood base 85538-M


Overall dimensions	19.25"w x 21.5"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	Weight	18 lbs. (armless) 22 lbs. (arms)
Seat dimensions	19"w x 17"d x 18"h (armless) 18.5"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	Cubic feet	15
Seat to top of back	20.75"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> • 3D molded veneer one-piece shell • 4-Leg wood base • Nylon glides • Supports up to 275 lbs 	<ul style="list-style-type: none"> • Shell finish - standard veneers on ash or walnut • Arms - standard/studio powder coats or polished chrome • Base - standard veneer finishes on ash or standard/studio paints on beech • X-stretcher finish - standard/studio powder coats or polished chrome • Upholstered seat

Low back upholstered sled base 85035-L

Overall dimensions	21.5"w x 22.5"d x 32.25"h (armless) 24.5"w x 22.5"d x 32.25"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)
Seat dimensions	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	15
Seat to top of back	18"	COM	1.5 yds.
Top of arm to floor	26"	COL	30 sq. ft.
Top of arm to seat	7.5"		



Mid back upholstered sled base 85035-M


Overall dimensions	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	Weight	21 lbs. (armless) 25 lbs. (arms)
Seat dimensions	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	Cubic feet	15
Seat to top of back	21"	COM	1.5 yds.
Top of arm to floor	26"	COL	30 sq. ft.
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Fully upholstered chair • Sled base • Molded curved plywood one-piece shell • Supports up to 275 lbs • Stacks four high (armless only) 	<ul style="list-style-type: none"> • Arms - standard/studio powder coats or polished chrome • Base - standard/studio powder coats or polished chrome

Mid back plastic guest sled base 85135-M


Overall dimensions	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	Weight	20 lbs. (armless) 25 lbs. (arms)
Seat dimensions	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.5"h (seat pad)	Cubic feet	15
Seat to top of back	20.5"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> Molded plastic one-piece shell Sled base Supports up to 275 lbs Stacks four high (armless only) 	<ul style="list-style-type: none"> Shell finish Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Upholstered seat


Low back guest sled base 85235-L

Overall dimensions	22"w x 22.5"d x 32"h (armless) 24"w x 22.5"d x 32"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	15
Seat to top of back	17"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	8.5"		



Mid back guest sled base 85235-M

Overall dimensions	22"w x 22"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	Weight	19 lbs. (armless) 23 lbs. (arms)
Seat dimensions	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	Cubic feet	15
Seat to top of back	20.5"	COM	.75 yds.
Top of arm to floor	26"	COL	15 sq. ft.
Top of arm to seat	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> 3D molded veneer one-piece shell Sled base Supports up to 275 lbs Stacks four high (armless only) 	<ul style="list-style-type: none"> Shell finish - standard veneers on ash or walnut Arms - standard/studio powder coats or polished chrome Base - standard/studio powder coats or polished chrome Upholstered seat



Standard finish/textile selection

- <https://ofs.com/resources/textiles>
- Fabric must be approved and tested for use
- <https://ofs.com/resources/finishes>

Frame construction - fully upholstered

- | | |
|------------|--|
| Seat/back | • Upholstery grade molded plywood shell |
| Upholstery | • All fabric pieces are cut with automated cutters that utilize precise patterns |
| Assembly | • Metal and wood components fastened by bolts with thread locker |

Foam

- | | |
|------|--|
| Seat | <ul style="list-style-type: none">• .5" Premium grade foam• 67.5 lb. Compression• 3.13 Density |
| Back | <ul style="list-style-type: none">• .5" Premium grade foam• 67.5 lb. Compression• 3.13 Density |

Frame construction - molded plastic

- | | |
|-----------|--|
| Seat/back | • Plastic molded shell |
| Assembly | • Metal and wood components fastened by bolts with thread locker |

Frame construction - finished shell

- | | |
|-----------|--|
| Seat/back | • Finish grade 3D molded veneer one-piece shell in ash or walnut species (dependent on finish selection) |
| Assembly | • Metal and wood components fastened by bolts with thread locker |

Base construction

- | | |
|--------|---|
| Swivel | • 4-Prong swivel base with felt glides or caster option |
| Metal | • 4-Leg tube steel base with glide or caster option. Stacks 4 high armless only. |
| Sled | • 12 mm wire rod frame. Stacks 4 high armless only |
| Wood | • 4-Leg wood base legs are connected to a mount and x-stretcher. Ash wood legs for veneer finishes, beech wood legs for paints. |