





### Low back upholstered swivel base 85015-L


<b>Overall dimensions</b>	19.5"w x 22.75"d x 32"h (armless) 24.5"w x 22.75"d x 32.75"h (arms)	<b>Weight</b>	16 lbs. (armless) 25 lbs. (arms)	
<b>Seat dimensions</b>	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	17.5"	<b>COM</b>	1.5 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.	
<b>Top of arm to seat</b>	7.5"			

### Mid back upholstered swivel base 85015-M

<b>Overall dimensions</b>	19.5"w x 22.75"d x 35.25"h (armless) 24.5"w x 22.75"d x 36"h (arms)	<b>Weight</b>	16 lbs. (armless) 25 lbs. (arms)	
<b>Seat dimensions</b>	19.5"w x 17.25"d x 17.75"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	21"	<b>COM</b>	1.5 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.	
<b>Top of arm to seat</b>	7.5"			


Standard features	Options available
<ul style="list-style-type: none"> <li>Fully upholstered chair</li> <li>4-Prong swivel base</li> <li>Molded curved plywood one-piece shell</li> <li>Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>Arms - standard/studio powder coats or polished chrome</li> <li>Base - Polar, polished aluminum or satin black</li> <li>Casters/glides</li> </ul>

### Mid back plastic swivel base 85115-M


<b>Overall dimensions</b>	18.75"w x 21.5"d x 34.75"h (armless) 24.5"w x 21.5"d x 35.5"h (arms)	<b>Weight</b>	14 lbs. (armless) 23 lbs. (arms)	
<b>Seat dimensions</b>	18.75"w x 17"d x 17.5"h (armless) 18.75"w x 17"d x 18"h (arms) 18.5"h (seat pad)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.	
<b>Top of arm to seat</b>	8"			

Standard features	Options available
<ul style="list-style-type: none"> <li>Molded plastic one-piece shell</li> <li>4-Prong swivel base</li> <li>Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>Shell finish</li> <li>Arms - standard/studio powder coats or polished chrome</li> <li>Base - Polar, polished aluminum or satin black</li> <li>Casters/glides</li> <li>Upholstered seat pad</li> </ul>

### Low back swivel base 85215-L

<b>Overall dimensions</b>	19"w x 19.5"d x 32"h (armless) 24"w x 19.5"d x 32.5"h (arms)	<b>Weight</b>	13 lbs. (armless) 23 lbs. (arms)	
<b>Seat dimensions</b>	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	17"	<b>COM</b>	0.75 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.	
<b>Top of arm to seat</b>	8"			

### Mid back swivel base 85215-M

<b>Overall dimensions</b>	19"w x 21"d x 35"h (armless) 24"w x 21"d x 35.5"h (arms)	<b>Weight</b>	13 lbs. (armless) 23 lbs. (arms)	
<b>Seat dimensions</b>	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	20.5"	<b>COM</b>	0.75 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.	
<b>Top of Arm to Seat</b>	8.5"			



Standard features	Options available
<ul style="list-style-type: none"> <li>• 3D molded veneer one-piece shell</li> <li>• 4-Prong swivel base</li> <li>• Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>• Shell finish - standard veneers on ash or walnut</li> <li>• Arms - standard/studio powder coats or polished chrome</li> <li>• Base finish - Polar, polished aluminum or satin black</li> <li>• Casters/glides</li> <li>• Upholstered seat pad</li> </ul>

**Low back upholstered 4-leg steel base 85038-L**

<b>Overall dimensions</b>	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	<b>Weight</b>	19 lbs. (armless) 23 lbs. (arms)	
<b>Seat dimensions</b>	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	18"	<b>COM</b>	1.5 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.	
<b>Top of arm to seat</b>	7.5"			

**Mid back upholstered 4-leg steel base 85038-M**

<b>Overall dimensions</b>	22.5"w x 23"d x 35.5"h (armless) 24.5"w x 23"d x 35.5"h (arms)	<b>Weight</b>	19 lbs. (armless) 23 lbs. (arms)	
<b>Seat dimensions</b>	19.5"w x 17"d x 18.5"h (armless) 19.5"w x 17"d x 18.5"h (arms)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	21"	<b>COM</b>	1.5 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.	
<b>Top of arm to seat</b>	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> <li>• Fully upholstered chair</li> <li>• 4-Leg steel base</li> <li>• Molded curved plywood one-piece shell</li> <li>• Supports up to 275 lbs</li> <li>• Stacks four high (armless only)</li> </ul>	<ul style="list-style-type: none"> <li>• Arms - standard/studio powder coats or polished chrome</li> <li>• Base - standard/studio powder coats or polished chrome</li> <li>• Casters/glides</li> </ul>

**Mid back plastic 4-leg steel base 85138-M**

<b>Overall dimensions</b>	22.5"w x 22"d x 34.5"h (armless) 24.5"w x 22"d x 34.5"h (arms)	<b>Weight</b>	18 lbs. (armless) 22 lbs. (arms)	
<b>Seat dimensions</b>	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.75"w x 17"d x 18.25"h (seat pad)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.	
<b>Top of arm to seat</b>	8"			


Standard features	Options available
<ul style="list-style-type: none"> <li>• Molded plastic one-piece shell</li> <li>• 4-Leg steel base</li> <li>• Supports up to 275 lbs</li> <li>• Stacks four high (armless only)</li> </ul>	<ul style="list-style-type: none"> <li>• Shell finish</li> <li>• Arm - standard/studio powder coats or polished chrome</li> <li>• Base - standard/studio powder coats or polished chrome</li> <li>• Casters/glides</li> <li>• Upholstered seat pad</li> </ul>

**Low back 4-leg steel base 85438-L**

<b>Overall dimensions</b>	22.5"w x 20.5"d x 32"h (armless) 24"w x 20.5"d x 32"h (arms)	<b>Weight</b>	17 lbs. (armless) 21 lbs. (arms)	
<b>Seat dimensions</b>	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad)	<b>Cubic feet</b>	15	
<b>Seat to top of back</b>	17"	<b>COM</b>	.75 yds.	
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.	
<b>Top of arm to seat</b>	8.5"			

### Mid back 4-leg steel base 85438-M


<b>Overall dimensions</b>	22.5"w x 22"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	<b>Weight</b>	17 lbs. (armless) 21 lbs. (arms)
<b>Seat dimensions</b>	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 19"w x 17"d x 18.25"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>• 3D molded veneer one-piece shell</li> <li>• 4-Leg steel base</li> <li>• Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>• Shell finish - standard veneers on ash or walnut</li> <li>• Arm - standard/studio powder coats or polished chrome</li> <li>• Base - standard/studio powder coats or polished chrome</li> <li>• Casters/glides</li> <li>• Upholstered seat pad</li> </ul>

### Low back upholstered 4-leg wood base 85238-L

<b>Overall dimensions</b>	19.5"w x 22.25"d x 32.75"h (armless) 24.25"w x 22.25"d x 32.75"h (arms)	<b>Weight</b>	21 lbs. (armless) 25 lbs. (arms)
<b>Seat dimensions</b>	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arms)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	18"	<b>COM</b>	1.5 yds.
<b>Top of arm to floor</b>	25.75"	<b>COL</b>	30 sq. ft.
<b>Top of arm to seat</b>	7.5"		



### Mid back upholstered 4-leg wood base 85238-M

<b>Overall dimensions</b>	19.5"w x 22.25"d x 36"h (armless) 24.25"w x 22.25"d x 36"h (arms)	<b>Weight</b>	21 lbs. (armless) 25 lbs. (arms)
<b>Seat dimensions</b>	19.5"w x 17"d x 18"h (armless) 19.5"w x 17"d x 18"h (arm)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	21"	<b>COM</b>	1.5 yds.
<b>Top of arm to floor</b>	25.75"	<b>COL</b>	30 sq. ft.
<b>Top of arm to seat</b>	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>• Fully upholstered chair</li> <li>• 4-Leg wood base</li> <li>• Molded curved plywood one-piece shell</li> <li>• Nylon glides</li> <li>• Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>• Arm - standard/studio powder coats or polished chrome</li> <li>• Base - standard veneer finishes on ash or standard/studio paints on beech</li> <li>• X-stretcher finish - standard/studio powder coats or polished chrome</li> </ul>

### Mid back plastic 4-leg wood base 85338-M


<b>Overall dimensions</b>	18.5"w x 22"d x 35.5"h (armless) 24.25"w x 22"d x 35.5"h (arms)	<b>Weight</b>	17 lbs. (armless) 21 lbs. (arms)
<b>Seat dimensions</b>	18.5"w x 17"d x 17.5"h (armless) 18.5"w x 17"d x 17.5"h (arms) 18.5"w x 17.5"d x 18.5"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	25.75"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>• Molded plastic one-piece shell</li> <li>• 4-Leg wood base</li> <li>• Nylon glides</li> <li>• Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>• Shell finish</li> <li>• Arm - standard/studio powder coats or polished chrome</li> <li>• Base - standard veneer finishes on ash or standard/studio paints on beech</li> <li>• X-stretcher finish - standard/studio powder coats or polished chrome</li> <li>• Upholstered seat pad</li> </ul>

### Low back 4-leg wood base 85538-L

<b>Overall dimensions</b>	19.25"w x 20.75"d x 32"h (armless) 24"w x 20.75"d x 32"h (arms)	<b>Weight</b>	15 lbs. (armless) 19 lbs. (arms)
<b>Seat dimensions</b>	19"w x 17"d x 17.75"h (armless) 19"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	17"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	8.5"		



### Mid back 4-leg wood base 85538-M


<b>Overall dimensions</b>	19.25"w x 21.5"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	<b>Weight</b>	18 lbs. (armless) 22 lbs. (arms)
<b>Seat dimensions</b>	19"w x 17"d x 18"h (armless) 18.5"w x 17"d x 17.75"h (arms) 18.75"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	20.75"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>• 3D molded veneer one-piece shell</li> <li>• 4-Leg wood base</li> <li>• Nylon glides</li> <li>• Supports up to 275 lbs</li> </ul>	<ul style="list-style-type: none"> <li>• Shell finish - standard veneers on ash or walnut</li> <li>• Arms - standard/studio powder coats or polished chrome</li> <li>• Base - standard veneer finishes on ash or standard/studio paints on beech</li> <li>• X-stretcher finish - standard/studio powder coats or polished chrome</li> <li>• Upholstered seat</li> </ul>

### Low back upholstered sled base 85035-L

<b>Overall dimensions</b>	21.5"w x 22.5"d x 32.25"h (armless) 24.5"w x 22.5"d x 32.25"h (arms)	<b>Weight</b>	21 lbs. (armless) 25 lbs. (arms)
<b>Seat dimensions</b>	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	18"	<b>COM</b>	1.5 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.
<b>Top of arm to seat</b>	7.5"		



### Mid back upholstered sled base 85035-M


<b>Overall dimensions</b>	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	<b>Weight</b>	21 lbs. (armless) 25 lbs. (arms)
<b>Seat dimensions</b>	19.5"w x 17.25"d x 18.5"h (armless) 19.5"w x 17.25"d x 18.5"h (arms)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	21"	<b>COM</b>	1.5 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	30 sq. ft.
<b>Top of arm to seat</b>	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>• Fully upholstered chair</li> <li>• Sled base</li> <li>• Molded curved plywood one-piece shell</li> <li>• Supports up to 275 lbs</li> <li>• Stacks four high (armless only)</li> </ul>	<ul style="list-style-type: none"> <li>• Arms - standard/studio powder coats or polished chrome</li> <li>• Base - standard/studio powder coats or polished chrome</li> </ul>

### Mid back plastic guest sled base 85135-M


<b>Overall dimensions</b>	21.5"w x 22.5"d x 35.5"h (armless) 24.5"w x 22.5"d x 35.5"h (arms)	<b>Weight</b>	20 lbs. (armless) 25 lbs. (arms)
<b>Seat dimensions</b>	18.75"w x 17"d x 18"h (armless) 18.75"w x 17"d x 18"h (arm) 18.5"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>Molded plastic one-piece shell</li> <li>Sled base</li> <li>Supports up to 275 lbs</li> <li>Stacks four high (armless only)</li> </ul>	<ul style="list-style-type: none"> <li>Shell finish</li> <li>Arms - standard/studio powder coats or polished chrome</li> <li>Base - standard/studio powder coats or polished chrome</li> <li>Upholstered seat</li> </ul>


### Low back guest sled base 85235-L

<b>Overall dimensions</b>	22"w x 22.5"d x 32"h (armless) 24"w x 22.5"d x 32"h (arms)	<b>Weight</b>	19 lbs. (armless) 23 lbs. (arms)
<b>Seat dimensions</b>	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	17"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	8.5"		



### Mid back guest sled base 85235-M

<b>Overall dimensions</b>	22"w x 22"d x 35"h (armless) 24"w x 22"d x 35"h (arms)	<b>Weight</b>	19 lbs. (armless) 23 lbs. (arms)
<b>Seat dimensions</b>	19"w x 17"d x 18"h (armless) 19"w x 17"d x 18"h (arms) 18.5"h (seat pad)	<b>Cubic feet</b>	15
<b>Seat to top of back</b>	20.5"	<b>COM</b>	.75 yds.
<b>Top of arm to floor</b>	26"	<b>COL</b>	15 sq. ft.
<b>Top of arm to seat</b>	8.5"		



Standard features	Options available
<ul style="list-style-type: none"> <li>3D molded veneer one-piece shell</li> <li>Sled base</li> <li>Supports up to 275 lbs</li> <li>Stacks four high (armless only)</li> </ul>	<ul style="list-style-type: none"> <li>Shell finish - standard veneers on ash or walnut</li> <li>Arms - standard/studio powder coats or polished chrome</li> <li>Base - standard/studio powder coats or polished chrome</li> <li>Upholstered seat</li> </ul>



---

## Standard finish/textile selection

---

- <https://ofs.com/resources/textiles>
- Fabric must be approved and tested for use
- <https://ofs.com/resources/finishes>

---

## Frame construction - fully upholstered

---

- |            |  |
|------------|--|
| Seat/back  | • Upholstery grade molded plywood shell  |
| Upholstery | • All fabric pieces are cut with automated cutters that utilize precise patterns |
| Assembly   | • Metal and wood components fastened by bolts with thread locker                 |

---

## Foam

---

- |      |  |
|------|--|
| Seat | <ul style="list-style-type: none"><li>• .5" Premium grade foam</li><li>• 67.5 lb. Compression</li><li>• 3.13 Density</li></ul> |
| Back | <ul style="list-style-type: none"><li>• .5" Premium grade foam</li><li>• 67.5 lb. Compression</li><li>• 3.13 Density</li></ul> |

---

## Frame construction - molded plastic

---

- |           |  |
|-----------|--|
| Seat/back | • Plastic molded shell   |
| Assembly  | • Metal and wood components fastened by bolts with thread locker |

---

## Frame construction - finished shell

---

- |           |  |
|-----------|--|
| Seat/back | • Finish grade 3D molded veneer one-piece shell in ash or walnut species (dependent on finish selection) |
| Assembly  | • Metal and wood components fastened by bolts with thread locker   |

---

## Base construction

---

- |        |   |
|--------|---|
| Swivel | • 4-Prong swivel base with felt glides or caster option   |
| Metal  | • 4-Leg tube steel base with glide or caster option. Stacks 4 high armless only.  |
| Sled   | • 12 mm wire rod frame. Stacks 4 high armless only  |
| Wood   | • 4-Leg wood base legs are connected to a mount and x-stretcher. Ash wood legs for veneer finishes, beech wood legs for paints. |