

Impulse building blocks




Table of contents

Height adjustable - double pedestal desk	3
Height adjustable - single pedestal desk	4
Height adjustable - shell desk	5
Height adjustable - bridge return	6
Height adjustable - worktable runoff desks	7
Height adjustable - arc bases desks	8
Height adjustable - metal base desks	9
Built ups - desks	10
Built ups - table desks	11
Built ups - peninsula tables	12
Built ups - returns bridges	13
Built ups - shell desks credenzas	14
Built ups - corner unit peninsula runoff	15
Built ups - credenzas, single pedestal	16
Built ups - credenzas, kneespace storage	17
Built ups - cockpit desks corners returns	18-20
Built ups - 3/4 pedestal desks, returns credenzas	21-22
Worksurface storage - worksurface cabinets	23
Worksurface storage - bookcase organizers	24
Worksurface storage - highback organizers	25-27
Organizers - accessory tops	28
Wallmounts - organizers	29-31
Wallmounts - wall shelf storage box	32
Wallmounts - media panels	33-35
Free standing storage - bench height pedestals	36
Free standing storage - lateral files mobile pedestals	37
Free standing storage - bookcases	38
Free standing storage - Towers	39-44
Modular - desk surfaces	45
Modular - desk surface modesty panels supports	46
Modular - 22"d worksurface drawer pedestals	47
Modular - storage pedestals	48
Modular - metal bases, height adjustable bases	49
Modular - worksurface supports	50
Lighting	51
Power supplies	52
Work accessories	53-54
Wire management	55

Height adjustable Double pedestal desk

- Height adjustable range: 30/30.375" - 46/46.375"h
- 30x60, 30x66, 30x72, 36x72
- 60"w has 28.75"w kneespace
- 66"w has 34.75"w kneespace
- 72"w has 40.75"w kneespace
- Static modesty available as recessed or breakfront. Recessed will have a 6" overhang on approach side. Breakfront modesty recesses 5" from approach side worksurface edge
- Static modesty available as full or half height. Half modesty will inset between pedestals
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Optional height adjustable partial modesty, fixed to underside of surface. Partial modesty is 14"h
- Lock cores for pedestal desks located inside the kneespace area
- Fixed shelf in kneespace, 16"d
- Optional center drawer, see accessories section
- Optional grommets: right, left, or right and left
- Optional USB charging located in middle box drawer
- **Note:** Not recommended for use with tackboards

Recessed modesty



Half static modesty (HMNP)
5-7230HADPR2-3 shown



Half static modesty with partial (HMWP)



Full static modesty (FMNP)



Full static modesty with partial (FMWP)

Breakfront modesty



Half static modesty (HMNP)
5-7230HADPFT2-3 shown



Half static modesty with partial (HMWP)



Full static modesty (FMNP)



Full static modesty with partial (FMWP)

User side



Grommets



Plan view
optional left and right grommets

Height adjustable Single pedestal desk

- Height adjustable range: 30/30.375" - 46/46.375"h
- 30x66, 30x72, 36x72
- 66"w has 51.125"w kneespace
- 72"w has 55.125"w kneespace
- Static modesty available as recessed or breakfront. Recessed will have a 6" overhang on approach side. Breakfront modesty recesses 5" from approach side worksurface edge
- Static modesty available as full or half height. Half modesty will inset between pedestals
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Optional height adjustable partial modesty, fixed to underside of surface. Partial modesty is 14"h
- Lock cores for pedestal desks located inside the kneespace area
- Fixed shelf in kneespace, 16"d
- Optional center drawer, see accessories section
- Optional grommets: right, left, or right and left
- Optional USB charging located in middle box drawer
- **Note:** Not recommended for use with tackboards

Recessed modesty



Half static modesty (HMNP)
5-7230HARPDR2-3 shown



Half static modesty with partial (HMWP)



Full static modesty (FMNP)



Full static modesty with partial (FMWP)

Breakfront modesty



Half static modesty (HMNP)
5-7230HARPDFT2-3 shown



Half static modesty with partial (HMWP)



Full static modesty (FMNP)



Full static modesty with partial (FMWP)

User side



Grommets



Plan view
optional left and right grommets

Height adjustable Shell desk

- Height adjustable range: 30/30.375" - 46/46.375"h
- 30x60, 30x66, 30x72, 36x72
- Panel bases are 5.5"w on user side
- Front modesty is full fixed 3" recessed panel
- Static modesty available as full or half height. Half modesty will inset between panel bases
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Straightener rail included on 66"w and 72"w desks
- Optional height adjustable partial modesty, fixed to underside of surface. Partial modesty is 14"h and spans the entire length of the desk inside the end panels
- Fixed shelf in kneespace, 16"d
- Optional center drawer, see accessories section
- Optional grommets: right, left, or right and left
- **Note:** Not recommended for use with tackboards

Recessed modesty



Half static modesty (HMNP)
5-7230HASHEL2-3 shown



Half static modesty with partial
(HMWP)



Full static modesty
(FMNP)



Full static modesty with partial
(FMWP)

User side



Grommets



Plan view
optional left and right grommets

Height adjustable Bridge | return

General

- Height adjustable range: 30/30.375" - 46/46.375"h
- Widths: 42"w or 48"w
- Depth: 22"d
- Short grain direction on worksurface
- Center grommet standard
- Wire management column provided within units
- 1" clearance at connections for safety
- Three outside back options: unfinished with cutout (standard), finished, or finished back with grommet
- **Note:** Not recommended for use with tackboards
- **Note:** Monitor arms cannot be clamp or grommet mounted, surface mount is needed
- **Note:** Cannot be added to runoff tables without extra support on the runoff

Bridge

- Bridge has removable inside back panel for wire management
- **Note:** Bridge must be attached on both sides, cannot be freestanding

Return

- Return is handed left or right
- Return pedestal can be specified as a box/box/file (C5A), or as a file/file (C5B)
- Lock cores for pedestal returns are located inside the kneespace area
- **Note:** Return must be attached on open side, cannot be freestanding

Bridge and return



Bridge
5-2248HABR2-3 shown



Return - shown with file/file (C5B)
5-2248HARPR2-3



Plan view
standard center grommet

Back options



Unfinished with cutout (H3V)



Finished (LX)



Finished with grommet (H4E)

Height adjustable Worktable | runoff desks

General

- Height adjustable range: 30/30.375" - 46/46.375"h
- Handed left or right
- Wire management column provided

Worktable desk

- 30x66, 30x72, 36x72
- Recessed partial fixed modesty
- Optional height adjustable partial modesty panel attaches to worksurface
- Opposite end panel connects to credenza and allows for 1" clearance
- Optional grommets: left, right, or left and right
- **Note:** Used as a runoff desk, cannot be used as freestanding unit

Bench runoff desk

- 30x68, 30x74
- Optional height adjustable partial modesty panel attaches to worksurface
- Bench height cabinet with open shelves
- Removable outside finished end panel
- Optional center drawer, see accessories section
- Optional surface grommets: left, right, or left and right
- Optional pedestal grommet: user side of height adjustable column
- **Note:** Not recommended for use with tackboard

Worktable desk



User side
5-7230HAWTL-3 shown



Approach side


Bench runoff desk



User side
5-7230HALSHC2-3 shown



Approach side
with optional modesty



Optional pedestal grommet (H4J)
user side shown

Grommets



Plan view optional left and right grommets

Height Adjustable Arc base desks

General

- Height adjustable range: 29.5/29.875" - 44.5/44.875"h
- Concealed lift mechanism
- 6"h double modesty centered under desk
- Optional grommets: left, right, or left and right

Runoff desk

- 30x62, 30x68, 30x74, 36x74
- Bench height cabinet with open shelves
- Handed left or right
- Optional grommets: left, right, or left and right
- Wire management within pedestal column

Shell desk

- 30x60, 30x66, 30x72, 36x72

Shell desk



5-7230HADABD-3 shown

Runoff desk

left hand shown




User side
5-7230HALRABD2-3



Approach side
interior leg view

Grommets



Plan view
optional left and right grommets

Height adjustable Metal desks

General

- Height adjustable range: 22.75/23.125" - 48.75/49.125"
- Offset column leg, flat base foot with glide
- Optional partial modesty attaches to underside of worksurface

Metal base table desk

- 30x48, 30x54, 30x60, 30x66, 30x72, 36x72
- Long grain direction
- Optional grommets: left, right, or left and right

Metal base bridge/return

- 22x42 and 22x48
- Short grain direction
- Center grommet standard

Metal base table desk



User side, no modesty
5-7230HAD-3 shown



Approach side with partial modesty



Plan view
optional left and right grommets

Metal base bridge/return



User side, no modesty
5-2248HAB-3 shown



Approach side with partial modesty




Plan view
standard center grommet

Details



Leg detail



Offset leg

Built ups Desks

General notes

- Two modesty styles: Recessed or full panel.
Optional modesty inserts available for each style
- Recessed features 6" overhang on approach side
- Full fixed features 3" recessed modesty panel
- When breakfront or partial panel is specified for full panel desks, pedestals will be full depth of work surface
- Lock cores for pedestal desks located inside the kneespace area
- Optional grommets: left, right, or left and right
- Optional center drawer, see accessories section
- Optional USB charging located in upper box drawer

Double pedestal desk

- Sizes available:
 - Rectangular: 30x60, 30x66, 30x72, 36x72
 - Bow: 36x72 (30"d end panels) and 42x72 (36"d end panels)

Single pedestal desk

- Sizes available:
 - Rectangular: 30x66, 30x72, 36x72
 - Bow: 36x72 (30"d end panels) and 42x72 (36"d end panels)
- Handed left or right

Modesty inserts

- Optional, for use on recessed or full fixed modesty panels
- Options include: breakfront, wood partial, painted partial, silver frame with frosted glass insert, or wood frame with insert
- Wood frame insert options: frosted acrylic, silver spun, oyster linen
- **Note:** Specify partial modesty for wall access applications. creates 14.5" of wall access space at the bottom of the desk
- Breakfront for use only on full modesty desks, not for use on recessed modesty desks with 6" overhang

User Side



Double pedestal desk



Single pedestal desk

Grommets



Plan view
optional left and right grommets

Recessed modesty



Approach (FS panel)
5-7230FDP2 double pedestal
5-7230FRPD2 single pedestal, right

Full panel modesty



Rectangular surface (FS modesty)
5-7230FDP2 double pedestal
5-7230FRPD2 single pedestal, right



Bow surface (FS modesty)
5-7236FDPB2 double pedestal
5-7236FRPDB2 single pedestal, right

Modesty inserts

shown on full panel modesty



Breakfront (FT)
full panel modesty only



Wood partial (A7Z)



Painted partial (GX)



Silver frame with frosted
glass insert (JX)



Wood frame with insert (A8A)

Built ups Table desks

Work table

- Widths: 36"w and 42"w
- Depth: 25"d
- Top adjusts to computer or typing height
- Accommodates printer
- Aperture in rear top for paper feed
- 12"d shelf
- Wire management capabilities

Rectangular table desk

- 36x72
- Frosted suspended modesty
- Black or satin metal tapered legs

Kidney table desk

- 36x68, 30"d worksurface at ends
- Modesty styles: wood, painted, silver frame with insert, wood frame with insert
- Inserts for silver and wood frame: frosted acrylic, silver spun, oyster linen
- Leg style: wood leg

Worktable



User side
CW-4225WT shown

Rectangular table desk



Approach side
5-7236TD2 shown

Kidney table desk



User side no modesty (FR)
5-6836td2 shown

Kidney table, optional modesty

approach side



Wood modesty (KC)



Painted modesty (GX)



Silver frame modesty (A8Q)



Wood frame modesty (A8A)

Built ups Peninsula tables

General

- Handed left or right
- Optional center drawer, see accessories section
- Optional grommet along end panel depth, on user side of the modesty
- **Note:** Cannot be used as freestanding unit

Rectangular/bullet

- Depths: 30"d or 36"d
- Widths: 66"w, 72"w, 78"w or 84"w

P Top

- Depth: 36"d at narrow end, 42"d at widest point
- Widths: 66"w, 72"w, 78"w or 84"w
- Straight edge is on user side

Post bases

- Metal cylinder, 4" dia (standard)
- Veneer cylinder, 4" dia
- Veneer square, 4"

Modesty panels

- Wood partial (standard)
- Painted partial
- Silver frame with insert
- Wood frame with insert
- Inserts for silver and wood frame: frosted acrylic, silver spun, oyster linen

Surface shapes

approach side shown
standard post and modesty



Rectangular
5-7230ERTR shown



Bullet
5-7230EBTR shown



P-Shaped
5-7242EPTR shown

Grommet locations

left hand shown



Rectangular with standard
grommet



Bullet with standard grommet



P-Shaped with standard grommet

Post bases



Metal cylinder
(standard)

Veneer cylinder
(MS)

Veneer square
(A9C)

Modesty panels

optional options



Painted partial modesty
(GX)



Silver frame with insert
partial modesty (A8Q)



Wood frame with insert
partial modesty (A8A)

Built ups Returns | bridges

General notes

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- **Note:** Bridge must be connected on both sides and return must be connected on open end. Cannot be standalone units

Return

- 22x42 or 22x48, handed left or right
- Return pedestal can be specified as a box/box/file (C5A), or as a file/file (C5B)
- Full or half back panel
- Full back panel has option to be hinged for wall access. Hinged access panel is 4"d. Insets between pedestal and open end
- Half height back panel creates 11" of wall access space at the bottom of the desk
- Lock cores for pedestal located inside the kneespace area

Bridge

- 22x42 or 22x48
- Straight or curved top on user side. Cannot be used with cockpit desks
- Hinged modesty with latches standard, optional hinged access panel. **Note:** Bridge with FX option that is attached to a height adjustable desk loses hinge modesty capability once installed

Extended bridge with end panel

- 22x64 or 22x70, handed left or right
- Unfinished back panel standard, optional finished back or hinged access panel. Hinged panel access panel features two hinged access panels and center cantilever support
- Use with bench height cabinets to create a U configuration
- Can be used with modular pedestals for 22"d worksurfaces. Pedestals cannot be used if hinged access panel is specified

Return



Full height back panel (FMLD) with file/file pedestal (CB5)
5-2248FRPR2 shown



Half height back panel (HLMD) shown with file/file pedestal (CB5)

Bridge




Straight top
5-2248BR2 shown




Curved top
6-2248BRC2 shown

Bridge/return options



Plan view
Center grommet standard. optional left and right grommets




Optional hinged access panel for full height back panels only (FLFZ)

Extended bridge



5-2270RPRS shown



Optional hinged access panel (FLFZ)

Built ups Shell desks | credenzas

Shell desk

- 30x72 or 36x72
- Can be used with modular pedestals for 30/36"d worksurfaces, see modular pedestals section
- **Note:** Cannot use modular peds with half height modesty. Suggested to use mobile pedestal
- Optional grommet: right, left, or right and left
- Optional center drawer, see accessories section

Shell credenza

- 22x72
- Can be used with modular pedestals for 22"d worksurfaces, see modular pedestals section
- Optional grommet: any combination of right, left and center locations
- Unfinished back standard (LW), optional finished back (LX)

Shell desk



User side, full modesty (FLMD)
5-7230SHEL2 shown



Approach side, half modesty (HLMD)
5-7230SHEL2 shown



Plan view desk
optional left and right grommets

Shell credenza



Full modesty (FLMD)
5-7222SHEL2 shown



Half modesty (HLMD)
5-7222SHEL2 shown



Plan view credenza
optional left and right grommets

Built ups Corner unit | runoff

Corner unit

- 36x36 or 42x42
- Grain direction: A11 parallel to user, A12 perpendicular to user, A13 parallel to left modesty, A14 parallel to right modesty
- Grommet in surface corner and on end panels is standard
- **Note:** Use with standard returns and bridges, not to be used with cockpit desk components

Peninsula runoff

- Used with 42x42 corner unit only
- 59.5"w x 28"d
- Grain runs end to end
- Tapered metal legs

Corner unit




A11 grain direction shown
5-3636CU-2 shown

Corner unit grain directions



A11 parallel to user



A12 perpendicular to user



A13 parallel to left modesty



A14 parallel to right modesty

Peninsula runoff



5-2928AP2



Plan view
shown with A11 grain on corner unit

Built ups Credenzas, single pedestal

General notes

- Full or half back panel. Unfinished back standard (LW), optional finished back (LX)
- Full back panel has option to be hinged for wall access. Hinged back panel is 4"d. Back panel insets between pedestal and end panel
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Lock cores for pedestal located inside the kneespace area
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- Credenzas can be handed left or right

File/file credenza

- 22x60, 22x66, 22x72
- Two file drawers

Lateral file

- 22x72
- Two 30"w lateral file drawers

Multi file

- 22x72
- Two box drawers, one file drawer, and one 30"w lateral file drawer

Single pedestal credenzas



File/file, full modesty (FLMD)
5-7222FCRR2 shown



Lateral file, full modesty (FLMD)
5-7222FCRRL2 shown




Multi file, full modesty (FLMD)
5-7222CRRM2 shown




Half modesty (HLMD)
shown on file/file credenza


Single pedestal options



Plan view
Center grommet standard. optional left and right grommets



File/file credenza optional hinged access panel (FLFZ) for full height back panels only



Lateral and multi file credenza optional hinged access panel FLFZ for full height back panels only

Built ups Credenzas - kneepsace | storage

Kneespace credenza

- 22x60, 22x66, 22x72
- Four file drawers
- Full or half back panel. Unfinished back standard (LW), optional finished back (LX)
- Full back panel has option to be hinged for wall access. Hinged back panel is 4"d and insets between pedestals. No finished back option
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Lock cores for pedestal located inside the kneespace area
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

Storage credenzas

- Unfinished back standard (LW), optional finished back (LX)
- Double pedestal door credenza
 - 22x60, 22x66, 22x72
 - Four file drawers, adjustable shelf behind center doors
- Lateral file
 - 22x60
 - Four lateral file drawers
 - Anti tilt mechanism
- Buffet
 - 20x71
 - Two drawers, four doors. Adjustable shelf behind each set of doors

Kneespace credenza



User side with full modesty (FLMD)
5-7222FCR2 shown




User side with half modesty (HLMD)

Kneespace credenza options



Plan view
Center grommet standard. optional left and right grommets



Optional hinged access panel
for full height back panels only
(FLFZ)

Storage credenzas



Pedestal/door
5-7222FCRD2 shown



Lateral
5-6022CLF2



Buffet
5-7036BCC2

Built ups Cockpit desks, post base

General

- Bullet or P shaped surface
- Widths: 66"w, 72"w, 78"w, 84"w
- Bullet depth: 48"d (36"d surface on post end)
- P shape depth: 54"d (48"d along end panel opposite post base)
- Handed left or right, determined by post location
- Optional center drawer, see accessories section
- Optional grommet along end panel on connecting side
- **Note:** Cannot be used as a freestanding unit
Use cockpit desks with cockpit corner units and cockpit returns only

Post bases

- Metal cylinder, 4" dia (standard)
- Veneer cylinder, 4" dia
- Veneer square, 4"

Modesty panels

- Wood partial (standard)
- Painted partial
- Silver frame with insert
- Wood frame with insert
- Inserts for silver and wood frame: frosted acrylic, silver spun, oyster linen

Bullet



User side, standard post/modesty
5-7248BTFL shown



Plan view
optional grommet

P shaped



User side, standard post/modesty
5-7254PTFL shown



Plan view
optional grommet

Post bases



Metal cylinder
(standard)



Veneer cylinder
(MS)



Veneer square
(A9C)

Modesty panels

optional inserts



veneer (KC)
(standard)



Painted (GX)



Silver frame with insert (A8Q)



Wood frame with insert (A8A)

Built ups Cockpit desks, single pedestal

General

- Optional grommets: left, right, or left and right
- Use cockpit desks with cockpit corner units and cockpit returns only
- Handed left or right, pedestal location determines hand
- Optional USB charging located in upper box drawer
- Optional modesty panels

Straight front

- 48x72 single pedestal desk
- Full fixed 9" recessed modesty panel
- 36" end panel along pedestal side, 48" end panel along connecting edge
- Lock cores for pedestal desks located inside the kneespace area

Bow front

- 48x72 single pedestal desk
- Full fixed modesty panel recesses 3" at end panels and 9" at bow
- 36" end panel along pedestal side, 48" end panel along connecting edge
- Lock cores for pedestal desks located inside the kneespace area

Modesty panel options

- Options include: breakfront, wood partial, painted partial, silver frame with frosted glass insert, or wood frame with insert
- Wood frame insert options: frosted acrylic, silver spun, oyster linen
- **Note:** Specify partial modesty for wall access applications. creates 14.5" of wall access space at the bottom of the desk

Straight front



User side, full panel (FS)
5-7248LPDC2 shown



Plan view
optional left and right grommet shown

Bow front



User side, full panel (FS)
5-7248RPDCB2 shown



Plan view
optional left and right grommet shown

Modesty inserts, optional shown on full fixed modesty



Breakfront (FT)
full fixed modesty only



Wood partial (A7Z)



Painted partial (GX)



Silver frame with frosted
glass insert (JX)



Wood frame with insert (A8A)

Built ups Cockpit corner | return

General

- Handed left or right
- **Note:** Use with cockpit desks only. Corner and return are used to create U shaped cockpit configurations

Corner

- 48x52
- Grain runs parallel to 48" side
- Standard grommet in corner, and in end panels
- **Note:** Use with cockpit desks and returns only

Return

- 22x42 or 22x48
- Long grain direction on worksurface
- Return pedestal can be specified as a box/box/file (C5A), or as a file/file (C5B)
- Full or half back panel
- Full back panel has option to be hinged for wall access. Hinged access panel is 4"d. Insets between pedestal and open end
- Half height back panel creates 11" of wall access space at the bottom of the desk
- Center grommet standard, additional grommets can be specified in any combination of left, right and center


Corner



5-4852RCU2 shown



Shown in desk set up



Plan view
standard grommet

Return



Full modesty (FLMD) with file/file (C5B)
5-4822FRPRC2 shown




Half modesty (HLMD) with file/file (C5B)



Shown in desk set up



Plan view
center grommet standard. optional left and right grommets



Optional hinged access panel
(FLFZ)

Built ups 3/4 pedestal desks

Desk general

- Rectangular or bow front
- 30"d rectangular and 36"d bow desks have full fixed 3" recessed modesty panel
- 36"d rectangular and 42"d bow desks have full fixed 6" recessed modesty panel
- Optional center drawer, see accessories section
- Optional USB charging located in upper box drawer
- Optional grommet: right, left, or right and left

Double pedestal desk

- Rectangular: 30x60, 30x66, 30x72, 36x72
- Bow: 36x72 (30"w end panels), 42x72 (36"w end panels)
- 60"w has 28.125"w kneespace
- 66"w has 34.125"w kneespace
- 72"w has 40.125"w kneespace
- Two file drawers, two box drawers

Single pedestal desk

- Rectangular: 30x66, 30x72, 36x72
- Bow: 36x72 (30"d end panels), 42x72 (36"d end panels)
- One file drawer, one box drawer
- Handed left or right

Rectangular desk



30"d desk



36"d desk



Plan view desk
optional left and right grommets

Bow desk



36"d desk



42"d desk



Plan view desk
optional left and right grommets

Double pedestal



Reference:
5-7230DP2 (rectangular front)
5-7236DPB2 (bow front)

Single pedestal



Reference:
5-7230RPD2 (rectangular front)
5-7236RPDB2 (bow front)

Built ups 3/4 pedestal return | credenzas

General

- Optional USB charging located in upper box drawer

Return

- 22x42 or 22x48, handed left or right
- Full back panel standard
- **Note:** Cannot be used with cockpit corner unit

File/door credenza

- 22x60, 22x66, 22x72
- Two file drawers, two box drawers, two hinged doors. Stationary bottom shelf behind doors
- Unfinished back (LW) standard, optional finished back (LX)

Kneespace credenza

- 22x60, 22x66, 22x72
- Two file drawers, two box drawers
- Unfinished back (LW) standard, optional finished back (LX)
- Optional wire access slot (V8)

Single pedestal credenza

- 22x60, 22x66, 22x72
- One file drawer, one box drawer
- Handed left or right
- Unfinished back (LW) standard, optional finished back (LX)
- Optional wire access slot (V8)

Grommets

- Available for return, kneespace credenza, and single pedestal credenzas
- Center grommet standard
- Additional grommets can be specified in any combination of left, right and center

Return



5-2248LPR2 shown

File/door credenza



5-7222CRD2 shown

Kneespace credenza



5-7222CR2 shown

Single pedestal credenza



5-7222CRR2 shown

Optional wire access slot



For kneespace and single pedestal credenzas (shown with finished back)

Grommets



Plan view return
optional left and right grommets



Plan view kneespace/single pedestal credenza
optional left and right grommets

Worksurface storage Worksurface cabinets

General

- Heights: 42.5"h and 54.5"h
- Depth: 15.125"d
- Single door: 15"w, hinged left or right
- Double door: 30"w, two hinged doors
- 42"h features one stationary and two adjustable shelves, 54.5"h features two stationary and two adjustable shelves

Door styles

- Door options: wood (standard), painted, white backpainted full glass, silver frame with frosted glass insert, wood frame with insert
- Wood insert materials include frosted acrylic, silver spun, oyster linen
- Optional locking for wood and painted door fronts

Single door



42.5"h
5-1543WSR shown

54.5"h
5-1555WSCR shown

Double door



42.5"h
5-3043WSC

54.5"h
5-3055WSC

Door styles



Wood panel (HC)

Painted (A8V)

Full glass (C5J)

Silver frame (HG)

Wood frame (A8D)

Worksurface storage Bookcase organizers

- For use on desks, returns, credenzas and 2 drawer lateral files
- Widths: 30"w and 36"w
- Depth: 14"d
- 42.5"h: one stationary and one adjustable shelf
- 54.5"h: two stationary and one adjustable shelf
- Optional shaped top specified separately, see shaped top section
- Unfinished back standard, optional finished back

Bookcase organizers



42.5"h, on lateral file
5-3043BC3 shown



54.5"h, on lateral file
5-3055BC shown



42.5"h, on credenza
5-3043BC3 shown



54.5"h, on credenza
5-3055BC shown

Worksurface storage Highback organizer

General

- Open cubbies or hinged doors
- Single high (42.5"h), double high (54.5"h). Double high organizers feature adjustable shelf in each opening
- Widths: 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 94"w, 96"w, 100"w, 106"w
- Depths: 14"d no doors, 15"d with doors
- Widths 60-84"w feature four hinged doors
- Models 90"w and up feature six hinged doors
- Unfinished back standard, optional finished back

Notes

- 24" clearance from worksurface top to bottom of cabinet
- Optional integrated paper management available. 19" clearance to bottom of paper manager
- Optional vertical paper manager, see highback organizer accessories page
- Optional task light, see accessories section
- Wire management grommet on upper back panel, centered

Open organizers



Single high
5-6043HN shown



Single high
with paper management (A8C)



Double high
5-6055HN shown



Double high
with paper management (A8C)

Door organizers



Single high
5-6043HD4-2 shown



Single high
with paper management (A8C)



Double high
5-6055HD4 shown



Double high
with paper management (A8C)

Grommet



Standard in upper back panel

Worksurface storage Highback options | accessories

Door styles

- For single and double high organizers
- Door options: wood (standard), painted, white backpainted full glass, silver frame with frosted glass insert, wood frame with insert
- Wood insert materials include frosted acrylic, silver spun, oyster linen
- Optional locking on wood or painted doors

Tackboards

- Available as all tackboard, or tackboard/white markerboard/tackboard combination
- Tackboards for 100" w and 106" w highback organizers are two pieces
- **Note:** Tackboard is separate model number. Tackboard/white markerboard/tackboard combination is specified within the highback organizer model

Tackboards



Fabric
FT1089 for highbacks, no paper management
FT1194 for highbacks, with paper management



Fabric with center markerboard (W4)
(specify within highback organizer model)

Door options



Wood (HC)
(standard)




Painted (A8V)



Full white back painted glass (C5J)



Silver frame with frosted
acrylic insert (HG)



Wood frame with insert (A8D)

Worksurface storage Highback paper organizers

Paper organizer general

- 12"d
- Three styles: drawers, open shelves, or acrylic shelves
- Model width for paper organizer depends on highback organizer width, and if paper management is specified on the organizer. Refer to price guide for all model widths and heights

Drawer paper organizer

- Features drawers with pulls and finished back
- Four drawers for standard highback organizers, three drawers for highback organizers with paper management

Shelving paper organizer

- Features open wood shelves with closed sides, finished back
- Five shelves for standard highback organizers, four shelves for highback organizers with paper management

Acrylic shelving paper organizer

- Features open acrylic shelves with two open sides, finished back
- Five shelves for standard highback organizers, four shelves for highback organizers with paper management

Paper organizers



Drawer organizer
5-1424ORGD shown



Shelving organizer
5-1424ORDO shown



Acrylic organizer
5-1424ORGS shown

Organizers Accessory tops

Hutch crown

- For use on highback and wallmounted organizers 60"w - 106"w
- Finished on front, left and right sides
- Optional matte silver accent

Shaped top

- For use on highback and wallmounted organizers 30"w - 106"w. 30"w and 36"w can also be used on bookcases 72"h and higher
- Unfinished on top

Hutch crown



Shown on wallmounted organizer
5-60CRN2 shown



Optional matte silver accent (MC)

Shaped top



1.5625"h shown on wallmount organizer
5-6015MST shown

Wallmounts Open | shelf organizer

General

- Single high (18.5"h), or double high (30.5"h).
Double high organizers feature adjustable shelf in each opening
- Widths 30"-42"w feature one open section 48"w one and a half open sections, 54"-84"w two open sections, and 90"-106"w three open sections
- Optional tackable inserts available, see wallmount organizer accessories page
- Optional task light, see accessories section
- Integrated paper management option available

Organizer, no doors

- Widths: 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 94"w, 96"w, and 100"w, 106"w
- Depth: 14"d
- Optional finished back

Open wallmount organizer

- Widths: 30"w, 36"w, 42"w
- Depth: 14"d
- Open top shelf

Open organizers



Single high
5-6019HNW shown

Single high with paper management
5-6024HNW shown

Double high
5-6031HNW shown

Double high with paper management
5-6036HNW shown

Shelf organizers



Single high
(2) 5-3019HSW3 shown

Single high with paper management
(2) 5-3024HSW shown

Double high
(2) 5-3031HSW shown

Double high with paper management
(2) 5-3036HSW shown

Wallmounts Hinged | sliding door organizer

General

- Single high (18.5"h), or double high (30.5"h).
Double high organizers feature adjustable shelf in each opening
- Wood doors standard, additional door front styles available. See wallmount organizer accessories page
- Optional tackable inserts available, see wallmount organizer accessories page
- Locking available for wood and painted doors
- Optional task light, see accessories section

Hinged door organizer

- Widths: 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 94"w, 96"w, and 100"w, 106"w

- Depth: 15"d
- Widths 30-42"w feature two hinged doors, 48"w three hinged doors, 54"-84"w four hinged doors, and 90"-106"w six hinged doors
- Integrated paper management option available

Sliding door organizer

- Single high widths: 54"w, 60"w, 66"w, 72"w, 78"w, 84"w, 90"w
- Double high widths: 54"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Widths 54-72"w feature one sliding door, 90"w has two sliding doors

Hinged door organizers



Single high
5-6019HDW4-2 shown



Single high with paper management
5-6024HDW2 shown



Double high
5-6031HDW4 shown



Double high with paper management
5-6036HDW2 shown



Sliding door organizers



Single high 54-84"w models
5-6019HSDW shown



Single high
5-9019HSDW



Double high
5-6031HSDW shown



Wallmounts Options | accessories

Door styles

- For single and double high organizers with hinged or sliding doors
- Door options: wood panel (standard), painted, white backpainted full glass, silver frame with frosted glass insert, wood frame with insert
- Wood insert materials include frosted acrylic, silver spun, oyster linen

Tackboards

- For use with wallmount organizers only
- Tackboards for 100" w and 106" w organizers are two pieces

Door styles




Wood panel (HC)
(standard)



Painted (A8V)



Full white back painted glass (C5J)



Silver frame with frosted acrylic insert (HG)



Wood frame with insert (A8D)

Tackboards



Single high
FT2071 shown

Wallmounts Wall shelf | storage box

• **Note:** Not for use with tackboards or tasklights

Wall shelf

- Floating shelf, mount alone or with other wallmounted components
- 8"d x 1"h
- Widths: 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w
- 5lb max per linear foot
- Optional black trim strip

Storage box

- 13"d x 10"h
- Widths: 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 94"w, 96"w, 100"w, 106"w
- 30-42"w two openings, 48"w three openings, 54-84"w four openings, and 90-106"w six openings

Wall shelf



Storage Box



Wallmounts Media panels, veneer | desk height

- For use over desk height worksurfaces
- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Depth: 1.125"d
- Use 42.5"h panel for 72.5" and 72.875" overall height
- Use 54.5"h panel for 84.5" and 84.875" overall height
- Optional shelf locations: Top, middle, bottom, top and middle, top and bottom, middle and bottom, or all three locations
- Optional trim strip on shelving

No shelf



5-W4330MP shown

Shelf locations



Top shelf (TPS1)



Middle shelf (MPS1)



Bottom shelf (BTS1)



Top, middle, and bottom shelf (TMB1)




Top and middle shelf (TMS1)



Top and bottom shelf (TBS1)



Middle and bottom shelf (MBS1)



Optional shelf trim strip (B3Z)

Wallmounts Media panels, veneer | low height

- For use over bench height storage
- Widths: 18", 24", 30", 36", 42", 48", 54", 60"
- Additional widths for use with bench height cabinets
- Depth: 1.125"d
- Use 53.5"h panel for 72.5" and 72.875" overall height
- Use 65.5"h panel for 84.5" and 84.875" overall height
- Optional shelf locations: Top, middle, bottom, top and middle, top and bottom, middle and bottom, or all three locations
- Optional trim strip on shelving

No shelf



5-WS5430MP shown

Shelf locations



Top shelf (TPS1)



Middle shelf (MPS1)



Bottom shelf (BTS1)



Top, middle, and bottom shelf (TMB1)




Top and middle shelf (TMS1)



Top and bottom shelf (TBS1)



Middle and bottom shelf (MBS1)



Optional shelf trim strip

Wallmounts Media panels, markerboard | upholstered | glass

Markerboard and upholstered notes

- Desk height: use 42.5" h panel for 72.5" and 72.875" overall height
- Desk height: use 54.5" h panel for 84.5" and 84.875" overall height
- Low height: use 53.5" h panel for 72.5" and 72.875" overall height
- Low height: use 65.5" h panel for 84.5" and 84.875" overall height
- Low height panels include additional widths for use with bench height cabinets
- Depth: 1.125" d

Markerboard

- White laminate markerboard
- Desk height widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72". Two piece panel for 54"-72" w panels at 54.5" h
- Low height widths: 18", 24", 30", 36", 42", 48"

Upholstered

- Tackable fabric board
- Desk height widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72". Two piece panel for 48"-72" w tackboards, both heights
- Low height widths: 18", 24", 30", 36", 42"

Glassboard

- White back painted glass, magnetic
- 0.5" d x 42" h
- Widths: 18", 24", 30", 36", 42", 48", 54", 60", 66", 72"
- Optional marker tray, aluminum
- Magnets sold separately, see rare earth magnets in work accessories section

Markerboard

72.5" overall height shown



5-LS4330MP shown



5-LSS5430MP shown

Upholstered

72.5" overall height shown



5-U4330MP shown



5-U5430MP shown

Glassboard

72.5" overall height shown



5-G4230MP shown



Optional marker tray (B5E)

Free standing storage Bench height pedestals

Cabinets

- 19"h
- Single (22x30), double (22x60) and triple (22x90)
- Use alone or with extended bridge with end panel to make a U configuration
- Standard with open shelf in each cabinet section
- Available with or without pulls
- Additional cabinet configurations: four tray drawer, tray/file drawer
- Optional painted top drawer front
- Optional USB charging available in upper box drawer when using four tray or tray/file configuration

Cushions

- Used with bench height cabinets
- Total bench height with cushion is 20.5"h
- Two cushion sizes: full depth, and media panel depth
- Full depth: single (22x29.88), double (22x59.88), and triple (22x89.88)
- Media depth: single (20.75x29.88), double (20.75x59.88), and triple (20.75x89.88)

Cabinets



5-3022SHC
standard shelf (Z1) shown



5-6022SHC
standard shelf (Z1) shown



5-9022SHC
standard shelf (Z1) shown

Additional cabinet configurations



Four tray (Z2) | tray/file (Z3)



Four tray (A8F) | tray/file (A8G)
with painted top drawer

Cushions



Single
5-3022SC (full depth)
5-3021SC (media panel depth)



Double
5-6022SC (full depth)
5-6021SC (media panel depth)



Triple
5-9022SC (full depth)
5-9021SC (media panel depth)

Free standing storage Lateral files | mobile pedestals

Lateral files

- All lateral files are 22"d
- Total height depends on top thickness specified
- 2 Drawer lateral 5-__22LF2-2
 - 30/30.375"h
 - 30"w, 36"w, 42"w
- 3 Drawer lateral 5-__44LF2-3
 - 43.875/44.25"h
 - 30"w or 36"w
- 4 Drawer lateral 5-__58LF2-2
 - 57.75/58.125"h
 - 30"w or 36"w
- Unfinished back standard, optional finished back
- Anti tilt mechanism included

Mobile pedestal, cushion top

- 15.625"w x 20.75"d x 20.9375"h
- Tray and file drawer
- Seat cushion
- Recessed casters

Mobile pedestal, finished top

- 15.625"w x 20.75"d x 25.375"h
- Box and file drawer
- Finished top
- Exposed casters

Lateral files



2 Drawer lateral
5-3022LF2-2 shown



3 Drawer lateral
5-3044LF3 shown



4 Drawer lateral
5-3058LF4 shown

Mobile pedestals



5-1621MP2



5-1621MPC

Free standing storage Bookcases

Bookcases

- Widths: 30"w and 36"w
- Depth: 14"d
- 28.8125"h: one stationary and one adjustable shelf
- 48.5"h: one stationary and two adjustable shelves
- 59.875"h: two stationary and two adjustable shelves
- 72.5"h and 72.875"h: two stationary and three adjustable shelves
- 84.5"h and 84.875"h: two stationary and four adjustable shelves
- Unfinished back standard, optional finished back

Shaped top

- Optional shaped top for bookcase organizers and bookcases 28.81525"h, 48.5"h and 59.875"h only
- Widths for 30"w bookcases: 30"w, 60"w, and 90"w
- Widths for 36"w bookcases: 36"w, 72"w, and 108"w
- Use 60"w tops and wider as common top along multiple bookcases
- Finished on top

Bookcases



28.8125"h
5-3030BC2 shown



48.5"h
5-3048BC2 shown



59.875"h
5-3060BC2 shown



72.5/72.875"h
5-3072BC2 shown



84.5/84.875"h
5-3084BC shown

Shaped Top



Single - 30" and 36"w
5-3014MBCT shown



Double - 60" and 72"w
5-6014MBCT shown



Triple - 90" and 108"w
5-9014MBCT shown

Free standing storage Towers

General

- Depth: 22"
- Widths: 15.625", 30", 36"
- Heights: 72"h, 73", 84"h, 85"h
- Use 72"h and 84"h towers with 1" thick worksurfaces. Use 73"h and 85"h towers with 1.5625" thick worksurfaces
- Unfinished back standard (LW), optional finished back (LX)
- 15.625"w features file/file drawers, 30" and 36"w feature lateral file drawers
- 30" and 36"w feature anti tilt mechanism
- Three styles: open display, door/open display, and closed door

Open display

- 72"h towers feature one stationary and two adjustable shelves
- 84"h towers features two stationary and two adjustable shelves

Door/open display

- Door handed left or right
- No pull on doors
- 72"h towers feature one stationary and one adjustable open shelf, and one stationary shelf behind door
- 84"h towers features one stationary and one adjustable open shelf, and one stationary and one adjustable shelf behind door
- **Note:** Wood panel door standard, see tower door style section for alternate door fronts

Open display



15.625"w
5-1672SCN shown



15.625"w
5-1684SCN shown



30"w and 36"w
5-3072SCLN shown



30"w and 36"w
5-3084SCLN shown

Door/open display



15.625"w
5-1672RSCO shown



15.625"w
5-1684RSCO shown



30"w and 36"w
5-3072SCLO shown



30"w and 36"w
5-3084SCLO shown

Free standing storage Towers, continued

General

- Depth: 22"
- Widths: 15.625", 30", 36"
- Heights: 72"h, 73", 84"h, 85"h
- Use 72"h and 84"h towers with 1" thick worksurfaces. Use 73"h and 85"h towers with 1.5625" thick worksurfaces
- Unfinished back standard (LW), optional finished back (LX)

Closed door

- **Note:** Refer to tower storage general notes for additional information
- 15.625"w door handed left or right, double door on 30"w and 36"w towers

- Pull available on wood panel, painted, and wood frame doors
- 72"h towers feature one stationary and two adjustable shelves
- 84"h towers features two stationary and two adjustable shelves

Door styles

- For door/open, and closed door towers
- Door options: wood panel (standard), painted, white backpainted full glass, silver frame with frosted glass insert, wood frame with insert
- Wood insert materials include frosted acrylic, silver spun, and oyster linen

Closed door



15.625"w
5-1572LSCD shown



15.625"w
5-1584LSCD shown



30"w and 36"w
5-3072SCL shown



30"w and 36"w
5-3084SCL shown

Door styles



Wood (HC)
(standard)



Painted (A8V)



Full glass (C5J)



Silver frame (HG)



Wood frame (A8D)

Free standing storage Cabinet | single wardrobe towers

General

- Heights: 72"h, 73", 84"h, 85"h
- Use 72"h and 84"h towers with 1" thick worksurfaces. Use 73"h and 85"h towers with 1.5625" thick worksurfaces
- Unfinished back standard (LW), optional finished back (LX)

Shelf cabinet

- Door handed left or right
- 72"h/73"h towers features two stationary and three adjustable shelves.
- 84"h/85"h towers features three stationary and three adjustable shelves

Wardrobe cabinet

- Door handed left or right
- Full length storage with hanging bar

- 72"h towers features one stationary and one adjustable shelf

- 84"h towers features two stationary and one adjustable shelf

Storage wardrobe

- Two hinged doors

Left side:

- 72"h towers features one stationary and one adjustable shelf
- 84"h towers features two stationary and one adjustable shelf

Right side:

- Wardrobe with metal coat rod
- 72"h towers features one stationary and one adjustable shelf
- 84"h towers features two stationary and one adjustable shelf

Shelf cabinet



5-1672RSC shown 5-1684RSC shown

Wardrobe cabinet



5-1672RSW shown 5-1684RSW shown

Storage wardrobe



5-3072SW shown 5-3084SW shown

Free standing storage Wardrobe towers

General

- Three wardrobe styles: open display, door/open display, and closed door.
- Depth: 22"
- Widths: 24", 40", 46"
- 15.625"w features file/file drawers, 30"w and 36"w feature lateral file drawers
- Wardrobe side for all: Full length door, hanging bar, one stationary shelf. 84.5" and 84.875"h towers have two stationary shelves
- Wardrobe handed left or right
- Heights: 72.5", 72.875", 84.5", 84.875".
Accommodates all surface thickness and wallmount overhead height combinations
- Unfinished back standard, optional finished back
- 30"w and 36"w feature anti tilt mechanism

Open display

- 72"h towers features one stationary and two adjustable shelves
- 84"h towers features one stationary and two adjustable shelves

Door/open display

- Cabinet door hinges same as wardrobe on 15.625"w towers
- 72"h towers feature one stationary and one adjustable open shelf, and one stationary shelf behind door
- 84"h towers features one stationary and one adjustable open shelf, and one adjustable shelf behind door
- No pull on cabinet doors

Open display



24"w
5-2472RSCNW shown

24"w
5-2484RSCNW shown

40"w and 46"w
5-4072RSCLWN shown

40"w and 46"w
5-4084RSCLWN shown

Door/open display



24"w
5-2472RSCWO shown

24"w
5-2484RSCWO shown

40"w and 46"w
5-4072RSCLWO shown

40"w and 46"w
5-4084RSCLWO shown

Free standing storage Storage wardrobe, cont

Closed door

- **Note:** Refer to tower storage wardrobe general notes for additional information
- Cabinet door hinges same as wardrobe on 15.625" w towers
- Closed storage above filing: 72"h towers feature one stationary and two adjustable shelves behind storage door. 84"h towers feature two stationary and two adjustable shelves behind storage door

Closed door



24"w
5-2472RSCW shown


24"w
5-2484RSCW shown

40"w and 46"w
5-4072RSCLW shown

40"w and 46"w
5-4084RSCLW shown

Free standing storage Shaped tops for cabinets

- For use on all storage towers, with or without wardrobes
- 15.625"w, 24"w, 30"w, 36"w, 40"w, 46"w
- Unfinished on top
- Overhang on towers without top door




15.625"w, 1.1875"h on open tower
5-1622MST shown, (DN) thickness



15.625"w, 1.5625"h on closed tower
5-1622MST shown, (AE) thickness



30"w, 1.1875"h on storage tower
5-3022MST shown, (DN) thickness



40w, 1.5625"h on wardrobe tower
5-4022MST shown, (AE) thickness

Modular Desk surfaces

General

- **Note:** Cannot be used as freestanding unit
- Reference desk surface support section for support options
- To be used with modular pedestals, end panels and leg supports
- 84" w required modesty or additional support
- Optional center drawer, see accessories section

Rectangular

- 30"d or 36"d worksurfaces
- Widths include 66", 72", 78", and 84"
- Optional grommet: right, left, or right and left

Bullet

- Widths: 66", 72", 78", 84"
- Depths: 30" or 36"
- Optional grommet, single location: left, center, or right. Center grommet cannot be specified with modesty

P-shaped

- Widths: 66", 72", 78", 84"
- Depth: 42" at widest point, 36"d along narrow end
- Handed left or right
- Optional grommet centered along straight end
- Grommet cannot be used with grommet option

Trapezoid

- Widths: 66", 72", 78", 84"
- Depth: 30" (24"d along narrow edge) or 36" (30"d along narrow edge)
- Optional grommet, single location: right, center or left. Center grommet cannot be specified with modesty

Arc front

- Bow on approach side
- Widths: 66", 72", 78", 84"
- Depth: 30" (24"d along narrow edge) or 36" (30"d along narrow edge)
- Handed left or right
- Optional grommet centered along widest end panel

Surface shapes

shown with optional grommet



Rectangular, 5-7230MCT shown optional left and right grommets



Bullet, 5-7230BT shown optional left, center or right grommet



P shape, 5-7242PTL shown optional center grommet



Trapezoid, 5-7230TZT shown optional left, center or right grommet



Arc Front, 5-7230AFTL shown optional center grommet

Modular Desk surface supports

Bases

- Used to support shaped ends on bullet, P-shaped, and cockpit desk surfaces with post legs
- 5-CB4: metal, cylinder, 4" dia
- 5-CB5 veneer, cylinder, 4" dia
- 5-WB4 veneer, square, 3.625x3.625

End panel

- 5-293_TEP2: use with 30"w and 36"w peninsula worksurfaces

Optional partial modesty general

- Modesty styles: wood, painted, silver frame with insert, wood frame with insert
- Silver and wood frame insert materials include frosted acrylic, silver spun, oyster linen
- For use with specific surface and base combinations

Optional partial modesty combinations

- 45"w modesty used with 66"w runoff tops with column base
- 49.31"w modesty used with 66"w rectangular and arc runoff tops with drawer pedestal and end panel
- 51"w modesty used 66"w rectangular and arc runoff tops with drawer pedestal, or with 72"w runoff tops with column base
- 55.31"w modesty used with 72"w rectangular and arc runoff tops with drawer pedestal and end panel
- 57"w modesty used 72"w rectangular and arc runoff tops with drawer pedestal, or with 78"w runoff tops with column base
- 61.31"w modesty used with 78"w rectangular and arc runoff tops with drawer pedestal and end panel
- 63"w modesty used 78"w rectangular and arc runoff tops with drawer pedestal, or with 84"w runoff tops with column base
- 67.31"w modesty used with 84"w rectangular and arc runoff tops with drawer pedestal and end panel
- 69"w modesty used 84"w rectangular and arc runoff tops with drawer pedestal

Partial modesty panels



Wood panel
5-1251TMP shown



Painted
5-1251TMP shown with X9 option



Silver frame
5-1251TMPG shown



Wood frame
5-1251WFMP shown

Bases



5-CB4



5-CB5



5-WB4

End panel



5-2930TEP2 shown

Modular 22"d worksurface | drawer pedestals

22"d worksurface

- Use as return and credenza worksurfaces, long or short grain
- Long grain widths: 30"-96"w in 6" increments
- Short grain widths: 30"-60"w in 6" increments
- Depth" 22"d
- Maximum unsupported worksurface span is 48"w
- Maximum unsupported worksurface span when using back panel is 72"w
- Optional grommet: any combination of right, left and center locations

Drawer pedestals general

- Use with modular worksurfaces and shells
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units
- **Note:** 24.6875"d pedestals can be used shell desks. Use with full height modesty shell desks only

Box/box/file

- 15.625"w pedestals are available as 20.75"d, 24.6875"d, 28.6875"d and 34.6875"d
- 30"w and 36"w available as 20.75"d pedestals only
- Option for upper box drawer USB charging

File/file

- 15.625"w only, available as 20.75"d, 24.6875"d, 28.6875"d and 34.6875"d


Lateral file

- 30"w, 36"w or 42"w, 21"d only


Multi file

- 30"w x 20.75"d only
- Left or right handed based on file drawer location
- Option for upper box drawer USB charging

22"d worksurfaces



Long grain, 5-4822MCT2 shown
optional left, right and center grommet



Short grain, 5-2248MCT2 shown
optional left, right and center grommet

Box/box/file



15.625"w
5-1621MBFC2 shown



30"w or 36"w
5-3021MBFC shown

File/file



15.625"w
5-1621MFFC2 shown

Lateral file



30"w, 36"w, 42"w
5-3021MFC2 shown

Multifile



5-3021MMFL2



5-3021MMFL2

Modular Storage pedestals

General

- Use with modular worksurfaces and shells
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units

CPU pedestal

- 15.625"w or 30"w, 20.75"d only
- 15.625"w features back access wire management cutout
- 30"w CPU with open back on left, and adjustable shelf on right side

Shelf pedestals

- Open or hinged door
- Widths: 30"w or 36"w
- Depths: 20"d for open, 20.75"d for hinged door
- One stationary and one adjustable shelf

Shelf pedestals



Open
5-3021MOC shown

Hinged door
5-3021MDC2

CPU pedestal



5-1621MCPU

Elevation

5-3021MCPU2

Elevation

Modular Metal bases

Tapered

- Leg tapers from 2.5" at top to 1" at bottom
- Supports 22"d worksurfaces
- Black or nickel
- Set of two

Square

- 2" square
- Supports runoff and peninsula desks
- Set of two

Reese

- 1 1/2" slim profile square
- **Note:** Used with rectangular worksurfaces only
- Supports runoff and 22"d worksurfaces
- 36x72 max size worksurface
- Set of two

Height adjustable

- Use with surfaces 22"d, 30"d, or 36"d, and 48"w to 72"w
- Electric base
- Center or offset leg
- Flat foot with glide

Tapered



MLC-2 (silver)
MLX-2 (Black)

Square



5-L2S

Reese



5-R7L


Height adjustable base




5-HA30KCSE shown



Leg detail



Center leg
(KCSE models)



Offset leg
(KFSE models)

Modular Worksurface supports

- End panels: Use 5-29__TEP2 with peninsula surfaces. Use 5-2922TEP with fold down access panel on 22"d worksurfaces. Use 5-29__MEP for all other surfaces, must use with back panel or 5-2812SP support panel
- Support panel 5-2812SP is used to create L support, use with end panel or back panel
- Support base 5-1212SB2 is used to support surfaces at a seam, or support a wider surface at the center
- Filler panel 5-2903BFP2 is used to fill surface overhang gap behind modular pedestal when back panel is not used
- Wing end assemblies are used to create a breakfront modesty on desk approach side for 30"d and 36"d surfaces. Handed left and right
 - 5-1626__WA: use with 30"d worksurface with 4" overhang
 - 5-1630__WA: use with 30"d worksurfaces, no overhang
 - 5-1636__WA: use with 36"d worksurfaces, no overhang
 - Use with desk modesty 5-29__MCB
- Desk modesty 5-29__MCB is used between two pedestals, two wing assemblies, or one pedestal and one wing assembly. For use on 66"w, 72"w, 78"w, and 84"w modular worksurfaces
- Back panel, static 5-29__MCB2: use to finish pedestal backs, or span entire modular surface widths. Optional finished back, optional wire access slot
- Back panel, fold down 5-29MFB_: use to maintain quick access to wall power. Spans any width between 12"-94"w in 1/16" increments. Unfinished back. 12"-48"w, one fold down access panel. 48.0625"-94"w, two fold down access panels and center cantilever support
- Worksurface straightener SPTR__ is used when a span of unsupported worksurface is greater than 48"w. Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces
- Mounting block 6-TFBLK used with PD-1 pencil drawer when worksurface straighteners are used. Four per package, black



End panel
5-29MEP2 shown



Support panel
5-2812SP2



Support base
5-1212SB2



Filler panel
5-2903BFP2



Wing end assemblies
5-1630LWA shown (left)
5-1630RWA shown (right)




Breakfront desk modesty
5-2941MCB shown




Back panel, optional wire access
5-2948MCB2 shown



Fold down back panel
5-29MFB2 shown



Worksurface straightener
SPTR48 shown



Mounting block
TFBLK

Lighting

Task lights

- For wallmount and highback organizers only
- Fluorescent (TL-1, TL-2 and TL-6): TL-1 cannot be used with 30" or 36"w wallmount organizers, on/off switch
- LED warm light (TL-9, TL-10): Black LED task light, on/off switch
- LED Energy Efficient 5200K (TL-14, TL-15, TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K TL-27 TL-28 TL-29 TL-30: Black alloy frame, touch and hold dimming

Tilly

- 6" diameter table top base or clamp mount. **Note:** Clamps to worksurfaces 0.5"-1.25" thick
- Single or double arm
- Powder coated aluminum
- Brightness dimming
- 3' silver cord and 9' black 18 WATT wall transformer
- Automatic shutoff after 10 hours
- Optional USB


Ella

- Two heights: freestanding floor lamp or surface mounted
- Frosted acrylic diffuser
- Powder coated aluminum/steel
- Brightness dimming
- 11' cord
- Automatic shutoff after 10 hours
- Optional 2-amp USB-A charging ports (surface mount only)
- **Note:** Surface mount requires a 3.5" diameter hole and mounts to a surface that is .935" to 1.185" thick

JoJo

- Pendant lamp
- Powder coated aluminum shade
- Opal glass diffuser
- 10' cord, hardwired only
- Full range dimming with wireless control

Task lights




Fluorescent
TL-1, TL-2, TL-6



LED
TL-9, TL-10



LED
TL-14, TL-15, TL-16



LED
TL-27, TL-28, TL-29, TL-30

Tilly



LCA-TL3BM shown

Ella



LCA-TL1

JoJo



LCA-PL1

Power supplies

- OFS offers a wide variety of recessed, undermount, and clamp mounted power supplies. You can view all available power options through [this link](#)



PS-3UM



PS-3CM



PS-77



PS-69



PS-71



PS-92



PS-100



PS-90

Work accessories

Coop

- 13.5"w x 9.5"d x 7.5"h
- Powder coated aluminum
- Solid white oak handle
- Divided storage compartments

Skid

- 3.5"w x 8.5"d x 3"h
- Powder coated steel base and pencil cup
- Integrated solid white oak tray

Prio

- Nesting storage vessels. 3 piece set in two finish palettes: Neutral and Earth
- 2.5"w x 2.5"d
- Heights: 3", 4.13" and 5.25"h all included
- Powder coated aluminum and thermoplastic
- Removable rubber bottoms for water resistance and easy cleaning

Porter

- Formed aluminum planter
- Width: 15"
- Heights: 17"h, 25"h. and 35"h
- Depths: 15"d and 30"d
- Height adjustable inner-tray accepts standard liners
- Ships flat packed
- No tools necessary for assembly
- Plastic liner included

Duke

- 1.75"w x 1.5"d x 3.25"h
- Solid ash
- Metal stud and plastic wall anchor for mounting

Coop



LCA-DC1

Skid



LCA-DT01

Prio



LCA-NSV1
Earth shown

Porter



LCA-PL15_____

Duke



LCA-WH1

Work accessories Continued

Keyboard trays

- Keyboard Arm KBA-1 and Wood Tray WKT to be used together
- Keyboard Arm KBA-2: Arm assembly with built in clamps, no additional tray needed
- Keyboard KBA-3 features integrated keyboard and mouse tray
- Wood Keyboard Tray WK/S: extendable tray

Monitor arms

- Monitor arm MA-1 (single) and MA-1D (double), clamp on

Sit to stand

- Sit to stand monitor/keyboard arm, available with single or double monitor arm
- Desktop sit to stand workstation integrated keyboard tray, space for two monitors, available in white finish


Storage add ons

- Pencil tray not for use with MPD12 multi file pedestal or 12" w pedestals. DA16-1 is for 16" w pedestals
- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface. Not compatible with tables that use straighteners or troughs
 - OCD: Use with single, double pedestal desks or peninsula tops with no modesty
 - OCD1: Use with peninsula tops with a modesty

Misc items

- CPU Holder: mounts to underside of surface
- Rare Earth Magnets (MGT-1): use for glass board with anodized backer, set of 5


Keyboard trays




Keyboard arm
KBA-1




Wood tray
WKT



Keyboard arm
KBA-2




Keyboard tray
KBA-3




Wood keyboard tray
WK/S

Monitor arms




Single arm
MA-1




Double arm
MA-1D

Sit to stand




Monitor/keyboard arm
single arm shown
MKA-IS_




Workstation
SSW-1W


Storage add ons



Pencil tray
DA16-1 / DA19-1




Pencil drawer
PD-1



Center drawer
OCD/OCD1

Misc items



CPU holder
CPUH-1




Rare earth magnets
MGT-1

Wire management


- Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Cable management clip, mounts to underside of surface, three positions, not intended for heavy duty cabling
- Wire management cord stay comes as a set of two, and can manage cords ¼" diameter along any TFL or veneer item
- Plastic, wire basket, trough and PET wire manager are used to manage user cords horizontally along underside of surface
- Fabric wire manager and table to table connection are commonly used to manage wires that span from a height adjustable surface to a fixed height surface
- Adjustable height wire manager commonly used in stand alone height adjustable table applications



Velcro wire manager
WM-V4



Cable management
undersurface clip
CM30-NR



Cord stay
WMCS



Plastic wire manager
WM2-__



Wire basket manager
WBT-__H



Wire management trough
WMT-__




PET wire manager
WM-P__



Fabric wire manager
WM-HA6



Height adjustable
table desk manager
WM-HA



Height adjustable
table to table manager
WM-HA_