







### Single seat unit with unfinished outside back panel and laminate base 89041


Overall dimensions	40.5"w x 31.25"d x 67"h	Weight	195 lbs.
	58.75"w x 75.75"h with shroud		251 lbs. with shroud
Seat dimensions	38.25"w x 21.5"d x 18.5"h	Cubic feet	92

3.25 yds. (Cushion) 1.25 yds. (Inset back panel)

102 with shroud

8.5 yds. (Surround)
COL 65 yds. (Cushion)

25 yds. (Inset back panel) n/a yds. (Surround)



COM

### Single seat unit with upholstered outside back panel and laminate base 89141

Overall dimensions	40.5"w x 31.25"d x 67"h 58.75"w x 75.75"h with shroud	Weight	195 lbs. 251 lbs. with shroud	
Seat dimensions	38.25"w x 21.5"d x 18.5"h	Cubic feet	92 102 with shroud	
		СОМ	3.25 yds. (Cushion) 1.25 yds. (Inset back panel) 10.25 yds. (Surround and outside back panel)	(⊕ ⊕ ⊕)
		COL	65 yds. (Cushion) 25 yds. (Inset back panel) n/a yds. (Surround and outside back panel)	

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Upholstered outside back panel</li> <li>Laminate base</li> </ul>	Shroud     Power (Left/Right facing)     Light

#### Single seat unit with markerboard outside back panel and laminate base 89241

Overall dimensions	40.5"w x 31.25"d x 67"h 58.75"w x 75.75"h with shroud	Weight	195 lbs. 251 lbs. with shroud	
Seat dimensions	38.25"w x 21.5"d x 18.5"h	Cubic feet	92 102 with shroud	
		сом	3.25 yds. (Cushion) 1.25 yds. (Inset back panel) 9.25 yds. (Surround and outside back panel)	(
		COL	65 yds. (Cushion) 25 yds. (Inset back panel) n/a yds. (Surround and outside back panel)	<u> </u>

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Markerboard and partial upholstered outside back panel</li> <li>Laminate base</li> </ul>	<ul><li>Shroud</li><li>Power (Left/Right facing)</li><li>Light</li></ul>

**ofs.com** imagine a place\* 800.521.5381 Spec sheet 1 of 9







### Single seat unit with unfinished outside back panel and upholstered base 89341

Overall dimensions 40.5"w x 31.25"d x 67"h Weight 195 lbs. 58.75"w x 75.75"h with shroud 251 lbs. with shroud 38.25"w x 21.5"d x 18.5"h Seat dimensions Cubic feet 92 102 with shroud COM 3.25 yds. (Cushion) 1.25 yds. (Inset back panel) 8.5 yds. (Surround and base) COL 65 yds. (Cushion) 25 yds.

(Inset back panel)

n/a yds. (Surround and base)

Standard features

Options available

Sinuous springs in seat

Upholstered highback surround for privacy

Upholstered cushions and inset back panel

Unfinished outside back panel

Upholstered base

Options available

Shroud

Power (Left/Right facing)

Light

### Single seat unit with upholstered outside back panel and upholstered base 89441

Overall dimensions	40.5"w x 31.25"d x 67"h 58.75"w x 75.75"h with shroud	Weight	195 lbs. 251 lbs. with shroud	
Seat dimensions	38.25"w x 21.5"d x 18.5"h	Cubic feet	92 102 with shroud	
		СОМ	3.25 yds. (Cushion) 1.25 yds. (Inset back panel) 10.25 yds. (Surround, outside back panel and base)	( • • • )
		COL	65 yds. (Cushion) 25 yds. (Inset back panel) n/a yds. (Surround, outside back panel and base)	

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Upholstered outside back panel</li> <li>Upholstered base</li> </ul>	Shroud     Power (Left/Right facing)     Light

### Single seat unit with markerboard outside back panel and upholstered base $\,89541$

Overall dimensions	40.5"w x 31.25"d x 67"h 58.75"w x 75.75"h with shroud	Weight	195 lbs. 251 lbs. with shroud	
Seat dimensions	38.25"w x 21.5"d x 18.5"h	Cubic feet	92 102 with shroud	
		СОМ	3.25 yds. (Cushion) 1.25 yds. (Inset back panel) 9.25 yds. (Surround, outside back panel and base)	(
		COL	65 yds. (Cushion) 25 yds. (Inset back panel) n/a yds. (Surround, outside back panel and base)	

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Markerboard and partial upholstered outside back Ppnel</li> <li>Upholstered base</li> </ul>	Shroud     Power (Left/Right facing)     Light

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 2 of 9







### Double seat unit with unfinished outside back panel and laminate base 89042

Overall dimensions	67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
Seat dimensions	64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
		СОМ	4.5 yds. (Cushion) 2.5 yds. (Inset back panel) 10 yds. (Surround)	(0.00)
		COL	90 yds. (Cushion) 50 yds. (Inset back panel)	

Standard features	Options available
Sinuous springs in seat Upholstered highback surround for privacy Upholstered cushions and inset back panel Unfinished outside back panel Laminate base	Shroud     Power (Left/Right facing, center, both sides)     Light

n/a yds. (Surround)

## Double seat unit with upholstered outside back panel and laminate base 89142

Overall dimensions	67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
Seat dimensions	64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
		сом	4.5 yds. (Cushion) 2.5 yds. (Inset back panel) 13.25 yds. (Surround and outside back panel)	•
		COL	90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround and outside back panel)	<u> </u>

Standard features	Options available
Sinuous springs in seat Upholstered highback surround for privacy Upholstered cushions and inset back panel Upholstered outside back panel Laminate base	Shroud     Power (Left/Right facing, center, both sides)     Light

## Double seat unit with markerboard outside back panel and laminate base $\,89242\,$

Overall dimensions	67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
Seat dimensions	64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
		сом	4.5 yds. (Cushion) 2.5 yds. (Inset back panel) 12 yds. (Surround and outside back panel)	
		COL	90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround and outside back panel)	

Standard features	Options available
Sinuous springs in seat Upholstered highback surround for privacy Upholstered cushions and Inset back panel Markerboard and partial upholstered outside back panel Laminate Base	Shroud     Power (Left/Right facing, center, both sides)     Light

imagine a place® 800.521.5381 3 of 9 ofs.com Spec sheet









## Double seat unit with unfinished outside back panel and upholstered base 89342

Overall dimensions	67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
Seat dimensions	64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
		СОМ	4.5 yds. (Cushion) 2.5 yds. (Inset back panel) 10 yds. (Surround and base)	(*
		COL	90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround and base)	

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Unfinished outside back panel</li> <li>Upholstered base</li> </ul>	Shroud Power (Left/Right facing, center, both sides) Light

### Double seat unit with upholstered outside back panel and upholstered base $\,89442\,$

67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
	сом	<ul><li>4.5 yds. (Cushion)</li><li>2.5 yds.</li><li>(Inset back panel)</li><li>13.25 yds. (Surround, outside back panel and base)</li></ul>	(# # #) (# # #)
	COL	90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround, outside back panel and base)	
	85"w x 75.75"h with shroud	85"w x 75.75"h with shroud 64.4"w x 21.5"d x 18.5"h Cubic feet  COM	85"w x 75.75"h with shroud  64.4"w x 21.5"d x 18.5"h  Cubic feet  147 161 with shroud  COM  4.5 yds. (Cushion) 2.5 yds. (Inset back panel) 13.25 yds. (Surround, outside back panel and base)  COL  90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround, outside

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Upholstered outside back panel</li> <li>Upholstered base</li> </ul>	Shroud     Power (Left/Right facing, center, both sides)     Light

# Double seat unit with markerboard outside back panel and upholstered base 89542

Overall dimensions	67"w x 31.25"d x 67"h 85"w x 75.75"h with shroud	Weight	255 lbs. 340 lbs. with shroud	
Seat dimensions	64.4"w x 21.5"d x 18.5"h	Cubic feet	147 161 with shroud	
		сом	<ul><li>4.5 yds. (Cushion)</li><li>2.5 yds.</li><li>(Inset back panel)</li><li>12 yds. (Surround, outside back panel and base)</li></ul>	(0 0 0) (0 0 0)
		COL	90 yds. (Cushion) 50 yds. (Inset back panel) n/a yds. (Surround, outside back panel and base)	<i>)</i>

Standard features	Options available
<ul> <li>Sinuous springs in seat</li> <li>Upholstered highback surround for privacy</li> <li>Upholstered cushions and inset back panel</li> <li>Markerboard and partial upholstered outside back panel</li> <li>Upholstered base</li> </ul>	<ul><li>Shroud</li><li>Power (Left/Right facing, center, both sides)</li><li>Light</li></ul>

imagine a place® 800.521.5381 4 of 9 ofs.com Spec sheet




# LeanTo

#### Ganging shelf used with shroud 89GS


Overall dimensions	18.25"w x 14.84"d x 1"h	Weight	9 lbs.

Height from floor 27"h Cubic feet 1




### Ganging work tablet (single) used with shroud 89GT1 (left facing shown)

Overall dimensions	31.5"w x 14.84"d x 1"h	Weight	14 lbs.
Height from floor	27"h	Cubic feet	2



### Ganging work tablet (double) used with shroud 89GT2

Overall dimensions	44.91"w x 14.84"d x 1"h	Weight	21 lbs.
Height from floor	27"h	Cubic feet	2




### Work tablet used with shroud 89T1 (left facing shown)

Overall dimensions	22.29"w x 14.84"d x 1"h	Weight	10 lbs.
Height from floor	27"h	Cubic feet	1




# Work tablet used with or without shroud 89T2 (left facing shown)

Overall dimensions	20.66"w x 14.84"d x 1"h	Weight	9 lbs.
Height from floor	27"h	Cubic feet	1



### Round tablet used with or without shroud 89TR

Overall dimensions	17"w x 17"d x 1"h	Weight	8 lbs.
Height from floor	27"h	Cubic feet	1



Standard features	Options available
Exposed plywood edge (veneer and HPL)	HPL (Standard and studio) Standard veneer Solid surface Left or right facing tablet location

**ofs.com imagine a place\* 800.521.5381** Spec sheet 5 of 9











Overall dimensions	18"w x 7"d x 4"h	Weight	1 lbs.	
		Cubic feet	1	
		сом	1 yds.	$egin{pmatrix} igotharpoonup igo$
		COL	20 yds.	

### Large pillow 89P2

3 1				
Overall dimensions	18"w x 10"d x 4"h	Weight	2 lbs.	
		Cubic feet	1	
		сом	1.25 yds.	
		COL	25 yds.	

## LeanTo side shelf units 891SL/891SR

Overall dimensions	25.875"w x 8.8125"d x 74.875"h	Weight	49 lbs.
		Cubic feet	13.7
		СОМ	2.5 yds.



Standard features	Options available
Five fixed shelves	Back finish (upholstered, standard veneers, standard or studio HPL) Shelf finish (standard veneer, standard or studio HPL) Shelf edge (square or exposed ply core knife)

### LeanTo side shelf units 892S

Overall dimensions	51.75"w x 8.8125"d x 74.875"h	Weight	98 lbs.
		Cubic feet	26.4
		COM	2.5 yds.



Standard features	Options available
Five fixed shelves	<ul> <li>Back finish (standard veneers, standard or studio HPL)</li> <li>Shelf finish (standard veneer, standard or studio HPL)</li> <li>Shelf edge (square or exposed ply core knife)</li> </ul>

### LeanTo in line bookcase shelf units 89-5875S5

Overall dimensions	58.656"w x 28.625"d x 75.25"h	Weight	226 lbs.
		Cubic feet	12.5
		СОМ	2.5 yds.



Standard features	Options available
Five fixed shelves	Back finish (standard veneers, standard or studio HPL)
Must be mounted between two lounge units	Shelf finish (standard veneer, standard or studio HPL)
Ganging brackets will be visible on backside	Shelf edge (square or exposed ply core knife)
Exposed shelf brackets	Border width

ofs.comimagine a place\*800.521.5381Spec sheet6 of 9









## LeanTo in line bookcase shelf units 89-4475S5

Overall dimensions	44"w x 28.625"d x 75.25"h	Weight	174 lbs.
		Cubic feet	9.6
		СОМ	2.5 yds.



Standard features	Options available
<ul> <li>Five fixed shelves</li> <li>Must be mounted between two lounge units</li> <li>Ganging brackets will be visible on backside</li> <li>Exposed shelf brackets</li> </ul>	<ul> <li>Back finish (standard veneers, standard or studio HPL)</li> <li>Shelf finish (standard veneer, standard or studio HPL)</li> <li>Shelf edge (square or exposed ply core knife)</li> <li>Border width</li> </ul>

### LeanTo in line bookcase shelf units 89-3075S5

Cubic feet 7.4	
<b>COM</b> 2.5 yds.	
\<	

Standard features	Options available
<ul> <li>Five fixed shelves</li> <li>Must be mounted between two lounge units</li> <li>Ganging brackets will be visible on backside</li> <li>Exposed shelf brackets</li> </ul>	Back finish (upholstered, standard veneers, standard or studio HPL) Shelf finish (standard veneer, standard or studio HPL) Shelf edge (square or exposed ply core knife) Border width

## LeanTo in line TV/presentation units 89-5875P1

Overall dimensions	58.75"w x 24.8025"d x 74.875"h	Weight	98 lbs.	
		Cubic feet	26.4	(
		СОМ	2.5 yds.	ļ
				•



Standard features	Options available
<ul> <li>One shelf must be mounted between two lounge units</li> <li>Ganging brackets will be visible on backside</li> <li>Exposed shelf brackets</li> </ul>	<ul> <li>Back finish (upholstered, standard veneers, standard or studio HPL)</li> <li>Shelf finish (standard veneer, standard or studio HPL)</li> <li>Shelf edge (square or exposed ply core knife)</li> <li>Border width</li> <li>Cup location (left, right or left/right facing)</li> <li>Cup color (standard or studio powder coats)</li> <li>TV mount</li> </ul>

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 7 of 9









### LeanTo in line TV/presentation units 89-4467P1

Overall dimensions	44"w x 24.8037"d x 75.25"h	Weight	128 lbs.
		Cubic feet	24.6
		COM	25 vds



Standard features	Options available
One shelf must be mounted between two lounge units     Ganging brackets will be visible on backside     Exposed shelf brackets	Back finish (upholstered, standard veneers, standard or studio HPL) Shelf finish (standard veneer, standard or studio HPL) Shelf edge (square or exposed ply core knife) Border width Cup location (left, right or left/right facing) Cup color (standard or studio powder coats) TV mount

# LeanTo in line TV/presentation units 89-3075P1

Overall dimensions	30"w x 24.8037"d x 75.25"h	Weight	94 lbs.
		Cubic feet	17.1
		СОМ	2.5 yds.



Standard features	Options available
One shelf must be mounted between two lounge units     Ganging brackets will be visible on backside     Exposed shelf brackets	Back finish (upholstered, standard veneers, standard or studio HPL) Shelf finish (standard veneer, standard or studio HPL) Shelf edge (square or exposed ply core knife) Border width Cup location (left, right or left/right facing) Cup color (standard or studio powder coats) TV mount

ofs.comimagine a place\*800.521.5381Spec sheet8 of 9



# LeanTo

#### Standard textile and finish selection

https://ofs.com/resources/textiles https://ofs.com/resources/finishes

#### Frame construction

Seat

• Steel frame with equally spaced sinuous springs topped with a fiber deck pad and then covered with a moisture resistant medical fabric.

Back

• Upholstered back cushions are attached to the back plywood frame assembly.

Upholstery

• All fabric and leather pieces are cut with automated cutters that utilize precise patterns.

Assembly

• The joints are assembled using mortise and tenon or notched and slotted construction, glue and/or corner blocks, dowels, screws or staples.

• Ganging brackets will be visible on backside

• Exposed shelf brackets

#### Foam

Seat

• 6" Thick premium grade foam

• 30 lb. Compression

• 2.6 Density

• .75 oz Fiber overlay

Back

• 4.5" Thick premium grade foam

• 30 lb. Compression

• 2.6 Density

• .75 oz Fiber overlay

Carton/ packaging • Prior to shipping the unit is placed in a carton with a pallet bottom then it is covered with plastic.

**ofs.com** imagine a place\* 800.521.5381 Spec sheet 9 of 9