



Slipper chair 119041 / 119041-MT


Overall dimensions	25.5"w x 26"d x 29.75"h	Weight	47 lbs.	
Seat dimensions	23"w x 19.5"d x 18"h	Cubic feet	16	
Seat to top of back	13.5"	COM	2.25 yds. (whole unit) 1.25 (seat and inside back) 1.5 (outer shell)	
Arm height from floor	27.75"			
Arm height from seat	10.25"			
Leg height	1.5"	COL	45 sq. ft. (whole unit) 25 (seat and inside back) 30 (outer shell)	

Standard features	Optional features
- Fully upholstered molded structural foam - Seat webbing - Glides	- Polyester pull - Black, Grey, Navy or Tan - Leather pull - Beige, Black, Brown, Grey, Navy or Rust


Runoff straight left/corner/runoff straight right 119045-SCS / 119045-SCS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	213 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	7.25 yds. (whole unit) 4.5 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)	
Leg height	12"	COL	145 sq. ft. (whole unit) 90 (seat and seat sides) 45 (inside back) 45 (outside back)	


Runoff angled left/corner/runoff straight right 119045-ACS / 119045-ACS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	212 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	7 yds. (whole unit) 4.25 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)	
Leg height	12"	COL	140 sq. ft. (whole unit) 85 (seat and seat sides) 45 (inside back) 45 (outside back)	

Runoff straight left/corner/runoff angled right 119045-SCA / 119045-SCA-MT


Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	212 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	7 yds. (whole unit) 4.25 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)	
Leg height	12"	COL	140 sq. ft. (whole unit) 85 (seat and seat sides) 45 (inside back) 45 (outside back)	

Runoff angled left/corner/runoff angled right 119045-ACA / 119045-ACA-MT


Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	211 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	7 yds. (whole unit) 4 (seat and seat sides) 2.25 (inside back) 2.25 (outside back)	
Leg height	12"	COL	140 sq. ft. (whole unit) 80 (seat and seat sides) 45 (inside back) 45 (outside back)	

Corner long right/runoff straight right 119045-RS / 119045-RS-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	171 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	6 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	120 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)


Corner long right/runoff angled right 119045-RA / 119045-RA-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	170 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	5.75 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	115 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)


Runoff straight left/corner long left 119045-SL / 119045-SL-MT


Overall dimensions	97.5"w x 29.25"d x 30.5"h	Weight	171 lbs.
Seat dimensions	90.5"w x 22.25"d x 19"h	Cubic feet	70
Seat to top of back	12"	COM	6 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	120 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)


Runoff angled left/corner long left 119045-AL / 119045-AL-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	170lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	5.75 yds. (whole unit) 3.25 (seat and seat sides) 2.25 (inside back) 2 (outside back)
Leg height	12"	COL	115 sq. ft. (whole unit) 65 (seat and seat sides) 45 (inside back) 40 (outside back)


Runoff straight left/corner long left/runoff straight right 119045-SLS / 119045-SLS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	245 lbs.
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)
Leg height	12"	COL	165 sq. ft. (whole unit) 100 (seat and seat sides) 50 (inside back) 45 (outside back)


Runoff angled left/corner long left/runoff straight right 119045-ALS / 119045-ALS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)
Leg height	12"	COL	165 sq. ft. (whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)



Runoff straight left/corner long left/runoff angled right 119045-SLA / 119045-SLA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff angled left/corner long left/runoff angled right 119045-ALA / 119045-ALA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	243 lbs.	
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 90 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff straight left/corner long right/runoff straight right 119045-SRS / 119045-SRS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	245 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 5 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 100 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff angled left/corner long right/runoff straight right 119045-ARS / 119045-ARS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.75 (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 95 (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff straight left/corner long right/runoff angled right 119045-SRA / 119045-SRA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	244 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.75 yds. (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 sq. ft. (whole unit) 95 yds. (seat and seat sides) 50 (inside back) 45 (outside back)	

Runoff angled left/corner long right/runoff angled right 119045-ARA / 119045-ARA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	243 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	8.25 yds. (whole unit) 4.5 yds. (seat and seat sides) 2.5 (inside back) 2.25 (outside back)	
Leg height	12"	COL	165 yds. (whole unit) 90 yds. (seat and seat sides) 50 (inside back) 45 (outside back)	

Standard features	Optional features
- Fully upholstered molded structural foam - Seat webbing - Sinuous spring in seat - Standard wood finish on Ash - Standard and studio paints on Beech	Tray in all standard and studio powder coats

Runoff angled left/corner/runoff straight right 119145-SCS / 119145-SCS-MT

Overall dimensions	77.75"w x 77.75"d x 30.5"h	Weight	297 lbs.	
Seat dimensions	48.5"w x 22.25"d x 19"h	Cubic feet	92	
Seat to top of back	12"	COM	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff angled left/corner/runoff straight right 119145-ACS / 119145-ACS-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	296 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff straight left/corner/runoff angled right 119145-SCA / 119145-SCA-MT

Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	296 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	11 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	220 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Runoff angled left/corner/runoff angled right 119145-ACA / 119145-ACA-MT


Overall dimensions	77.75"w x 77.75"d x 31"h	Weight	295 lbs.	
Seat dimensions	48.5"w x 22"d x 19"h	Cubic feet	92	
Seat to top of back	12.5"	COM	10.75 yds. (whole unit) 7.25 (seat and seat sides) 3.75 (inside back) 3.5 (outside back)	
Leg height	1.5"	COL	215 sq. ft. (whole unit) 145 (seat and seat sides) 75 (inside back) 70 (outside back)	

Corner long right/runoff straight right 119145-RS / 119145-RS-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	237 lbs.	
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70	
Seat to top of back	12.5"	COM	8.75 yds. (whole unit) 5.5 (seat and seat sides) 3.5 (inside back) 3 (outside back)	
Leg height	1.5"	COL	175 sq. ft. (whole unit) 110 (seat and seat sides) 70 (inside back) 60 (outside back)	

Corner long right/runoff angled right 119145-RA / 119145-RA-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	236 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	8.5 yds. (whole unit) 5.25 (seat and seat sides) 3.5 (inside back) 3 (outside back)
Leg height	1.5"	COL	170 sq. ft. (whole unit) 105 (seat and seat sides) 70 (inside back) 60 (outside back)


Runoff straight left/corner long left 119145-SL / 119145-SL-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	237 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	8.75 yds. (whole unit) 5.5 (seat and seat sides) 3.5 (inside back) 3 (outside back)
Leg height	1.5"	COL	175 sq. ft. (whole unit) 110 (seat and seat sides) 70 (inside back) 60 (outside back)


Runoff angled left/corner long left 119145-AL / 119145-AL-MT


Overall dimensions	97.5"w x 29.25"d x 31"h	Weight	236 lbs.
Seat dimensions	90.5"w x 22"d x 19"h	Cubic feet	70
Seat to top of back	12.5"	COM	8.5 yds. (whole unit) 5.25 (seat and seat sides) 3.5 (inside back) 3 (outside back)
Leg height	1.5"	COL	170 sq. ft. (whole unit) 105 (seat and seat sides) 70 (inside back) 60 (outside back)


Runoff straight left/corner long left/runoff straight right 119145-SLS / 119145-SLS-MT


Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	341 lbs.
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8.25 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)
Leg height	1.5"	COL	245 sq. ft. (whole unit) 165 (seat and seat sides) 90 (inside back) 75 (outside back)


Runoff angled left/corner long left/runoff straight right 119145-ALS / 119145-ALS-MT


Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)


Runoff straight left/corner long left/runoff angled right 119145-SLA / 119145-SLA-MT


Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)




Runoff angled left/corner long left/runoff angled right 119145-ALA / 119145-ALA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	339 lbs.	
Seat dimensions	68.25"w/48.5"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	


Runoff straight left/corner long right/runoff straight right 119145-SRS / 119145-SRS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	341 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8.25 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 165 (seat and seat sides) 90 (inside back) 75 (outside back)	


Runoff angled left/corner long right/runoff straight right 119145-ARS / 119145-ARS-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff straight left/corner long right/runoff angled right 119145-SRA / 119145-SRA-MT

Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	340 lbs.	
Seat dimensions	48.5"w/68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Runoff angled left/corner long right/runoff angled right 119145-ARA / 119145-ARA-MT


Overall dimensions	97.5"w x 77.75"d x 31"h	Weight	339 lbs.	
Seat dimensions	48.5"w x 68.25"w x 22"d x 19"h	Cubic feet	105	
Seat to top of back	12.5"	COM	12.25 yds. (whole unit) 8 (seat and seat sides) 4.5 (inside back) 3.75 (outside back)	
Leg height	1.5"	COL	245 sq. ft. (whole unit) 160 (seat and seat sides) 90 (inside back) 75 (outside back)	

Standard features

- Fully upholstered molded structural foam
- Seat webbing
- Sinuous spring in seat


60" Bench 119049

Overall dimensions	60"w x 22.5"d x 19"h	Weight	67 lbs.
Seat dimensions	60"w x 22.5"d x 19"h	Cubic feet	24.25
		COM	2 yds. (whole unit)
Leg height	12"		



90" Bench 119040

Overall dimensions	90"w x 22.5"d x 19"h	Weight	103 lbs.
Seat dimensions	90"w x 22.5"d x 19"h	Cubic feet	35.25
		COM	2.75 yds. (whole unit)
Leg height	12"		



Standard features	Optional features
- Fully upholstered molded structural foam - Seat webbing - Sinuous spring in seat - Fabric is ran railroad only. Note: No leather - Standard wood finish on Ash - Standard and studio paints on Beech	Tray in all standard and studio powder coats

Standard textile & finish selection

<https://ofs.com/resources/textiles>
<https://ofs.com/resources/finishes>

Frame construction - modular lounge units

Seat	Equally spaced sinuous springs are covered with a polypropylene cover material
Back	Polypropylene cover material
Arms	Upholstered arm assemblies are made of plywood
Upholstery	All fabric and leather pieces are cut with automated cutters that utilize precise patterns
Assembly	The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws or staples
Metal shelving	Optional metal storage tray offered in all standard and studio powder coats

Frame construction - slipper chair

Seat	Hardwood plywood seat panel covered with polypropylene webbing
Back	Fully upholstered molded structural foam
Arms	Upholstered arm assemblies are made of plywood
Upholstery	- All fabric and leather pieces are cut with automated cutters that utilize precise patterns - Optional tab pull - Polyester: Tan, Grey, Navy, or Black - Leather: Brown, Grey, Rust, Black, Navy, or Beige
Assembly	The corners and joints are notched and slotted, and reinforced with glue and/or corner blocks, dowels, screws, or staples

Foam

Seat	4" premium grade foam 30 lb. compression 2.3 density
Back	1.75" premium grade foam 50 lb. compression 1.8 density