



24" Bench - 24" Cushion BD-2424FC

Overall dimensions	24"w x 24"d x 18.5"h	Cubic feet	10
Seat dimensions	23.75"w x 23.75"d x 18.5"h	СОМ	.75 yds.
Weight	42	COL	15 sq. ft.



48" Bench - 24" Cushion | 24" Cushion | BD-4824FCC

Overall dimensions	47.75"w x 24"d x 18.5"h	Cubic feet	18
Seat dimensions	47.5"w x 23.75"d x 18.5"h	COM	1.5 yds.
Weight	69	COL	30 sq. ft.



Standard features	Options available
Single position unitSteel frameUpholstered seat cushion	Frame color - textured powder coats

48" Bench - 24" Cushion | 24" Table BD-4824FCT

Overall dimensions	47.75"w x 24"d x 18.5"h	Cubic feet	18
Seat dimensions	23.75"w x 23.75"d x 18.5"h	COM	.75 yds.
Weight	Thin painted/veneer 75 lbs Thin solid surface 80 lbs Thick painted 92 lbs Thick veneer 95 lbs	COL	15 sq. ft.

Thick solid surface 102 lbs



Exposed wood Beech

Standard features	Options available
 Double position unit Steel frame One upholstered seat cushion One table top 	 Frame color - textured powder coats Top finish - standard veneers, paints or solid surface Top thickness - 1" or 2.25"

72" Bench - **36"** Cushion | **36"** Cushion BD-7224FCC

Overall dimensions	71.25"w x 24"d x 18.5"h	Cubic feet	26
Seat dimensions	71"w x 23.75"d x 18.5"h	СОМ	2.25 yds.
Weight	99	COL	45 sq. ft.



Standard features	Options available
Double position unitSteel frameTwo upholstered seat cushions	Frame color - textured powder coats

72" Bench - 24" Cushion | 24" Cushion | 24" Cushion | BD-7224FCCC

Overall dimensions	71.25"w x 24"d x 18.5"h	Cubic feet	26
Seat dimensions	71"w x 23.75"d x 18.5"h	COM	2.25 yds.
Weight	99	COL	45 sq. ft.



Standard features	Options available
Triple position unit Steel frame	Frame color - textured powder coats
Three upholstered seat cushions	

ofs.comimagine a place®800.521.5381Spec sheet1 of 5



Bända

Thick solid surface 131 lbs

72" Bench - 24" Cushion | 24" Top | 24" Cushion BD-7224FCTC

Exposed wood Beech

72" Bench - 24" Top | 24" Cushion | 24" Cushion BD-7224FTCC

Overall dimensions	71.25"w x 24"d x 18.5"h	Cubic feet	26	
Seat dimensions	23.75"w x 23.75"d x 18.5"h	COM	1.5 yds.	
Weight	Thin painted/veneer 104 lbs Thin solid surface 109 lbs Thick painted 121 lbs Thick veneer 124 lbs Thick solid surface 131 lbs	COL	30 sq. ft.	
Exposed Wood	Beech			

Standard features	Options available
Triple position unit Steel frame	Frame color - textured powder coats Top finish - standard veneers, paints or solid surface
Two upholstered seat cushionsOne table top available in center or end position	Top thickness - 1" or 2.25"

72" Bench - 24" Top | 24" Cushion | 24" Top BD-7224FTCT

Overall dimensions	71.25"w x 24"d x 18.5"h	Cubic feet	26	
Seat dimensions	23.75"w x 23.75"d x 18.5"h	СОМ	.75 yds.	
Weight	Thin painted/veneer 104 lbs Thin solid surface 109 lbs Thick painted 121 lbs Thick veneer 124 lbs Thick solid surface 131 lbs	COL	15 sq. ft.	
Exposed wood	Beech			

Standard features	Options available
Triple position unit Steel frame Two end table tops and one center cushion	 Frame color - textured powder coats Top finish - standard veneers, paints or solid surface Top thickness - 1" or 2.25"

24" Table BD-2424MT

Exposed Wood

Overall dimensions	24"w x 24"d x 17/18.25"h	Cubic feet	10	
Weight	Thin painted/veneer 48 lbs Thin solid surface 53 lbs Thick painted 65 lbs Thick veneer 68 lbs Thick solid surface 75 lbs			
Exposed wood	Beech			
48" Table BD-4824MT				
Overall dimensions	47.75"w x 24"d x 17/18.25"h	Cubic feet	18	
Weight	Thin painted/veneer 81 lbs			

Thin painted/veneer 81 lbs
Thin solid surface 91 lbs
Thick painted 114 lbs
Thick veneer 121 lbs
Thick solid surface 135 lbs
Beech

ofs.comimagine a place®800.521.5381Spec sheet2 of 5



Bända

72" Table BD-7224MT

Overall dimensions 71.25" w \times 24" d \times 17/18.25" h Weight Thin painted/veneer 116 lbs

Thin painted/veneer 116 lbs Thin solid surface 131 lbs Thick painted 167 lbs Thick veneer 176 lbs Thick solid surface 197 lbs Cubic feet 26

Exposed wood Beech

Standard features	Options available
 Steel frame 24" Single position unit (BD-2424MT) 48" Double position unit (BD-4824MT) 72" Triple position unit (BD-7224MT) 	 Frame color - textured powder coats Top finish - standard veneers, paints or solid surface Top thickness - 1" or 2.25"

24" Cushion BD-2424C

Overall dimensions	23.75"w x 23.75"d x 2.5"h	Cubic feet	2
Seat dimensions	23.75"w x 23.75"d	COM	.75 yds.
Weight	9 lbs.	COL	15 sq. ft.



36" Cushion BD-3624C

Overall dimensions	35.5"w x 23.75"d x 2.5"h	Cubic feet	2.5
Seat dimensions	35.5"w x 23.75"d	COM	1.25 yds.
Weight	14 lbs.	COL	25 sq. ft.



Standard features

- Upholstered seat cushion
- 24" Seat cushion one seat width
- 36" Cushion one and one half seat width

12" Upholstered arm BD-1224AU

Overall dimensions	11.875"w x 23.75"d x 9"h	Cubic feet	3
Weight	15 lbs.	СОМ	.75 yds.
		COL	15 sq. ft.



Standard features

- One half seat width
- Upholstered arm rest

12" Table top BD-1224T

Overall dimensions	11.75"w x 23.5"d x 1"h or 2.25"h	Cubic feet	1
Weight	Thin painted/veneer 8 lbs. Thin solid surface 10 lbs. Thick painted 16 lbs. Thick veneer 18 lbs. Thick solid surface 21 lbs.		
Exposed wood	Beech		



24" Table top BD-2424T Overall dimensions	23.5"w x 23.5"d x 1"h or 2.25"h	Cubic feet	3	
Weight	Thin painted/veneer 15 lbs. Thin solid surface 20 lbs. Thick painted 32 lbs. Thick veneer 35 lbs. Thick solid surface 42 lbs.			
Exposed wood	Beech			

ofs.comimagine a place®800.521.5381Spec sheet3 of 5









Standard features	Options available
 12" One half seat width table top (BD-1224T) 24" Single width table top (BD-2424T) 	Top finish - standard veneers, paints or solid surface Top thickness - 1" and 2.25"

Back cushion BD-24BK1

Overall dimensions	23.5"w x 5.5"d x 17.25"h	Cubic feet	2.5
Weight	18 lbs.	СОМ	1 yd.
		COL	20 sq. ft.



Standard features

- Single widthUpholstered back cushion with mounting bracket

Metal arm BD-ARM1

Overall dimensions	6"w x 13.25"d x 8.75"h	Cubic feet	1
Weight	7 lbs.		



Standard features	Options available
Single arm	Frame color - textured powder coats
2" Arm rest	
Steel frame	

24" Frame BD-2424F

Overall dimensions	24"w x 24"d x 16.5"h	Cubic feet	10	
Weight	33 lbs.			



48" Frame BD-4824F

Overall dimensions	47.75"w x 24"d x 16.5"h	Cubic feet	18
Weight	51 lbs.		



72" Frame BD-7224F

Overall dimensions	71.25"w x 24"d x 16.5"h	Cubic feet	26
Weight	71 lbs.		



Standard features	Options available	
 Steel frame Cushions not included 24" - Single position unit (BD-2424F) 48" - Double position unit (BD-4824F) 72" - Triple position unit (BD-7224F) 	Frame color - textured powder coats	

imagine a place® 800.521.5381 4 of 5 ofs.com Spec sheet





Standard textile & finish selection

https://ofs.com/resources/textiles https://ofs.com/resources/finishes

Frame construction

Base

- Constructed using formed sheet steel
- The formed sheet steel legs are bolted to the frame and have adjustable levelers
- Frames and legs are powder coated with our standard texture powder coats
- · Frame has an MDF top panel with a pattern of mounting holes to accommodate all available accessories

Seat

- MDF covered with 1.75" thick piece of high resilient polyurethane foam
- 24 x 24" or 24 x 36" Seat sizes

Back

- Construction grade plywood
- Mounted with a formed sheet steel bracket that is powder coated
- Covered with 1.25" thick piece of polyurethane foam

Arms

- Formed sheet steel arm: powder coated with standard texture powder coats
- Upholstered arm: construction grade plywood covered with .5" polyurethane foam on top and .25" on sides

Tops

- 1" or 2.25" thickness in multiple lengths
- · Standard paint colors
- · Solid surface
- Veneer

Upholstery

· All textile and leather pieces are cut with automated cutters that utilize precise patterns

Ganging

· Ganging bracket used to gang and secure two units together.

Wire management

- · Leg wire manager
- Under-surface clip
- Velcro wire management strip
- Wire managers

Carton/packaging

· Prior to shipping the unit is placed on a carton. A cardboard edge protector is wrapped around top.

Foam

Seat

- 1.75" Polyurethane foam
- · 2.2 Density
- · CAL TB 117 Certified Fire Retardant

Back

- 1.25" Polyurethane foam
- 1.8 Density
- · CAL TB 117 Certified Fire Retardant

ofs.com imagine a place® 800.521.5381 Spec sheet 5 of 5