



High back mesh stool 3619M

Overall dimensions	27.5" w x 27.5" d x 44/51.5" h (CHC) 27.5" w x 27.5" d x 47.75/58" h (BHC)	Weight	49.5 lbs. Armless (CHC) 53.5 lbs. (CR13) Arms (CHC) 54 lbs. (CR20) Arms (CHC) 50.5 lbs. Armless (BHC) 53.25 lbs. (CR13) Arms (BHC) 55 lbs. (CR20) Arms (BHC)
Seat dimensions	20.25" w x 19" d x 20.75/28.25" h (CHC) 20.25" w x 19" d x 24.25/34.25" h (BHC)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1 yd.
Back width	19.25"	COL	20 sq. ft.
Top of arm to floor	29.5/40.75" (CR13) 30/38" (CR20) (CHC) 33/47" (CR13) 34/44" (CR20) (BHC)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		




High back elastomer stool 3619E

Overall dimensions	27.5" w x 27.5" d x 44/51.5" h (CHC) 27.5" w x 27.5" d x 47.75/58" h (BHC)	Weight	51.5 lbs. Armless (CHC) 55.5 lbs. (CR13) Arms (CHC) 55.75 lbs. (CR20) Arms (CHC) 52.5 lbs. Armless (BHC) 56.5 lbs. (CR13) Arms (BHC) 56.75 lbs. (CR20) Arms (BHC)
Seat dimensions	20.25" w x 19" d x 20.75/28.25" h (CHC) 20.25" w x 19" d x 24.25/34.25" h (BHC)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1 yd.
Back width	19.25"	COL	20 sq. ft.
Top of arm to floor	29.5/40.75" (CR13) 30/38" (CR20) (CHC) 33/47" (CR13) 34/44" (CR20) (BHC)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		



High back fully upholstered stool 3619

Overall dimensions	27.5" w x 27.5" d x 44/51.5" h (CHC) 27.5" w x 27.5" d x 47.75/58" h (BHC)	Weight	51.5 lbs. Armless (CHC) 55.5 lbs. (CR13) Arms (CHC) 56 lbs. (CR20) Arms (CHC) 52.5 lbs. Armless (BHC) 56.5 lbs. (CR13) Arms (BHC) 57 lbs. (CR20) Arms (BHC)
Seat dimensions	20.25" w x 19" d x 20.75/28.25" h (CHC) 20.25" w x 19" d x 24.25/34.25" h (BHC)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1.25 yd.
Back width	19.25"	COL	25 sq. ft.
Top of arm to floor	29.5/40.75" (CR13) 30/38" (CR20) (CHC) 33/47" (CR13) 34/44" (CR20) (BHC)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		



High back impression stool 3619T

Overall dimensions	27.5" w x 27.5" d x 44/51.5" h (CHC) 27.5" w x 27.5" d x 47.75/58" h (BHC)	Weight	50.5 lbs. Armless (CHC) 54.5 lbs. (CR13) Arms (CHC) 55 lbs. (CR20) Arms (CHC) 51.5 lbs. Armless (BHC) 55.5 lbs. (CR13) Arms (BHC) 56 lbs. (CR20) Arms (BHC)
Seat dimensions	20.25" w x 19" d x 20.75/28.25" h (CHC) 20.25" w x 19" d x 24.25/34.25" h (BHC)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1 yd.
Back width	19.25"	COL	20 sq. ft.
Top of arm to floor	29.5/40.75" (CR13) 30/38" (CR20) (CHC) 33/47" (CR13) 34/44" (CR20) (BHC)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		



Standard features	Options available
<ul style="list-style-type: none"> • Armless • High back • Tailored seat • Body balance control • Upholstered seat with molded seat foam • 20" Foot ring • Hard wheel casters 	<ul style="list-style-type: none"> • Mesh, elastomer, impression or upholstered back • Carbon, graphite or chalk frame • Arms: <ul style="list-style-type: none"> - 4D pivoting arms - Polished aluminum cantilever arms • 2 Cylinder heights: CHC - counter height (8") or BHC - bar height (10") • Adjustable lumbar support: carbon, graphite or chalk (matches frame choice) • Sit-to-stand cylinder: <ul style="list-style-type: none"> - STS1 G10 (7") 17/24" with B18 base - STS3 G15 (8") 19/27" with B18 base - STS4 G16 (9") 20/29" with B18 base • Six mesh colors: deep blue, grey, pitch, platinum, snow or storm • Eight elastomer colors: clay, sage, oat, deep blue, pitch, platinum, snow or storm • Two impression colors: pitch or platinum • Nylon base: carbon, graphite or chalk (matches frame choice) • Polished aluminum base • Soft wheel casters or glides • Fully assembled

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction


Seat	<ul style="list-style-type: none"> • 5/8" One-piece, multi-core hardwood plywood • Fitted with riveted "T" nuts fixed on both sides of plywood
Back	<ul style="list-style-type: none"> • Polypropylene and nylon: Black, graphite and chalk • Mesh: 40% elastomer, 60% polyester • Elastomer: thermoplastic polyurethane • Impression: inner foam laminated with polyester fabric on both sides, a line design is pressed into material
Upholstery	<ul style="list-style-type: none"> • Mesh back is 100% high tenacity polyester breathable material • All fabrics meet CAL tech bulletin 117-2013
Arms	<ul style="list-style-type: none"> • 4D pivoting arms • Fixed cantilever aluminum arms
Lumbar support	<ul style="list-style-type: none"> • Adjustable lumbar support: black, graphite or chalk (dependent on frame color choice) • Height from seat = 5.25"/8.25", Range = 3"
Controls	<ul style="list-style-type: none"> • BDB3 - body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 10 degree restricted limiter, tension control, back height adjustment
Base	<ul style="list-style-type: none"> • Nylon: solid injection-molded and glass-reinforced nylon resin - black, graphite or chalk • Polished aluminum: manufactured of die-casting process • All Bases pass the ANSI/BIFMA strength standards
Cylinder	<ul style="list-style-type: none"> • Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
Casters	<ul style="list-style-type: none"> • Nylon twin wheel casters are manufactured of injection-molded engineer grade nylon • 60 mm diameter large pivot barrels
Assembly	<ul style="list-style-type: none"> • Self-locking, hardened steel, hex/socket/phillips head bolts • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam


Seat	<ul style="list-style-type: none"> • 3D molded foam • 40 IFD • 2 lb. Density • CAL TB 117-2013 Conformant
Back	<ul style="list-style-type: none"> • Polyurethane and nylon

Mesh back stool - counter height 3711M


Overall dimensions	22.5" w x 25" d x 39.5" h	Weight	31 lbs. Armless 32.25 lbs. Arms
Seat dimensions	19.25" w x 18" d x 24.5" h	Cubic feet	17
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	32.75"		
Top of arm to seat	7.5"		

**Fully upholstered stool - counter height 3711**


Overall dimensions	22.5" w x 25" d x 39.5" h	Weight	31.5 lbs. Armless 32.75 lbs. Arms
Seat dimensions	19.25" w x 18" d x 24.5" h	Cubic feet	17
Seat to top of back	13.25"	COM	1.75 yd.
Back width	19.75"	COL	35 sq. ft.
Top of arm to floor	32.75"		
Top of arm to seat	7.5"		

**Impression back stool - counter height 3711T**


Overall dimensions	22.5" w x 25" d x 39.5" h	Weight	31.25 lbs. Armless 32.5 lbs. Arms
Seat dimensions	19.25" w x 18" d x 24.5" h	Cubic feet	17
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	32.75"		
Top of arm to seat	7.5"		

**Mesh back stool - bar height 3713M**


Overall dimensions	22.5" w x 25.5" d x 44.5" h	Weight	32.25 lbs. Armless 33.5 lbs. Arms
Seat dimensions	19.25" w x 18" d x 29.5" h	Cubic feet	22.5
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	37.75"		
Top of arm to seat	7.5"		

**Fully upholstered stool - bar height 3713**

Overall dimensions	22.5" w x 25.5" d x 44.5" h	Weight	32.75 lbs. Armless 34 lbs. Arms
Seat dimensions	19.25" w x 18" d x 29.5" h	Cubic feet	22.5
Seat to top of back	13.25"	COM	1.75 yds.
Back width	19.75"	COL	35 sq. ft.
Top of arm to floor	37.75"		
Top of arm to seat	7.5"		

**Impression back stool - bar height 3713T**

Overall dimensions	22.5" w x 25.5" d x 44.5" h	Weight	33.5 lbs. Armless 33.75 lbs. Arms
Seat dimensions	19.25" w x 18" d x 29.5" h	Cubic feet	22.5
Seat to top of back	13.25"	COM	1 yds.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	37.75"		
Top of arm to seat	7.5"		





Standard features	Options available
<ul style="list-style-type: none">• Armless• Bar or counter height• Upholstered seat with molded seat foam• Nylon glides	<ul style="list-style-type: none">• Mesh, impression or upholstered back• Black or silver frame on bar height and black frame only on counter height• Fixed arms (black only)• Six mesh colors: deep blue, grey, pitch, platinum, snow and storm• Two impression colors: pitch or platinum• Felt tip glides

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

Seat	<ul style="list-style-type: none">• Polypropylene
Back	<ul style="list-style-type: none">• Polypropylene and nylon
Upholstery	<ul style="list-style-type: none">• Mesh: constructed of polyester, polyamid and elasthan fiber content• Two part plastic back with upholstery clips• All fabrics meet CAL Tech Bulletin 117-2013
Arms	<ul style="list-style-type: none">• Fixed arms (black only)
Frame	<ul style="list-style-type: none">• $\frac{7}{8}$" Diameter 14 gage steel tubing• Silver and black wall saver
Glides	<ul style="list-style-type: none">• Nylon glides• $\frac{1}{6}$" high by $\frac{3}{8}$" diameter base with a $\frac{1}{2}$" stem
Assembly	<ul style="list-style-type: none">• Self-locking, hardened steel, hex/socket/phillips head bolts• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration• "NYLOK" fasteners semi-permanently secure all hardware seat & back

Impression material


Back	<ul style="list-style-type: none">• Constructed of three layers: inner foam laminated with polyester fabric on both sides.• A line design is pressed into the material• Color options: Pitch (TPI) and Platinum (TPM)• CAL TB 117-2013 Conformant
------	--

Foam

Seat	<ul style="list-style-type: none">• 3D molded foam• 2.5 Density• CAL TB 117-2013 Conformant
------	---


Plastic back stool - counter height 38111 (single) 38112 (double)

Overall dimensions	22"w x 23.5"d x 38.75" h	Weight	21 lbs.
Seat dimensions	17.75"w x 17.75"d x 24.25" h (plastic) 18.5"w x 18"d x 25" h (upholstered)	Cubic feet	17
Seat to top of back	12.75"	COM	1 yd.
Back width	18"	COL	20 sq. ft.
Top of arm to floor	32"		
Top of arm to seat	7.5"		



Plastic back stool - bar height 38131 (single) 38132 (double)

Overall dimensions	22"w x 23.5"d x 43.75" h	Weight	21.75 lbs.
Seat dimensions	17.75"w x 17.75"d x 29.25" h (plastic) 18.5"w x 18"d x 30" h (upholstered)	Cubic feet	17
Seat to top of back	12.75"	COM	1 yd.
Back width	18"	COL	20 sq. ft.
Top of arm to floor	37"		
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Armless • Molded plastic back • Chrome wall saver frame • Counter height or bar height • Stacks two high 	<ul style="list-style-type: none"> • Plastic or upholstered seat with molded seat foam • Five plastic colors: deep blue, pitch, platinum, snow or storm • Clear nylon glides

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction


Seat	<ul style="list-style-type: none"> • Polypropylene
Back	<ul style="list-style-type: none"> • Polypropylene
Upholstery	<ul style="list-style-type: none"> • All fabrics meet CAL Tech Bulletin 117-2013
Frame	<ul style="list-style-type: none"> • .441" Diameter steel rod and .157" steel plate • Chrome wall saver
Glides	<ul style="list-style-type: none"> • Nylon glides
Assembly	<ul style="list-style-type: none"> • Self-locking, hardened steel, hex/socket/phillips head bolts • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration • "NYLOK" fasteners semi-permanently secure all hardware seat & back

Foam

Seat	<ul style="list-style-type: none"> • 1" 3D molded foam • 5.14 Density • 58 IFD • CAL TB 117-2013 Conformant
------	---

Plastic back light task stool - counter/bar height 3815

Overall dimensions	27.5" w x 27.5" d x 32.75/40.25" h (CHC) 27.5" w x 27.5" d x 43.75/56.25" h (BHC)	Weight	34 lbs. Armless 35 lbs. Arms (CHC) 37.25 lbs. Armless 38.25 lbs. Arms (BHC)
Seat dimensions	17.75" w x 17.5" d x 18/25.5" h (CHC plastic) 18.5" w x 17.75" d x 18.75/26.25" h (CHC upholstered) 17.75" w x 17.5" d x 21.75/31.75" h (BHC plastic) 18.5" w x 17.75" d x 22.5/32.5" h (BHC upholstered)	Cubic feet	12.75
Seat to top of back	22.75"	COM	1.25 yds.
Back width	18"	COL	25 sq. ft.
Top of arm to floor	26.25/33.75" (CHC), 30/40.25" (BHC)		
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Armless • Molded plastic back • Basic task control • Black nylon base • 20" Foot ring • Hard wheel casters 	<ul style="list-style-type: none"> • Graphite or chrome frame • Fixed arms (arm colors match plastic back) • Plastic or upholstered seat with molded seat foam • 2 Cylinder heights: CHC - counter height (8") or BHC - bar height (10") • Five plastic colors: deep blue, pitch, platinum, snow or storm • Polished aluminum base • Soft wheel casters or glides • Fully assembled

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

Seat	<ul style="list-style-type: none"> • Polypropylene
Back	<ul style="list-style-type: none"> • Polypropylene
Upholstery	<ul style="list-style-type: none"> • All fabrics meet CAL Tech Bulletin 117-2013
Arms	<ul style="list-style-type: none"> • Fixed arms with polypropylene arm caps
Frame	<ul style="list-style-type: none"> • .441" Diameter steel rod and .157" steel plate • Chrome wall saver
Controls	<ul style="list-style-type: none"> • BST4 - basic task: seat height adjustment
Base	<ul style="list-style-type: none"> • Nylon: solid injection-molded and glass-reinforced nylon resin black • Polished aluminum: manufactured of die-casting process • All Bases pass the ANSI/BIFMA strength standards
Cylinder	<ul style="list-style-type: none"> • Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
Glides	<ul style="list-style-type: none"> • Nylon
Casters	<ul style="list-style-type: none"> • Nylon twin wheel casters are manufactured of injection-molded engineer grade nylon • 60 mm diameter large pivot barrels
Assembly	<ul style="list-style-type: none"> • Self-locking, hardened steel, hex/socket/phillips head bolts • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration • "NYLOK" fasteners semi-permanently secure all hardware seat & back

Foam

Seat	<ul style="list-style-type: none"> • 1" 3D molded foam • 5.14 Density • 58 IFD • CAL TB 117-2013 Conformant
------	---