

Mid mesh back task 3607M

Overall dimensions	27.5"w x 27.5"d x 37.25/41.25"h (STT8) 27.5"w x 27.5"d x 37/41"h (BDB4)	Weight	40.75 lbs. Armless 44.7 lbs. Arms (CR13) 45 lbs. Arms (CR20)	
Seat dimensions	20.25"w x 19"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1 yd.	
Back width	18.5"	COL	20 sq. ft.	
Top of arm to floor	24.5/32.5" (CR13) 26.5/29.75" (CR20)			
Top of arm to seat	7/11" (CR13) 8" (CR20)			

Mid upholstered back task 3607

Overall dimensions	27.5"w x 27.5"d x 37.25/41.25"h (STT8) 27.5"w x 27.5"d x 37/41"h (BDB4)	Weight	42.75 lbs. Armless 46.75 lbs Arms (CR13) 47 lbs Arms (CR20)	
Seat dimensions	20.25"w x 19"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1.25 yds.	
Back width	18.5"	COL	25 sq. ft.	
Top of arm to floor	24.5/32.5" (CR13) 26.5/29.75" (CR20)			
Top of arm to seat	7/11" (CR13) 8" (CR20)			

Mid impression back task 3607T

Overall dimensions	27.5"w x 27.5"d x 37.25/41.25"h (STT8) 27.5"w x 27.5"d x 37/41"h (BDB4)	Weight	41.75 lbs. Armless 46 lbs. Arms (CR20) 45.75 lbs Arms (CR13)	
Seat dimensions	20.25"w x 19"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1 yds.	
Back width	18.5"	COL	20 sq. ft.	
Top of arm to floor	24.5/32.5" (CR13) 26.5/29.75" (CR20)			
Top of arm to seat	7/11" (CR13) 8" (CR20)			


Standard features	Options available
<ul style="list-style-type: none"> • Mid back • Tailored seat • Armless • Carbon frame • Synchro tilt control with side tension knob • Upholstered seat with molded seat foam • Carbon nylon base • Hard wheel casters • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Mesh, upholstered or impression back • Arms: <ul style="list-style-type: none"> - 4D pivoting arms - Polished aluminum cantilever arms • Eight mesh colors • Three impression colors • Body balance control • Seat slider • Adjustable lumbar support • Polished aluminum base • Adjustable headrest • Soft wheel casters or glides • Fully assembled chair in carton

High mesh back task 3615M

Overall dimensions	27.5"w x 27.5"d x 39.75/43.75"h (SST8) 27.5"w x 27.5"d x 39.25/43.25" (BDB4)	Weight	41.5 lbs. Armless 45.5 lbs. Arms (CR13) 45.75 lbs. Arms (CR20)	
Seat dimensions	20.25"w x 19"d x 16.5/20.5"h (SST8) 20.25"w x 19"d x 16/20"h (BDB4)	Cubic feet	12.75	
Seat to top of back	23.25"	COM	1 yd.	
Back width	19.25"	COL	20 sq. ft.	
Top of arm to floor	24.5/32.5" (SST8) 24/32" (BDB4) (CR13) 26.5/29.75" (SST8) 25.5/29.25" (BDB4) (CR20)			
Top of arm to seat	7/11" (CR13) 8" (CR20)			


High elastomer back task 3615E

Overall dimensions	27.5" w x 27.5" d x 39.75/43.75" h (SST8) 27.5" w x 27.5" d x 39.25/43.25" h (BDB4)	Weight	43.25 lbs. Armless 47.75 lbs. Arms (CR13) 47.25 lbs. Arms (CR20)
Seat dimensions	20.25" w x 19" d x 16.5/20.5" h (SST8) 20.25" w x 19" d x 16/20" h (BDB4)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1 yd.
Back width	19.25"	COL	20 sq. ft.
Top of arm to floor	24.5/32.5" (SST8) 24/32" (BDB4) (CR13) 26.5/29.75" (SST8) 25.5/29.25" (BDB4) (CR20)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		




High upholstered back task 3615

Overall dimensions	27.5" w x 27.5" d x 39.75/43.75" h (SST8) 27.5" w x 27.5" d x 39.25/43.25" h (BDB4)	Weight	43.5 lbs. Armless 47.5 lbs. Arms (CR13) 47.75 lbs. Arms (CR20)
Seat dimensions	20.25" w x 19" d x 16.5/20.5" h (SST8) 20.25" w x 19" d x 16/20" h (BDB4)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1.25 yd.
Back width	19.25"	COL	25 sq. ft.
Top of arm to floor	24.5/32.25" (SST8) 24/32" (BDB4) (CR13) 26.5/29.75" (SST8) 25.5/29.25" (BDB4) (CR20)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		



High impression back task 3615T

Overall dimensions	27.5" w x 27.5" d x 39.75/43.75" h (SST8) 27.5" w x 27.5" d x 39.25/43.25" h (BDB4)	Weight	42.5 lbs. Armless 46.5 lbs. Arms (CR13) 46.75 lbs. Arms (CR20)
Seat dimensions	20.25" w x 19" d x 16.5/20.5" h (SST8) 20.25" w x 19" d x 16/20" h (BDB4)	Cubic feet	12.75
Seat to top of back	23.25"	COM	1 yds.
Back width	19.25"	COL	20 sq. ft.
Top of arm to floor	24.5/32.5" (SST8) 24/32" (BDB4) (CR13) 26.5/29.75" (SST8) 25.5/29.25" (BDB4) (CR20)		
Top of arm to seat	7/11" (CR13) 8" (CR20)		



Standard features	Options available
<ul style="list-style-type: none"> • High back • Tailored seat • Armless • Synchro tilt control with side tension knob • Upholstered seat with molded seat foam • Hard wheel casters • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Mesh, elastomer, impression or upholstered back • Black, graphite or chalk frame (Note: base, arm extension and seat pan match frame color) • Arms: <ul style="list-style-type: none"> - 4D pivoting arms - Polished aluminum cantilever arms • Eight mesh colors • Five elastomer colors • Three impression colors • Body balance control • Seat slider • Adjustable lumbar support: black, graphite or chalk (matches frame choice) • Polished aluminum base • Adjustable headrest • Soft wheel casters or glides • Fully assembled chair in carton

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

- Seat
 - 5/8" One-piece, multi-core hardwood plywood
 - Fitted with riveted "T" nuts fixed on both sides of the plywood
- Back
 - Polypropylene and nylon: carbon, graphite and chalk
 - Mesh: 40% elastomer, 60% polyester
 - Elastomer: thermoplastic polyurethane
 - Impression: inner foam laminated with polyester fabric on both sides, a line design is pressed into material
- Upholstery
 - Mesh: 100% high tenacity polyester breathable material that curves across the chair back
- Arms
 - 4D pivoting arms
 - Fixed cantilever aluminum arms
- Head rest
 - Material is FoamMesh or upholstery to match seat
 - Added height to chair = 6"/ 9.25", range of upholstered pad = 1.5"
- Lumbar support
 - Matches frame color choice
 - Height from seat = 5.25"/ 8.25", Range = 3"
- Controls
 - STT8 - Synchro tilt with side tension knob: adjusts to user's body weight and can tilt free or lock in three positions - optional SS3 seat slider
 - BDB4 - Body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 2 position limiter, tension control, back height adjustment - optional SS3 seat slider
- Base
 - Nylon: solid injection-molded and fiber glass-reinforced nylon resin - carbon, graphite or chalk
 - Polished aluminum: manufactured of die-casting process
 - All bases pass the ANSI/BIFMA strength standards
- Cylinder
 - Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters
 - Heavy-duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon
 - 60 mm diameter large pivot barrels
- Assembly
 - Self-locking, hardened steel, hex/socket/phillips head bolts
 - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

- Seat
 - 3D molded foam
 - 40 IFD
 - 2 lb. Density
 - CAL TB 117-2013 Conformant

Mesh back task 3703M - BST4

Overall dimensions	27.5"w x 27.5"d x 31.25/36.25"h	Weight	32 lbs. Armless 33 lbs. Arms
Seat dimensions	19.25"w x 18"d x 15.25/20.25"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	24.25/29.25"		
Top of arm to seat	7.5"		




Mesh back task 3703M - SWT2

Overall dimensions	27.5"w x 27.5"d x 31.5/36.25"h	Weight	34 lbs. Armless 35 lbs. Arms
Seat dimensions	19.25"w x 18"d x 15.5/20.5"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	24.75/29.75"		
Top of arm to seat	7.5"		



Mesh back task 3703M - SWT4

Overall dimensions	27.5"w x 27.5"d x 32/37"h	Weight	33.75 lbs. Armless 35 lbs. Arms
Seat dimensions	19.25"w x 18"d x 15.75/20.75"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	25/30"		
Top of arm to seat	7.5"		



Upholstered back task 3703 - BST4

Overall dimensions	27.5"w x 27.5"d x 31.25/36.25"h	Weight	32.5 lbs. Armless 33.5 lbs. Arms
Seat dimensions	19.25"w x 17"d x 15.25/20.25"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	24.25/29.25"		
Top of arm to seat	7.5"		



Upholstered back task 3703 - SWT2

Overall dimensions	27.5"w x 27.5"d x 31.5/36.5"h	Weight	34.5 lbs. Armless 35.5 lbs. Arms
Seat dimensions	19.25"w x 17"d x 15.5/20.5"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	24.75/29.75"		
Top of arm to seat	7.5"		



Upholstered back task 3703 - SWT4

Overall dimensions	27.5"w x 27.5"d x 32/37"h	Weight	34.25 lbs. Armless 35.5 lbs. Arms
Seat dimensions	19.25"w x 17"d x 15.75/20.75"h	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	25/30"		
Top of arm to seat	7.5"		



Impression back task 3703T

Overall dimensions	27.5"w x 27.5"d x 31.25/36.25"h (BST4) 27.5"w x 27.5"d x 31.5/36.5"h (SWT2) 27.5"w x 27.5"d x 32/27"h (SWT4)	Weight	32.25 lbs. Armless(BST4) 34.25 lbs. Armless (SWT2) 34 lbs. Armless (SWT4) 33.25 lbs. Arms (BST4) 35.25 lbs. Arms (SWT2) 35.25 lbs Arms (SWT4)
Seat dimensions	19.25"w x 18"d x 15.25/20.25"h (BST4) 19.25"w x 18"d x 15.5/20.5"h (SWT2) 19.25"w x 18"d x 15.75/20.75"h (SWT4)	Cubic feet	12.75
Seat to top of back	13.25"	COM	1 yd.
Back width	19.75"	COL	20 sq. ft.
Top of arm to floor	24.25/29.25" (BST4) 24.75/29.75" (SWT2) 25/30" (SWT4)		
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Armless • Basic task control • Upholstered seat with molded seat foam • Carbon nylon base • Hard wheel casters • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Mesh, impression or upholstered back • Black or silver frame • Eight mesh colors • Three impression colors • Fixed arms (black only) • Controls: <ul style="list-style-type: none"> - SWT2 swivel tilt - SWT4 swivel tilt • Polished aluminum base • Soft wheel casters • Glides • Fully assembled chair in carton

Mesh back conference task 3705M

Overall dimensions	29.25"w x 29.25"d x 33"h (BST4) 29.25"w x 29.25"d x 34"h (SWT3)	Weight	32 lbs. Armless (BST4) 33.25 lbs. Arms (SWT3) 33.5 lbs. Armless (BST4) 34.75 lbs. Arms (SWT3)	
Seat dimensions	19.25"w x 18"d x 18"h (BST4) 19.25"w x 18"d x 18.25"h (SWT3)	Cubic feet	10.5	
Seat to top of back	13.25"	COM	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	26.25" (BST4) 27" (SWT3)			
Top of arm to seat	7.5"			

Upholstered back conference task 3705

Overall dimensions	29.25"w x 29.25"d x 33"h (BST4) 29.25"w x 29.25"d x 34"h (SWT3)	Weight	32.5 lbs. Armless (BST4) 33.75 lbs. Arms (BST4) 34 lbs. Armless (SWT3) 35.25 lbs. Arms (SWT3)	
Seat dimensions	19.25"w x 17"d x 18"h (BST4) 19.25"w x 17"d x 18.25"h (SWT3)	Cubic feet	12.75	
Seat to top of back	13.25"	COM	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	26.25" (BST4) 27" (SWT3)			
Top of arm to seat	7.5"			

Impression back conference task 3705T

Overall dimensions	29.25"w x 29.25"d x 33"h (BST4) 29.25"w x 29.25d x 34"h (SWT3)	Weight	32.25 lbs. Armless(BST4) 33.5 lbs. Arms (BST4) 33.5 lbs. Armless (SWT3) 35 lbs. Arms (SWT3)	
Seat dimensions	19.25"w x 18"d x 18"h (BST4) 19.25"w x 18"d x 18.25"h (SWT3)	Cubic feet	10.5	
Seat to top of back	13.25"	COM	1 yd.	
Back width	19.75"	COL	20 sq. ft.	
Top of arm to floor	26.25" (BST4) 27" (SWT3)			
Top of arm to seat	7.5"			

Standard features	Options available
<ul style="list-style-type: none"> • Armless • Basic task control • Upholstered seat with molded seat foam • Polished aluminum 4-star base • High glides • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Mesh, impression or upholstered back • Eight mesh colors • Three impression colors • Black or silver frame • Fixed arms (black only) • Control: basic swivel • Fully assembled chair in carton



Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

- Seat • Polypropylene
- Back • Polypropylene and nylon.
 - mesh: 40% elastomer, 60% polyester
 - Impression: inner foam laminated with polyester fabric on both sides, a line design is pressed into material
- Upholstery • Mesh: 100% high tenacity polyester breathable material that curves across the chair back
- Arms • Fixed arms
- Controls • BST4 (3703) - Basic task: seat height adjustment
 - SWT2 (3703) - Swivel tilt: seat height adjustment, seat and back tilt adjustment and tension control
 - SWT4 (3703) - Swivel tilt: tilt seat, seat height adjustment
 - BST4 (3705) - Basic control suitable for general office tasking and occasional typing or computer use
 - SWT3 (3705) - Basic swivel control, basic control suitable for general office tasking and occasional typing or computer use
- Base • Nylon: solid injection-molded and glass-reinforced nylon resin (3703)
 - Polished aluminum: manufactured of die-casting process (3703)
 - All bases pass the ANSI/BIFMA strength standards (3703)
 - Four-star polished aluminum base (3705)
- Cylinder • Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters • Nylon twin wheel casters are manufactured of injection-molded engineer grade nylon (3703)
 - 60 mm diameter large pivot barrels (3703)
- Glides • Nylon (3705)
 - Height from seat: 1 1/4" h x 2" diameter base
 - 7/16" D-ring stem
- Assembly • Self-locking, hardened steel, hex/socket/phillips head bolts
 - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration
 - Back and seat are held together with upholstery clips

Impression material


- Back • Constructed of three layers: inner foam laminated with polyester fabric on both sides.
 - A line design is pressed into the material
 - Color options: Pitch (TPI), Platinum (TPM) and Storm (TSM)
 - CAL TB 117-2013 Conformant

Foam

- Seat • 3D molded foam
 - 5.58 lb. Density
 - 36 IFD
 - CAL TB 117-2013 Conformant

Light task 3805

Overall dimensions	27.5"w x 27.5"d x 28.5/33.75"h (BST4) 27.5"w x 27.5"d x 29.5/34.75"h (SWT2)	Weight	33.5 lbs. Armless (BST4) 36.5 lbs. Arms (SWT2) 35.5 lbs. Armless (BST4) 38.75 lbs. Arms (SWT2)
Seat dimensions	17.75"w x 17.5"d x 14.75/20"h (plastic) 18.5"w x 17.75"d x 15.5/20.75"h (upholstered)	Cubic feet	12.75
Seat to top of back	12.75"	COM	1 yd.
Back width	18"	COL	20 sq. ft.
Top of arm to floor	22.25/27.5"		
Top of arm to seat	7.5"		



Standard features	Options available
<ul style="list-style-type: none"> • Molded plastic back • Armless • Basic task control • Black nylon base • Hard wheel casters • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Graphite or chrome frame • Fixed arms (arm colors match plastic) • Plastic or upholstered seat with molded seat foam or plastic seat • Five plastic colors • Control: swivel tilt • Fully assembled chair in carton • Soft wheel casters • Glides • Polished aluminum base

Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

Seat	<ul style="list-style-type: none"> • Polypropylene
Back	<ul style="list-style-type: none"> • Polypropylene
Arms	<ul style="list-style-type: none"> • Fixed arms with polypropylene arm caps
Controls	<ul style="list-style-type: none"> • BST4 - Basic task: seat height adjustment • SWT2 - Swivel tilt: seat height adjustment, seat and back tilt adjustment and tension control
Base	<ul style="list-style-type: none"> • Nylon: solid injection-molded and glass-reinforced nylon resin • Polished aluminum: manufactured of die-casting process • All bases pass the ANSI/BIFMA strength standards
Cylinder	<ul style="list-style-type: none"> • Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
Casters	<ul style="list-style-type: none"> • Nylon twin wheel casters are manufactured of injection-molded engineer grade nylon • 60 mm diameter large pivot barrels
Assembly	<ul style="list-style-type: none"> • Self-locking, hardened steel, hex/socket/phillips head bolts • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

Seat	<ul style="list-style-type: none"> • 3D molded foam • 58 IFD • 5.14 Density • CAL TB 117-2013 Conformant
------	--