



Mid mesh back with small seat 7106M - SWT2 (swivel tilt control)

Overall dimensions	28.25"w x 28.25"d x 37/42"h	Weight	32.75 lbs. armless 41 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31.7 27.25/32.5" (CR23), 27.5/32.75" (C)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11 7" (CR16), 8" (CR21,CR22,CR23)	,CR17)		

Mid mesh back with small seat 7106M - BST1 (basic synchro tilt control)

Overall dimensions	28.25"w x 28.25"d x 38.5/43.75"h	Weight	34.5 lbs. armless 42.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR16, 27.25/32.5" (CR22), 27.75/33" (CR21)), 27/32.25" (CR23)		
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CF 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Mid mesh back with small seat 7106M - KNT2 (knee tilt control)

Overall dimensions	28.25"w x 28.25"d x 37.5/42.5"h	Weight	35 lbs. armless 43 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (27.75/33" (CR23), 28/33.25" (CR22),			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Mid mesh back with small seat 7106M - BDB3 (body balance control)

Overall dimensions	28.25"w x 28.25"d x 37.5/41.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16.5/20.5"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (C 27.5/32.75" (CR23), 27.75/33" (CR2:)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mesh mid back with small seat 7106M - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.25"w x 28.25"d x 38.5/43.5"h	Weight	36 lbs. armless 44 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	\\
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75" 28.25/33.5" (CR23), 28.5/33.75" (CR			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C	R17)		

imagine a place® 800.521.5381 Spec sheet 1 of 12 ofs.com





Mesh mid back 7107M - SWT2 (swivel tilt control)

Overall dimensions	28.5"w x 28.5"d x 37/42"h	Weight	33.25 lbs. armless 41.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31. 27.25/32.5" (CR23), 27.5/32.75" (CR23))	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR1	1,CR17)		

Mesh mid back 7107M - BST1 (basic synchro tilt control)

7" (CR16), 8" (CR21,CR22,CR23)

Overall dimensions	28.5"w x 28.5"d x 38.5/43.75"h	Weight	35 lbs. armless 43.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR 27/32.25" (CR23), 27.25/32.5" (CR2			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	,CR17)		

Mesh mid back 7107M - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 37.5/42.5"h	Weight	35.5 lbs. armless 43.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	\\\
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (CR16) 27.75/33" (CR23), 28/33.25" (CR22), 28.5/33.75" (CR21)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mesh mid back 7107M - BDB3 (body balance control)

Overall dimensions	28.5"w x 28.5"d x 36/40"h	Weight	37 lbs. armless 45.25 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	\ <u>\</u>
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" 27.5/32.75" (CR23), 27.75/33" (CR)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR1 7" (CR16), 8" (CR21,CR22,CR23)	1,CR17)		

Mesh mid back 7107M - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.5"w x 28.5"d x 38.5/43.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75 28.25/33.5" (CR23), 28.5/33.75" (CI		1)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

ofs.com imagine a place* **800.521.5381** Spec sheet 2 of 12







Standard features	Options available
 300 lbs. weight rated Mid back Mesh back Armless Swivel tilt control Small seat (7106M series) Upholstered seat with molded seat foam Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: Fixed "T" arms Height adjustable arms Height and width adjustable arms Polished aluminum loop arms with urethane caps Fixed loop arms Polished aluminum loop arms with insert pads Height adjustable arms – black/chrome and height Width adjustable arms – black/chrome H" Arm pads or upholstered arm pads Black or charcoal mesh Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Seat slider Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

Mid knit back with small seat 7106K - SWT2 (swivel tilt control)

Overall dimensions	28.25"w x 28.25"d x 37/42"h	Weight	32.75 lbs. armless 41 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	21"	сом	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31.7 27.25/32.5" (CR23), 27.5/32.75" (C			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11 7" (CR16), 8" (CR21,CR22,CR23)	I,CR17)		

Mid knit back with small seat 7106K - BST1 (basic synchro tilt control)

Overall dimensions	28.25"w x 28.25"d x 38.5/43.75"h	Weight	34.5 lbs. armless 42.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR16) 27/32.25" (CR23), 27.25/32.5" (CR22)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CF 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Mid knit back with small seat 7106K - KNT2 (knee tilt control)

Overall dimensions	28.25"w x 28.25"d x 37.5/42.5"h	Weight	35 lbs. armless 43 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/33.75" (CR11,CR17), 27/32.25" (27.75/33" (CR23), 28/33.25" (CR22),			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

ofs.com imagine a place* 800.521.5381 Spec sheet 3 of 12









Mid knit back with small seat 7106K - BDB3 (body balance control)

Overall dimensions	28.25"w x 28.25"d x 37.5/41.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16.5/20.5"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (C 27.5/32.75" (CR23), 27.75/33" (CR22)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mid knit back with small seat 7106K - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.25"w x 28.25"d x 38.5/43.5"h	Weight	36 lbs. armless	
Overall difficultions	20.25 W X 20.25 U X 30.3/43.5 II	weight	44 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	\\
Seat to top of back	21"	СОМ	1 yd.	
Back Width	19"	COL	20 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75" 28.25/33.5" (CR23), 28.5/33.75" (CR			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,Cl 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Mid knit back 7107K - SWT2 (swivel tilt control)

bs. armless
s. arms
s. arms
ft.

Mid knit back 7107K - BST1 (basic synchro tilt control)

Overall dimensions	28.5"w x 28.5"d x 38.5/43.75"h	Weight	35.25 lbs. armless 43.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR1) 27/32.25" (CR23), 27.25/32.5" (CR22			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mid knit back 7107K - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 37.5/42.5"h	Weight	35.5 lbs. armless 43.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" 27.75/33" (CR23), 28/33.25" (CCR2			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

ofs.comimagine a place*800.521.5381Spec sheet4 of 12









Mid knit back 7107K - BDB3 (body balance control)

Overall dimensions	28.5"w x 28.5"d x 36/40"h	Weight	37 lbs. armless 45.25 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21"	СОМ	1 yd.	\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32", (CR16; 27.5/32.75" (CR23), 27.75/33" (CR22), 2			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CR17)		



Mid knit back 7107K - ASA7 (advanced synchro tilt control with side tension knob)

7" (CR16), 8" (CR21,CR22,CR23)

Overall dimensions	28.5"w x 28.5"d x 38.5/43.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21"	COM	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75 28.25/33.5" (CR23), 28.5/33.75" (C)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Standard features	Options available
 300 lbs. weight rated Mid back Knit back Armless Swivel tilt control Small seat (7106K series) Upholstered seat with molded seat foam Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: - Fixed "T" arms - Height adjustable arms - Height and width adjustable arms - Polished aluminum loop arms with urethane caps - Fixed loop arms - Polished aluminum loop arms with insert pads - Height adjustable arms - black/chrome - Height and width adjustable arms - black/chrome "H" Arm pads or upholstered arm pads Black or charcoal knit Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

Mid back with small seat - fully upholstered 7106 - SWT2 (swivel tilt control)

Overall dimensions	28.25"w x 28.25"d x 37.25/42.25"h	Weight	33.75 lbs. armless 42 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	21.25"	СОМ	1.5 yd.	\\\\
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31.75" (27.5/32.75" (CR22), 27.25/32.5" (CR23)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CR 7" (CR16), 8" (CR21,CR22,CR23)	17)		

Mid back with small seat - fully upholstered 7106 - BST1 (basic synchro tilt control)

Overall dimensions	28.25"w x 28.25"d x 38.75/44"h	Weight	35.5 lbs. armless 43.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21.25"	СОМ	1.5 yd.	\
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR16 27/32.25" (CR23), 27.25/32.5" (CR22			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

800.521.5381 5 of 12 ofs.com imagine a place* Spec sheet







Mid back with small seat - fully upholstered 7106 - KNT2 (knee tilt control)

Overall dimensions	28.25"w x 28.25"d x 37.75/42.75"h	Weight	36 lbs. armless 44 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (C 27.75/33" (CR23), 28/33.25" (CR22), 2			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CR 7" (CR16), 8" (CR21,CR22,CR23)	117)		

Mid back with small seat - fully upholstered 7106 - BDB3 (body balance control)

Overall dimensions	28.25"w x 28.25"d x 37.75/41.75"h	Weight	37.5 lbs. armless 45.75 lbs. arms	
Seat dimensions	19.75"w x 18"d x 16.5/20.5"h	Cubic feet	12.75	
Seat to top of back	21.25"	СОМ	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (C 27.5/32.75" (CR23), 27.75/33" (CR22)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mid back with small seat - fully upholstered 7106 - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.25"w x 28.25"d x 38.75/43.75"h	Weight	37 lbs. armless 45 lbs. arms	
Seat dimensions	19.75"w x 18"d x 17/22"h	Cubic feet	13	
Seat to top of back	21.25"	СОМ	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75" (28.25/33.5" (CR23), 28.5/33.75" (CR2		1)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CR 7" (CR16), 8" (CR21,CR22,CR23)	17)		

Mid back fully upholstered 7107 - SWT2 (swivel tilt control)

Overall dimensions	28.5"w x 28.5"d x 37.25/42.25"h	Weight	34.25 lbs. armless 41.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	21.25"	СОМ	1.5 yd.	\\\
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31.75" 27.25/32.5" (CR23), 27.5/32.75" (CR2	, ,		
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Mid back fully upholstered 7107 - BST1 (basic synchro tilt control)

• •	, ,	*		
Overall dimensions	28.5"w x 28.5"d x 38.75/44"h	Weight	35.25 lbs. armless 43.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21.25"	сом	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR 27/32.25" (CR23), 27.25/32.5" (CR2			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

ofs.com imagine a place* **800.521.5381** Spec sheet 6 of 12





HB

Mid back fully upholstered 7107 - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 37.75/42.75"h	Weight	35.5 lbs. armless 43.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (27.75/33" (CR23), 28/33.25" (CR22)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mid back fully upholstered 7107 - BDB3 (body balance control)

Overall dimensions	28.5"w x 28.5"d x 36.25/40.25"h	Weight	37 lbs. armless 45.25 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/20"h	Cubic feet	12.75	
Seat to top of back	21.25"	COM	1.5 yd.	
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (C 27.5/32.75" (CR23), 27.75/33" (CR22)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Mid back fully upholstered 7107 - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.5"w x 28.5"d x 38.75/43.75"h	Weight	37.5 lbs. armless 45.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	12.75	
Seat to top of back	21.25"	СОМ	1.5 yd.	\
Back width	19.25"	COL	30 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75" 28.25/33.5" (CR23), 28.5/33.75" (CR)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,Cl 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Standard features	Options available
 300 lbs. weight rated Mid back Fully upholstered Armless Swivel tilt control Small seat (7106 series) Upholstered seat with molded seat foam Upholstered molded foam on back Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: - Fixed "T" arms - Height adjustable arms - Height and width adjustable arms - Polished aluminum loop arms with urethane caps - Fixed loop arms - Polished aluminum loop arms with insert pads - Height adjustable arms - black/chrome - Height and width adjustable arms - black/chrome "H" Arm pads or upholstered arm pads Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Seat slider Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

ofs.com imagine a place* **800.521.5381** Spec sheet 7 of 12





High mesh back 7110M - SWT2 (swivel tilt control)

Overall dimensions	28.5"w x 28.5"d x 43/48"h	Weight	34.25 lbs. armless 42.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/21"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	\\
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31. 27.25/32.5" (CR23), 27.5/32.75" (CR23))	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR17" (CR16), 8" (CR21,CR22,CR23)	1,CR17)		

High mesh back 7110M - BST1 (basic synchro tilt control)

Overall dimensions	28.5"w x 28.5"d x 44/49"h	Weight	36 lbs. armless 44.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR16) 27/32.25" (CR23), 27.25/32.5" (CR22), 27.75/33" (CR21)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR17" (CR16), 8" (CR21,CR22,CR23)	1,CR17)		

High mesh back 7110M - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 43.5/48.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27"	СОМ	1 yd.	\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (CR16) 27.75/33" (CR23), 28/33.25" (CR22), 28.5/33.75" (CR21)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

High mesh back 7110M - BDB3 (body balance control)

Overall dimensions	28.5"w x 28.5"d x 42/46"h	Weight	38 lbs. armless 46.25 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/20"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	\\
Back width	19"	COL	20 sq. ft.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (27.5/32.75" (CR23), 27.75/33" (CR			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR17, CR21,CR22,CR23)	I,CR17)		

High mesh back 7110M - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.5"w x 28.5"d x 44.5/49.5"h	Weight	37.5 lbs. armless 45.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Back width	19"	COL	20 sq. ft.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75 28.25/33.5" (CR23), 28.5/33.75" (CF			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

imagine a place® 800.521.5381 Spec sheet 8 of 12 ofs.com





Standard features	Options available
 300 lbs. weight rated High back Mesh back Armless Swivel tilt control Upholstered seat with molded seat foam Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: Fixed "T" arms Height adjustable arms Height and width adjustable arms Polished aluminum loop arms with urethane caps Fixed loop arms Polished aluminum loop arms with insert pads Height adjustable arms - black/chrome Height and width adjustable arms - black/chrome Height and width adjustable arms - black/chrome "H" Arm pads or upholstered arm pads Black or charcoal mesh Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Seat slider Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

High knit back 7110K - SWT2 (swivel tilt control)

Overall dimensions	28.5"w x 28.5"d x 43/48"h	Weight	34.25 lbs. armless 42.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/21"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31. 27.25/32.5" (CR23), 27.5/32.75" (C)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR17" (CR16), 8" (CR21,CR22,CR23)	1,CR17)		

High knit back 7110K - BST1 (basic synchro tilt control)

Overall dimensions	28.5"w x 28.5"d x 44/49"h	Weight	36 lbs. armless 44.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27"	COM	1 yd.	\\\
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (C 27/32.25" (CR23), 27.25/32.5" (CF			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR17" (CR16), 8" (CR21,CR22,CR23)	1,CR17)		

High knit back 7110K - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 43.5/48.5"h	Weight	36.5 lbs. armless 44.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27"	СОМ	1 yd.	***
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" 27.75/33" (CR23), 28/33.25" (CR22)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

ofs.com imagine a place® 800.521.5381 Spec sheet 9 of 12





Top of arm to seat





High knit back 7110K - BDB3 (body balance control)

Overall dimensions 28.5"w x 28.5"d x 42/46"h Weight 38 lbs. armless 46.25 lbs. arms 20.5"w x 19.25"d x 16/20"h Cubic feet 16 Seat dimensions 27" сом Seat to top of back 1 yd. COL Back width 19" 20 sq. ft. Top of arm to floor 26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (CR16) 27.5/32.75" (CR23), 27.75/33" (CR22), 28.25/33.5" (CR21)



High knit back 7110K - ASA7 (advanced synchro tilt control with side tension knob)

6/10" (CR12,CR18), 6.5/10.5" (CR11,CR17) 7" (CR16), 8" (CR21,CR22,CR23)

Overall imensionsd	28.5"w x 28.5"d x 44.5/49.5"h	Weight	37.5 lbs. armless 45.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	\\
Seat to top of back	27"	СОМ	1 yd.	
Back width	19"	COL	20 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75 28.25/33.5" (CR23), 28.5/33.75" (C			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11, 7" (CR16), 8" (CR21,CR22,CR23)	CR17)		

Standard features	Options available
 300 lbs. weight rated High back Knit back Armless Swivel tilt control Upholstered seat with molded seat foam Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: - Fixed "T" arms - Height adjustable arms - Height and width adjustable arms - Polished aluminum loop arms with urethane caps - Fixed loop arms - Polished aluminum loop arms with insert pads - Height adjustable arms - black/chrome - Height and width adjustable arms - black/chrome - Height and width adjustable arms - black/chrome "H" Arm pads or upholstered arm pads Black or charcoal knit Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Seat slider - Polished aluminum base - Soft wheel casters or glides - Fully assembled chair in carton

High back - fully upholstered 7110 - SWT2 (swivel tilt control)

Overall dimensions	28.5"w x 28.5"d x 43.25/48.25"h	Weight	35.25 lbs. armless 43.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/21"h	Cubic feet	16	
Seat to top of back	27.25"	СОМ	1.75 yds.	\\
Back width	19.25"	COL	35 sq. ft.	
Top of arm to floor	25.75/34.75" (CR12,CR18) 26.25/35.25" (CR11,CR17), 26.5/31.75" 27.25/32.5" (CR23), 27.5/32.75" (CR2)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

High back - fully upholstered 7110 - BST1 (basic synchro tilt control)

ofs.com imagine a place* **800.521.5381** Spec sheet 10 of 12





Product Specifications

Overall dimensions	28.5"w x 28.5"d x 44.25/49.25"h	Weight	37 lbs. armless 45.5 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27.25"	COM	1.75 yds.	\
Back width	19.25"	COL	35 sq. ft.	
Top of arm to floor	25.5/34.5" (CR12,CR18) 26/35" (CR11,CR17), 26.25/31.5" (CR16 27/32.25" (CR23), 27.25/32.5" (CR22)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,CF 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

High back - fully upholstered 7110 - KNT2 (knee tilt control)

Overall dimensions	28.5"w x 28.5"d x 43.75/48.75"h	Weight	37.5 lbs. armless 45.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27.25"	СОМ	1.75 yds.	\\\\
Back width	19.25"	COL	35 sq. ft.	
Top of arm to floor	26.25/35.25" (CR12,CR18) 26.75/35.75" (CR11,CR17), 27/32.25" (27.75/33" (CR23), 28/33.25" (CR22),			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

High back - fully upholstered 7110 - BDB3 (body balance control)

Overall dimensions	28.5"w x 28.5"d x 42.25/46.25"h	Weight	39 lbs. armless 47.25 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 16/20"h	Cubic feet	16	
Seat to top of back	27.25"	COM	1.75 yds.	\\\\
Back width	19.25"	COL	35 sq. ft.	
Top of arm to floor	26/35" (CR12,CR18) 26.5/35.5" (CR11,CR17), 26.75/32" (CF 27.5/32.75" (CR23), 27.75/33" (CR22)	
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	:R17)		

High back - fully upholstered 7110 - ASA7 (advanced synchro tilt control with side tension knob)

Overall dimensions	28.5"w x 28.5"d x 44.75/49.75"h	Weight	38.5 lbs. armless 46.75 lbs. arms	
Seat dimensions	20.5"w x 19.25"d x 17/22"h	Cubic feet	16	
Seat to top of back	27.25"	СОМ	1.75 yds.	\
Back width	19.25"	COL	35 sq. ft.	
Top of arm to floor	26.75/35.75" (CR12,CR18) 27.25/36.25" (CR11,CR17), 27.5/32.75" (CR16) 28.25/33.5" (CR23), 28.5/33.75" (CR22), 29/34.25" (CR21)			
Top of arm to seat	6/10" (CR12,CR18), 6.5/10.5" (CR11,C 7" (CR16), 8" (CR21,CR22,CR23)	R17)		

Standard features	Options available		
 300 lbs. weight rated High back Fully upholstered Armless Swivel tilt control Upholstered seat with molded seat foam Upholstered molded foam on back Black nylon base Hard wheel casters Knocked down chair in carton 	Nine arms: Fixed "T" arms Height adjustable arms Height and width adjustable arms Polished aluminum loop arms with urethane caps Fixed loop arms Polished aluminum loop arms with insert pads Height adjustable arms – black/chrome Height and width adjustable arms – black/chrome "H" Arm pads or upholstered arm pads Four controls: basic synchro tilt, advanced synchro tilt with side tension knob, body balance and knee tilt Seat slider Polished aluminum base Soft wheel casters or glides		

imagine a place® 800.521.5381 Spec sheet 11 of 12 ofs.com



HB

Standard textile selection

https://ofs.com/resources/textiles

Frame construction

Seat • 5/8" One-piece multi-core hardwood plywood

• Fitted with riveted "T" nuts fixed on both sides of plywood

Back • Durable steel structure

Upholstery • Mesh: polyester, polyamid and elasthan fiber

• 3D Knit: 100% high tenacity polyester

• Mesh and 3D Knit meet Cal Tech Bulletin 133

Arms • Fixed "T" arms

· Height adjustable arms

· Height and width adjustable arms

• Height adjustable arms - black/chrome

• Height and width adjustable arms - black/chrome

• Polished aluminum loop arms

· Fixed cantilever arms

· Polished aluminum arms with insert pad

Controls

 SWT2 - swivel tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment

 BST1 - basic synchro tilt: seat height adjustment, tension control, back height adjustment, synchronized seat and back tilt adjustment - optional SS3 Seat Slider

· KNT2 - knee tilt: lean back or lock upright

BDB3 - body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment - optional SS3 Seat Slider

ASA7 - advanced synchro tilt with side tension knob: ergonomic control adjusts to user's body weight
and can tilt free or lock in five positions - optional SS3 seat slider

Base

· Nylon: solid injection-molded and glass-reinforced nylon resin

· Polished aluminum: manufactured of die-casting process

· All bases pass the ANSI/BIFMA strength standards

Cylinder

Variety of class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria

Casters

• Heavy-duty nylon twin wheel casters are manufactured of injection-molded engineer grade nylon

• 60 mm diameter large pivot barrels

Assembly

Self-locking, hardened steel, hex/socket/phillips head bolts

 Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

Seat • 3D molded foam (all models)

• 3.25 lb. density

CAL TB 117-2013 Conformant

Back

• 3D molded foam (fully upholstered models only)

CAL TB 117-2013 Conformant

ofs.com imagine a place* 800.521.5381 Spec sheet 12 of 12