



### Mid back - fully upholstered 3507 - SWT2 (swivel tilt control)

26"w x 26"d x 36/41.25"h 47.5 lbs. armless Overall dimensions Weight 51.5 lbs. (CR13) arms 53.75 lbs. (CR20)arms Seat dimensions 19.5"w x 17.5"d x 16/21"h Cubic feet 20" сом Seat to top of back 1.75 yds. 19.5" Back width COL 35 sq. ft. 26.5/35.5" (CR13) 26.5/31.75" (CR20) Top of arm to floor Top of arm to seat 7.25/11.25" (CR13) 8" (CR20)

### Mid back - fully upholstered 3507 - BDB3 (body balance control)

Overall dimensions	26"w x 26"d x 36.5/41.75"h	Weight	52.75 lbs. armless 56.75 lbs. (CR13) arms 59 lbs. (CR20) arms	
Seat dimensions	19.5"w x 17.5"d x 16.5/21.5"h	Cubic feet	12.75	
Seat to top of back	20"	COM	1.75 yds.	
Back width	19.5"	COL	35 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

### High back - fully upholstered 3510 - SWT2 (swivel tilt control)

riigii back - lully upiloistei	1ed 3310 - 3W12 (SWIVEI tilt Colline	(1)		
Overall dimensions	26"w x 26"d x 41.25/47.25"h	Weight	49.5 lbs. armless 53.5 lbs. (CR13) arms 55.5 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	14.5	( ) ))
Seat to top of back	24"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

### High back - fully upholstered 3510 - BDB3 (body balance control)

Overall dimensions	26"w x 26"d x 40.5/46"h	Weight	56.75 lbs. armless 60.75 lbs. (CR13) arms 62.75 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16.5/21.5"h	Cubic feet	14.5	
Seat to top of back	24"	СОМ	2 yds.	A The
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
<ul> <li>Fully upholstered</li> <li>Armless</li> <li>Molded back and seat foam</li> <li>Swivel tilt control</li> <li>Black nylon base</li> <li>Hard wheel casters</li> <li>Knocked down chair in carton</li> </ul>	Mid or high back Two arms: - 4D pivot arms - Polished aluminum cantilever arms Body balance control Internal back height adjustment (BDB3 only) Seat slider (BDB3 only) Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

**ofs.com** imagine a place\* 800.521.5381 Spec sheet 1 of 3





## Executive back - fully upholstered 3515 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 45.75/50.75"h	Weight	52 lbs. armless 56 lbs. (CR13) arms 58 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	17.25	<u> </u>
Seat to top of back	30"	COM	2 yds.	( ))
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			п Ф

# E

Executive back - fully uph	olstered 3515 - BDB3 (body balan	ce control)		
Overall dimensions	26"w x 26"d x 46.25/51.25"h	Weight	56.5 lbs. armless 60.5 lbs. (CR13) arms 62.5 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16.5/21.5"h	Cubic feet	17.25	<u>  </u>
Seat to top of back	30"	COM	2 yds.	( )))
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			u u

Standard features	Options available	
<ul> <li>Executive back</li> <li>Fully upholstered</li> <li>Armless</li> <li>Molded back and seat foam</li> <li>Swivel tilt control</li> <li>Black nylon base</li> <li>Hard wheel casters</li> <li>Knocked down chair in carton</li> </ul>	Two arms: - 4D pivot arms - Polished aluminum cantilever arms Body balance control Seat slider (BDB3 only) Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton	

ofs.com imagine a place® 800.521.5381 Spec sheet 2 of 3



# Revel

### Standard textile selection

https://ofs.com/resources/textiles

### Frame construction

Seat 5/8" One-piece, multi-core hardwood plywood

Fitted with riveted "T" nuts

Back Durable steel structure

Upholstery • CAL TB 117-2013 Conformant

> Arms 4D pivot arms

> > • Polished aluminum loop arms

• SWT2 - swivel tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment

• BDB3 - body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment - optional SS3 Seat Slider

• Nylon: solid injection-molded and glass-reinforced nylon resin

· Polished aluminum: manufactured of die-casting process

· All bases pass the ANSI/BIFMA strength standards

• Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria

• Twin wheel casters manufactured of injection-molded engineer grade nylon

Assembly · Self-locking, hardened steel, slotted/phillips head bolts

· 60 mm diameter large pivot barrels

• Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due

to vibration

### Foam

### Seat/Back

Controls

Cylinder

Casters

- 3D molded foam
- 1.9 lb. Density
- CAL TB 117-2013 Conformant
- .40 IFD

ofs.com Spec sheet imagine a place® 800.521.5381 3 of 3