



Mid back - fully upholstered 3507 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 36/41.25"h	Weight	47.5 lbs. (armless) 51.5 lbs. (CR13) (arms) 53.75 lbs. (CR20) (arms)	
Seat dimensions	19.5"w x 17.5"d x 16/21"h	Cubic feet	14.5 (chair) 13 (KND) carton 17 (FLA) carton	
Seat to top of back	20"	COM	1.75 yds.	
Back width	19.5"	COL	35 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			


Mid back - fully upholstered 3507 - BDB4 (body balance control)

Overall dimensions	26"w x 26"d x 35.75/41"h	Weight	52.75 lbs. (armless) 56.75 lbs. (CR13) (arms) 59 lbs. (CR20) (arms)	
Seat dimensions	19.5"w x 16.25"d x 17.5/22.5"h	Cubic feet	14.5 (chair) 13 (KND) carton 17 (FLA) carton	
Seat to top of back	19.5"	COM	1.75 yds.	
Back width	19.5"	COL	35 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

High back - fully upholstered 3510 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 41.25/47.25"h	Weight	49.5 lbs. (armless) 53.5 lbs. (CR13) (arms) 55.5 lbs. (CR20) (arms)	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	16.25 (chair) 15 (KND) carton 18.75 (FLA) carton	
Seat to top of back	24"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

High back - fully upholstered 3510 - BDB4 (body balance control)


Overall dimensions	26"w x 26"d x 40.25/45.25"h	Weight	56.75 lbs. (armless) 60.75 lbs. (CR13) (arms) 62.75 lbs. (CR20) (arms)	
Seat dimensions	20.5"w x 17.25"d x 17.5/22.75"h	Cubic feet	16.25 (chair) 15 (KND) carton 18.75 (FLA) carton	
Seat to top of back	23.75"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
- Fully upholstered - Armless - Molded back and seat foam - Swivel tilt control - Black nylon base - Hard wheel casters - Knocked down chair in carton	- Mid or high back - Two arms: - 4D pivot arms - Cantilever arms in standard and studio powder coats or polished aluminum - Body balance control - Internal back height adjustment (BDB4 only) - Base finish in standard and studio powder coats or polished aluminum - Soft wheel casters or glides - Fully assembled chair in carton

Executive back - fully upholstered 3515 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 45.75/50.75"h	Weight	52 lbs. (armless) 56 lbs. (CR13) (arms) 58 lbs. (CR20) (arms)	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	18.75 (chair) 18.5 (KND) carton 25.5 (FLA) carton	
Seat to top of back	30"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Executive back - fully upholstered 3515 - BDB4 (body balance control)

Overall dimensions	26"w x 26"d x 46/51.25"h	Weight	56.5 lbs. (armless) 60.5 lbs. (CR13) (arms) 62.5 lbs. (CR20) (arms)	
Seat dimensions	20.5"w x 17.25"d x 17.5/22.5"h	Cubic feet	18.75 (chair) 18.5 (KND) carton 25.5 (FLA) carton	
Seat to top of back	29.5"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
- Executive back - Fully upholstered - Armless - Molded back and seat foam - Swivel tilt control - Black nylon base - Hard wheel casters - Knocked down chair in carton	- Two arms: - 4D pivot arms - Cantilever arms in standard and studio powder coats or polished aluminum - Body balance control - Base finish in standard and studio powder coats or polished aluminum - Soft wheel casters or glides - Fully assembled chair in carton



Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

Seat	• $\frac{5}{8}$" One-piece, multi-core hardwood plywood • Fitted with riveted "T" nuts
Back	• Durable steel structure • BH1 Range: 2"
Upholstery	• CAL TB 117-2013 Conformant
(arms)	• 4D pivot arms - arm height adjustment 4", arm pad: width adjustment range 1.25", depth adjustment range 1.5", and pivot 10 degrees inward and outward • Cantilever arms in standard and studio powder coats or polished aluminum
Controls	• SWT2 - Swivel tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment • BDB4 - Body balance: ergonomic and weight activated, adjusts to user's body weight with a 3 position limiter
Seat slider	• Range: 1.75"
Base	• Nylon: Solid injection-molded and glass-reinforced nylon resin • Polished aluminum: Manufactured of die-casting process • All bases pass the ANSI/BIFMA strength standards
Cylinder	• Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; Including cyclic bending resistance criteria
Casters	• Twin wheel casters manufactured of injection-molded engineer grade nylon • 60 mm diameter large pivot barrels
Assembly	• Self-locking, hardened steel, slotted/phillips head bolts • Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

Seat/Back	• 3D Molded foam • 1.9 lb. Density • CAL TB 117-2013 Conformant • .40 IFD
-----------	---