

Mid back - fully upholstered 3507 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 36/41.25"h	Weight	47.5 lbs. armless 51.5 lbs. (CR13) arms 53.75 lbs. (CR20)arms	
Seat dimensions	19.5"w x 17.5"d x 16/21"h	Cubic feet	12.75	
Seat to top of back	20"	COM	1.75 yds.	
Back width	19.5"	COL	35 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Mid back - fully upholstered 3507 - BDB3 (body balance control)

Overall dimensions	26"w x 26"d x 36.5/41.75"h	Weight	52.75 lbs. armless 56.75 lbs. (CR13) arms 59 lbs. (CR20) arms	
Seat dimensions	19.5"w x 17.5"d x 16.5/21.5"h	Cubic feet	12.75	
Seat to top of back	20"	COM	1.75 yds.	
Back width	19.5"	COL	35 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

High back - fully upholstered 3510 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 41.25/47.25"h	Weight	49.5 lbs. armless 53.5 lbs. (CR13) arms 55.5 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	14.5	
Seat to top of back	24"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

High back - fully upholstered 3510 - BDB3 (body balance control)

Overall dimensions	26"w x 26"d x 40.5/46"h	Weight	56.75 lbs. armless 60.75 lbs. (CR13) arms 62.75 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16.5/21.5"h	Cubic feet	14.5	
Seat to top of back	24"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
<ul style="list-style-type: none"> Fully upholstered Armless Molded back and seat foam Swivel tilt control Black nylon base Hard wheel casters Knocked down chair in carton 300 lbs. weight rated 	<ul style="list-style-type: none"> Mid or high back Two arms: <ul style="list-style-type: none"> 4D pivot arms Polished aluminum cantilever arms Body balance control Internal back height adjustment (BDB3 only) Seat slider (BDB3 only) Polished aluminum base Soft wheel casters or glides Fully assembled chair in carton

Executive back - fully upholstered 3515 - SWT2 (swivel tilt control)

Overall dimensions	26"w x 26"d x 45.75/50.75"h	Weight	52 lbs. armless 56 lbs. (CR13) arms 58 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16/21"h	Cubic feet	17.25	
Seat to top of back	30"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26.5/35.5" (CR13) 26.5/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Executive back - fully upholstered 3515 - BDB3 (body balance control)

Overall dimensions	26"w x 26"d x 46.25/51.25"h	Weight	56.5 lbs. armless 60.5 lbs. (CR13) arms 62.5 lbs. (CR20) arms	
Seat dimensions	20.5"w x 18.5"d x 16.5/21.5"h	Cubic feet	17.25	
Seat to top of back	30"	COM	2 yds.	
Back width	20.5"	COL	40 sq. ft.	
Top of arm to floor	26/35" (CR13) 26.25/31.75" (CR20)			
Top of arm to seat	7.25/11.25" (CR13) 8" (CR20)			

Standard features	Options available
<ul style="list-style-type: none"> • Executive back • Fully upholstered • Armless • Molded back and seat foam • Swivel tilt control • Black nylon base • Hard wheel casters • Internal back height adjustment • Knocked down chair in carton • 300 lbs. weight rated 	<ul style="list-style-type: none"> • Two arms: <ul style="list-style-type: none"> - 4D pivot arms - Polished aluminum cantilever arms • Body balance control • Seat slider (BDB3 only) • Polished aluminum base • Soft wheel casters or glides • Fully assembled chair in carton



Standard textile selection

<https://ofs.com/resources/textiles>

Frame construction

- Seat
 - 5/8" One-piece, multi-core hardwood plywood
 - Fitted with riveted "T" nuts
- Back
 - Durable steel structure
- Upholstery
 - CAL TB 117-2013 Conformant
- Arms
 - 4D pivot arms
 - Polished aluminum loop arms
- Controls
 - SWT2 - swivel tilt: seat height adjustment, seat and back tilt adjustment, tension control, back height adjustment
 - BDB3 - body balance: weight activated, adjusts to user's body weight, seat height adjustment, back angle adjustment with 3 position limiter, tension control, back height adjustment - optional SS3 Seat Slider
- Base
 - Nylon: solid injection-molded and glass-reinforced nylon resin
 - Polished aluminum: manufactured of die-casting process
 - All bases pass the ANSI/BIFMA strength standards
- Cylinder
 - Variety of Class 4 gas cylinders meet all applicable ANSI/BIFMA performance standards and GSA intensive use performance standards; including cyclic bending resistance criteria
- Casters
 - Twin wheel casters manufactured of injection-molded engineer grade nylon
 - 60 mm diameter large pivot barrels
- Assembly
 - Self-locking, hardened steel, slotted/phillips head bolts
 - Bolts treated with "NYLOK", a locking compound designed to prevent bolts from loosening due to vibration

Foam

- Seat/Back
 - 3D molded foam
 - 1.9 lb. Density
 - CAL TB 117-2013 Conformant
 - .40 IFD