



carolina
an OFS company

July 2021 Update

Effective July 5, 2021, OFS and Carolina will implement a price increase as outlined below. See online pricing tools for most up to date pricing.

4.5% increase on the OFS portfolio with exceptions below


- 2% increase on Agile, Applause, Genus, Impulse, Intermix, Kasura, Pulse, Range, Rein, Staks

4.5% increase on the Carolina portfolio with exceptions below

- 2% increase on Knack, Logique, Mile Marker, Rein+, Reservoir, Theatre, X & O tables


TRACE POWER RING FOR SQUARE TOP STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User



- 110 Power Outlet per User

| model | w | d | h | wt | cu ft | list |
|---|------|------|---|----|-------|----------|
| TR-4848TPRA | 45 | 45 | 2 | 36 | 12 | \$ 2,414 |
| • Use with 48" and 49"W Square Tops | | | | | | |
| TR-5454TPRA | 51 | 51 | 2 | 42 | 12 | \$ 2,533 |
| • Use with 54" and 55"W Square Tops | | | | | | |
| TR-6060TPRA | 56.5 | 56.5 | 2 | 48 | 12 | \$ 2,558 |
| • Use with 59.5" and 60.5"W Square Tops | | | | | | |
| TR-6666TPRA | 63 | 63 | 2 | 54 | 12 | \$ 2,673 |
| • Use with 66" and 67"W Square Tops | | | | | | |
| TR-7272TPRA | 69 | 69 | 2 | 60 | 12 | \$ 2,744 |
| • Use with 72" and 73"W Square Tops | | | | | | |



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | w | d | h | wt | cu ft | list |
|---|------|------|---|----|-------|----------|
| TR-4848TPRC | 45 | 45 | 2 | 36 | 12 | \$ 2,775 |
| • Use with 48" and 49"W Square Tops | | | | | | |
| TR-5454TPRC | 51 | 51 | 2 | 42 | 12 | \$ 2,894 |
| • Use with 54" and 55"W Square Tops | | | | | | |
| TR-6060TPRC | 56.5 | 56.5 | 2 | 48 | 12 | \$ 2,919 |
| • Use with 59.5" and 60.5"W Square Tops | | | | | | |
| TR-6666TPRC | 63 | 63 | 2 | 54 | 12 | \$ 3,033 |
| • Use with 66" and 67"W Square Tops | | | | | | |
| TR-7272TPRC | 69 | 69 | 2 | 60 | 12 | \$ 3,105 |
| • Use with 72" and 73"W Square Tops | | | | | | |

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|---|---|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardwire - Standard B6V 20 amp, 1-circuit system, plug and play \$222 Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).

MODEL NUMBER


TR-4848TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |

TRACE POWER RING FOR RECTANGULAR TOP STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for Long Side of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User

30"D AND 31"D



- 110 Power Outlet per User


| model | w | d | h | wt | cu ft | list |
|-------------|----|----|---|----|-------|----------|
| TR-6030TPRA | 57 | 27 | 2 | 40 | 13 | \$ 2,200 |

- Use with 60"W x 30"D and 61"W x 31"D Rectangular Tops

| | | | | | | |
|-------------|----|----|---|----|----|----------|
| TR-7230TPRA | 69 | 27 | 2 | 48 | 13 | \$ 2,266 |
|-------------|----|----|---|----|----|----------|

- Use with 72"W x 30"D and 73"W x 31"D Rectangular Tops

30"D AND 31"D



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex


| model | w | d | h | wt | cu ft | list |
|-------------|----|----|---|----|-------|----------|
| TR-6030TPRC | 57 | 27 | 2 | 40 | 13 | \$ 2,654 |

- Use with 60"W x 30"D and 61"W x 31"D Rectangular Tops

| | | | | | | |
|-------------|----|----|---|----|----|----------|
| TR-7230TPRC | 69 | 27 | 2 | 48 | 13 | \$ 2,718 |
|-------------|----|----|---|----|----|----------|

- Use with 72"W x 30"D and 73"W x 31"D Rectangular Tops

36"D AND 37"D




- 110 Power Outlet per User

| model | w | d | h | wt | cu ft | list |
|-------------|----|----|---|----|-------|----------|
| TR-7236TPRA | 69 | 33 | 2 | 51 | 13 | \$ 2,324 |

- Use with 72"W x 36"D and 73"W x 37"D Rectangular Tops

36"D AND 37"D



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | w | d | h | wt | cu ft | list |
|-------------|----|----|---|----|-------|----------|
| TR-7236TPRC | 69 | 33 | 2 | 51 | 13 | \$ 2,768 |

- Use with 72"W x 36"D and 73"W x 37"D Rectangular Tops

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|---|--|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 | B6W 20 amp, 2-circuit system, hardwire - Standard B6V 20 amp, 1-circuit system, plug and play \$222 |
| NOTE: One per table only | Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).


MODEL NUMBER

TR-6030TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |


TRACE POWER RING FOR 42" AND 43" RECTANGULAR TOPS STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User



- 110 Power Outlet per User

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-7242TPRA | Use with 72"W x 42"D and 73"W x 43"D Rectangular Tops | 69 | 39 | 2 | 38 | 13 | \$ 2,389 |
| TR-8442TPRA | Use with 84"W x 42"D and 85"W x 43"D Rectangular Tops | 81 | 39 | 2 | 42 | 13 | \$ 2,528 |
| TR-9642TPRA | Use with 96"W x 42"D and 97"W x 43"D Rectangular Tops | 93 | 39 | 2 | 45 | 13 | \$ 3,043 |
| TR-10842TPRA | Use with 108"W x 42"D and 109"W x 43"D Rectangular Tops | 105 | 39 | 2 | 51 | 13 | \$ 3,183 |
| TR-12042TPRA | Use with 120"W x 42"D and 121"W x 43"D Rectangular Tops | 117 | 39 | 2 | 57 | 13 | \$ 3,301 |
| TR-13242TPRA | Use with 132"W x 42"D and 133"W x 43"D Rectangular Tops | 129 | 39 | 2 | 63 | 13 | \$ 3,430 |
| TR-14442TPRA | Use with 144"W x 42"D and 145"W x 43"D Rectangular Tops | 141 | 39 | 2 | 69 | 13 | \$ 3,585 |
| TR-15642TPRA | Use with 156"W x 42"D and 157"W x 43"D Rectangular Tops | 153 | 39 | 2 | 75 | 19 | \$ 3,766 |
| TR-16842TPRA | Use with 168"W x 42"D and 169"W x 43"D Rectangular Tops | 165 | 39 | 2 | 81 | 19 | \$ 5,029 |
| TR-18042TPRA | Use with 180"W x 42"D and 181"W x 43"D Rectangular Tops | 177 | 39 | 2 | 87 | 19 | \$ 5,333 |
| TR-19242TPRA | Use with 192"W x 42"D and 193"W x 43"D Rectangular Tops | 189 | 39 | 2 | 95 | 24 | \$ 5,499 |
| TR-20442TPRA | Use with 204"W x 42"D and 205"W x 43"D Rectangular Tops | 201 | 39 | 2 | 101 | 24 | \$ 5,633 |
| TR-21642TPRA | Use with 216"W x 42"D and 217"W x 43"D Rectangular Tops | 213 | 39 | 2 | 107 | 24 | \$ 5,757 |



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-7242TPRC | Use with 72"W x 42"D and 73"W x 43"D Rectangular Tops | 69 | 39 | 2 | 38 | 13 | \$ 2,748 |
| TR-8442TPRC | Use with 84"W x 42"D and 85"W x 43"D Rectangular Tops | 81 | 39 | 2 | 42 | 13 | \$ 2,889 |
| TR-9642TPRC | Use with 96"W x 42"D and 97"W x 43"D Rectangular Tops | 93 | 39 | 2 | 45 | 13 | \$ 3,585 |
| TR-10842TPRC | Use with 108"W x 42"D and 109"W x 43"D Rectangular Tops | 105 | 39 | 2 | 51 | 13 | \$ 3,724 |
| TR-12042TPRC | Use with 120"W x 42"D and 121"W x 43"D Rectangular Tops | 117 | 39 | 2 | 57 | 13 | \$ 3,844 |
| TR-13242TPRC | Use with 132"W x 42"D and 133"W x 43"D Rectangular Tops | 129 | 39 | 2 | 63 | 13 | \$ 3,971 |
| TR-14442TPRC | Use with 144"W x 42"D and 145"W x 43"D Rectangular Tops | 141 | 39 | 2 | 69 | 13 | \$ 4,126 |
| TR-15642TPRC | Use with 156"W x 42"D and 157"W x 43"D Rectangular Tops | 153 | 39 | 2 | 75 | 19 | \$ 4,459 |
| TR-16842TPRC | Use with 168"W x 42"D and 169"W x 43"D Rectangular Tops | 165 | 39 | 2 | 81 | 19 | \$ 5,932 |
| TR-18042TPRC | Use with 180"W x 42"D and 181"W x 43"D Rectangular Tops | 177 | 39 | 2 | 87 | 19 | \$ 6,236 |
| TR-19242TPRC | Use with 192"W x 42"D and 193"W x 43"D Rectangular Tops | 189 | 39 | 2 | 95 | 24 | \$ 6,401 |
| TR-20442TPRC | Use with 204"W x 42"D and 205"W x 43"D Rectangular Tops | 201 | 39 | 2 | 101 | 24 | \$ 6,535 |
| TR-21642TPRC | Use with 216"W x 42"D and 217"W x 43"D Rectangular Tops | 213 | 39 | 2 | 107 | 24 | \$ 6,659 |

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|--|--|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardwire - Standard B6V 20 amp, 1-circuit system, plug and play (available on 72", 84", 96", 108" and 120" tops only) \$222 Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).

MODEL NUMBER


TR-7242TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |

TRACE POWER RING FOR 48"D AND 49"D RECTANGULAR TOP STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table

• **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User



- 110 Power Outlet per User

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-7248TPRA | Use with 72"W x 48"D and 73"W x 49"D Rectangular Tops | 69 | 45 | 2 | 38 | 13 | \$ 2,450 |
| TR-8448TPRA | Use with 84"W x 48"D and 85"W x 49"D Rectangular Tops | 81 | 45 | 2 | 42 | 13 | \$ 2,589 |
| TR-9648TPRA | Use with 96"W x 48"D and 97"W x 49"D Rectangular Tops | 93 | 45 | 2 | 45 | 13 | \$ 3,105 |
| TR-10848TPRA | Use with 108"W x 48"D and 109"W x 49"D Rectangular Tops | 105 | 45 | 2 | 51 | 13 | \$ 3,239 |
| TR-12048TPRA | Use with 120"W x 48"D and 121"W x 49"D Rectangular Tops | 117 | 45 | 2 | 57 | 13 | \$ 3,364 |
| TR-13248TPRA | Use with 132"W x 48"D and 133"W x 49"D Rectangular Tops | 129 | 45 | 2 | 63 | 13 | \$ 3,492 |
| TR-14448TPRA | Use with 144"W x 48"D and 145"W x 49"D Rectangular Tops | 141 | 45 | 2 | 69 | 13 | \$ 3,646 |
| TR-15648TPRA | Use with 156"W x 48"D and 157"W x 49"D Rectangular Tops | 153 | 45 | 2 | 75 | 19 | \$ 3,827 |
| TR-16848TPRA | Use with 168"W x 48"D and 169"W x 49"D Rectangular Tops | 165 | 45 | 2 | 81 | 19 | \$ 5,086 |
| TR-18048TPRA | Use with 180"W x 48"D and 181"W x 49"D Rectangular Tops | 177 | 45 | 2 | 87 | 19 | \$ 5,391 |
| TR-19248TPRA | Use with 192"W x 48"D and 193"W x 49"D Rectangular Tops | 189 | 45 | 2 | 95 | 24 | \$ 5,560 |
| TR-20448TPRA | Use with 204"W x 48"D and 205"W x 49"D Rectangular Tops | 201 | 45 | 2 | 101 | 24 | \$ 5,694 |
| TR-21648TPRA | Use with 216"W x 48"D and 217"W x 49"D Rectangular Tops | 213 | 45 | 2 | 107 | 24 | \$ 5,818 |



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-7248TPRC | Use with 72"W x 48"D and 73"W x 49"D Rectangular Tops | 69 | 45 | 2 | 38 | 13 | \$ 2,812 |
| TR-8448TPRC | Use with 84"W x 48"D and 85"W x 49"D Rectangular Tops | 81 | 45 | 2 | 42 | 13 | \$ 2,951 |
| TR-9648TPRC | Use with 96"W x 48"D and 97"W x 49"D Rectangular Tops | 93 | 45 | 2 | 45 | 13 | \$ 3,646 |
| TR-10848TPRC | Use with 108"W x 48"D and 109"W x 49"D Rectangular Tops | 105 | 45 | 2 | 51 | 13 | \$ 3,780 |
| TR-12048TPRC | Use with 120"W x 48"D and 121"W x 49"D Rectangular Tops | 117 | 45 | 2 | 57 | 13 | \$ 3,905 |
| TR-13248TPRC | Use with 132"W x 48"D and 133"W x 49"D Rectangular Tops | 129 | 45 | 2 | 63 | 13 | \$ 4,034 |
| TR-14448TPRC | Use with 144"W x 48"D and 145"W x 49"D Rectangular Tops | 141 | 45 | 2 | 69 | 13 | \$ 4,189 |
| TR-15648TPRC | Use with 156"W x 48"D and 157"W x 49"D Rectangular Tops | 153 | 45 | 2 | 75 | 19 | \$ 4,368 |
| TR-16848TPRC | Use with 168"W x 48"D and 169"W x 49"D Rectangular Tops | 165 | 45 | 2 | 81 | 19 | \$ 5,988 |
| TR-18048TPRC | Use with 180"W x 48"D and 181"W x 49"D Rectangular Tops | 177 | 45 | 2 | 87 | 19 | \$ 6,293 |
| TR-19248TPRC | Use with 192"W x 48"D and 193"W x 49"D Rectangular Tops | 189 | 45 | 2 | 95 | 24 | \$ 6,463 |
| TR-20448TPRC | Use with 204"W x 48"D and 205"W x 49"D Rectangular Tops | 201 | 45 | 2 | 101 | 24 | \$ 6,597 |
| TR-21648TPRC | Use with 216"W x 48"D and 217"W x 49"D Rectangular Tops | 213 | 45 | 2 | 107 | 24 | \$ 6,721 |

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|--|--|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardwire - Standard B6V 20 amp, 1-circuit system, plug and play (available on 72", 84", 96", 108" and 120" tops only) \$222 Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).


MODEL NUMBER

TR-7248TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |


TRACE POWER RING FOR 54"D AND 55"D RECTANGULAR TOPS STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User



- 110 Power Outlet per User

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-12054TPRA | Use with 120"W x 54"D and 121"W x 55"D Rectangular Tops | 117 | 51 | 2 | 57 | 13 | \$ 3,420 |
| TR-13254TPRA | Use with 132"W x 54"D and 133"W x 55"D Rectangular Tops | 129 | 51 | 2 | 63 | 13 | \$ 3,548 |
| TR-14454TPRA | Use with 144"W x 54"D and 145"W x 55"D Rectangular Tops | 141 | 51 | 2 | 69 | 13 | \$ 3,703 |
| TR-15654TPRA | Use with 156"W x 54"D and 157"W x 55"D Rectangular Tops | 153 | 51 | 2 | 75 | 19 | \$ 3,832 |
| TR-16854TPRA | Use with 168"W x 54"D and 169"W x 55"D Rectangular Tops | 165 | 51 | 2 | 81 | 19 | \$ 5,148 |
| TR-18054TPRA | Use with 180"W x 54"D and 181"W x 55"D Rectangular Tops | 177 | 51 | 2 | 87 | 19 | \$ 5,447 |
| TR-19254TPRA | Use with 192"W x 54"D and 193"W x 55"D Rectangular Tops | 189 | 51 | 2 | 95 | 24 | \$ 5,622 |
| TR-20454TPRA | Use with 204"W x 54"D and 205"W x 55"D Rectangular Tops | 201 | 51 | 2 | 101 | 24 | \$ 5,751 |
| TR-21654TPRA | Use with 216"W x 54"D and 217"W x 55"D Rectangular Tops | 213 | 51 | 2 | 107 | 24 | \$ 5,879 |



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | | w | d | h | wt | cu ft | list |
|--------------|---|-----|----|---|-----|-------|----------|
| TR-12054TPRC | Use with 120"W x 54"D and 121"W x 55"D Rectangular Tops | 117 | 51 | 2 | 57 | 13 | \$ 3,961 |
| TR-13254TPRC | Use with 132"W x 54"D and 133"W x 55"D Rectangular Tops | 129 | 51 | 2 | 63 | 13 | \$ 4,090 |
| TR-14454TPRC | Use with 144"W x 54"D and 145"W x 55"D Rectangular Tops | 141 | 51 | 2 | 69 | 13 | \$ 4,245 |
| TR-15654TPRC | Use with 156"W x 54"D and 157"W x 55"D Rectangular Tops | 153 | 51 | 2 | 75 | 19 | \$ 4,425 |
| TR-16854TPRC | Use with 168"W x 54"D and 169"W x 55"D Rectangular Tops | 165 | 51 | 2 | 81 | 19 | \$ 6,369 |
| TR-18054TPRC | Use with 180"W x 54"D and 181"W x 55"D Rectangular Tops | 177 | 51 | 2 | 87 | 19 | \$ 6,355 |
| TR-19254TPRC | Use with 192"W x 54"D and 193"W x 55"D Rectangular Tops | 189 | 51 | 2 | 95 | 24 | \$ 6,525 |
| TR-20454TPRC | Use with 204"W x 54"D and 205"W x 55"D Rectangular Tops | 201 | 51 | 2 | 101 | 24 | \$ 6,653 |
| TR-21654TPRC | Use with 216"W x 54"D and 217"W x 55"D Rectangular Tops | 213 | 51 | 2 | 107 | 24 | \$ 6,782 |

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|---|---|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardware - Standard B6V 20 amp, 1-circuit system, plug and play (available on 120" tops only) \$222 Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).


MODEL NUMBER

TR-12054TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |


TRACE POWER RING FOR 59.5" AND 60.5" RECTANGULAR TOPS STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User



- 110 Power Outlet per User



| model | | w | d | h | wt | cu ft | list |
|---------------------|---|-----|------|---|-----|-------|----------|
| TR-12060TPRA | Use with 120"W x 59.5"D and 121"W x 60.5"D Rectangular Tops | 117 | 56.5 | 2 | 57 | 13 | \$ 3,482 |
| TR-13260TPRA | Use with 132"W x 59.5"D and 133"W x 60.5"D Rectangular Tops | 129 | 56.5 | 2 | 63 | 13 | \$ 3,610 |
| TR-14460TPRA | Use with 144"W x 59.5"D and 145"W x 60.5"D Rectangular Tops | 141 | 56.5 | 2 | 69 | 13 | \$ 3,766 |
| TR-15660TPRA | Use with 156"W x 59.5"D and 157"W x 60.5"D Rectangular Tops | 153 | 56.5 | 2 | 75 | 19 | \$ 3,946 |
| TR-16860TPRA | Use with 168"W x 59.5"D and 169"W x 60.5"D Rectangular Tops | 165 | 56.5 | 2 | 81 | 19 | \$ 5,210 |
| TR-18060TPRA | Use with 180"W x 59.5"D and 181"W x 60.5"D Rectangular Tops | 177 | 56.5 | 2 | 87 | 19 | \$ 5,508 |
| TR-19260TPRA | Use with 192"W x 59.5"D and 193"W x 60.5"D Rectangular Tops | 189 | 56.5 | 2 | 95 | 24 | \$ 5,684 |
| TR-20460TPRA | Use with 204"W x 59.5"D and 205"W x 60.5"D Rectangular Tops | 201 | 56.5 | 2 | 101 | 24 | \$ 5,808 |
| TR-21660TPRA | Use with 216"W x 59.5"D and 217"W x 60.5"D Rectangular Tops | 213 | 56.5 | 2 | 107 | 24 | \$ 5,943 |



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex

| model | | w | d | h | wt | cu ft | list |
|---------------------|---|-----|------|---|-----|-------|----------|
| TR-12060TPRC | Use with 120"W x 59.5"D and 121"W x 60.5"D Rectangular Tops | 117 | 56.5 | 2 | 57 | 13 | \$ 4,023 |
| TR-13260TPRC | Use with 132"W x 59.5"D and 133"W x 60.5"D Rectangular Tops | 129 | 56.5 | 2 | 63 | 13 | \$ 4,152 |
| TR-14460TPRC | Use with 144"W x 59.5"D and 145"W x 60.5"D Rectangular Tops | 141 | 56.5 | 2 | 69 | 13 | \$ 4,307 |
| TR-15660TPRC | Use with 156"W x 59.5"D and 157"W x 60.5"D Rectangular Tops | 153 | 56.5 | 2 | 75 | 19 | \$ 4,488 |
| TR-16860TPRC | Use with 168"W x 59.5"D and 169"W x 60.5"D Rectangular Tops | 165 | 56.5 | 2 | 81 | 19 | \$ 6,113 |
| TR-18060TPRC | Use with 180"W x 59.5"D and 181"W x 60.5"D Rectangular Tops | 177 | 56.5 | 2 | 87 | 19 | \$ 6,411 |
| TR-19260TPRC | Use with 192"W x 59.5"D and 193"W x 60.5"D Rectangular Tops | 189 | 56.5 | 2 | 95 | 24 | \$ 6,587 |
| TR-20460TPRC | Use with 204"W x 59.5"D and 205"W x 60.5"D Rectangular Tops | 201 | 56.5 | 2 | 101 | 24 | \$ 6,710 |
| TR-21660TPRC | Use with 216"W x 59.5"D and 217"W x 60.5"D Rectangular Tops | 213 | 56.5 | 2 | 107 | 24 | \$ 6,844 |

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|---|---|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardware - Standard B6V 20 amp, 1-circuit system, plug and play (available on 120" tops only) \$222 Reference:  20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle  20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).


MODEL NUMBER

TR-12060TPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |

TRACE POWER RING FOR TRAPEZOID TOP STANDARD FEATURES

- Audio Visual Package Option (VGA and HDMI) available for End of Table
- **NOTE:** Audio Visual Package Option provides Insert Modules, Cabling to Modules provided by End User




- 110 Power Outlet per User
- **NOTE:** Cannot be used with TV Mounts

| model | w | d | h | wt | cu ft | list |
|--------------|----|----|---|----|-------|----------|
| TR-7272TTPRA | 69 | 69 | 2 | 44 | 6 | \$ 3,353 |

- Use with 72"W x 72"D and 73"W x 73"D Trapezoid Tops

| | | | | | | |
|--------------|----|----|---|----|---|----------|
| TR-9672TTPRA | 93 | 69 | 2 | 52 | 6 | \$ 3,877 |
|--------------|----|----|---|----|---|----------|

- Use with 96"W x 72"D and 97"W x 73"D Trapezoid Tops




- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex
- **NOTE:** Cannot be used with TV Mounts

| model | w | d | h | wt | cu ft | list |
|--------------|----|----|---|----|-------|----------|
| TR-7272TTPRC | 69 | 69 | 2 | 44 | 6 | \$ 3,714 |

- Use with 72"W x 72"D and 73"W x 73"D Trapezoid Tops

| | | | | | | |
|--------------|----|----|---|----|---|----------|
| TR-9672TTPRC | 93 | 69 | 2 | 52 | 6 | \$ 4,379 |
|--------------|----|----|---|----|---|----------|

- Use with 96"W x 72"D and 97"W x 73"D Trapezoid Tops




- 110 Power Outlet per User
- **NOTE:** For use with TV Mounts

| model | w | d | h | wt | cu ft | list |
|---------------|----|----|---|----|-------|----------|
| TR-7272TTPRAB | 69 | 69 | 2 | 44 | 6 | \$ 3,353 |

- Use with 72"W x 72"D and 73"W x 73"D Trapezoid Tops

| | | | | | | |
|---------------|----|----|---|----|---|----------|
| TR-9672TTPRAB | 93 | 69 | 2 | 52 | 6 | \$ 3,837 |
|---------------|----|----|---|----|---|----------|

- Use with 96"W x 72"D and 97"W x 73"D Trapezoid Tops



- Alternating Every Other User - 110 Duplex Power Outlet or USB Powered Duplex
- **NOTE:** For use with TV Mounts

| model | w | d | h | wt | cu ft | list |
|---------------|----|----|---|----|-------|----------|
| TR-7272TTPRCB | 69 | 69 | 2 | 44 | 6 | \$ 3,714 |

- Use with 72"W x 72"D and 73"W x 73"D Trapezoid Tops

| | | | | | | |
|---------------|----|----|---|----|---|----------|
| TR-9672TTPRCB | 93 | 69 | 2 | 52 | 6 | \$ 4,379 |
|---------------|----|----|---|----|---|----------|

- Use with 96"W x 72"D and 97"W x 73"D Trapezoid Tops

OPTIONS

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|---|---|
| X9 No Audio Visual - Standard B6R Audio Visual \$1,005 NOTE: One per table only | B6W 20 amp, 2-circuit system, hardwire - Standard B6V 20 amp, 1-circuit system, plug and play \$222 Reference: 20 amp plug - NEMA 5-20P Plugs into 20 amp receptacle 20 amp receptacle - NEMA 5-20R (Not included) |

HOW TO ORDER

SPECIFY: Audio visual | infeed (if applicable).

MODEL NUMBER

TR-7272TTPRA

| Audio Visual (VGA and HDMI) | Infeed (if applicable) |
|-----------------------------|------------------------|
| X9 | B6W |