

Impulse QuickShip building blocks



Table of contents

Height adjustable

metal desks	3
-----------------------------	---

Built up components

desks	4
peninsula tables	5
returns and bridges	6
credenzas	7-8

Worksurface storage

highback organizers	9
-------------------------------------	---

Wallmount components

wallmount organizers	10
--------------------------------------	----

Freestanding storage

lateral files	11
bookcases	12
towers	13

Modular components

22"d worksurface	14
pedestals	14
mobile pedestals	15
worksurface supports	16

Accessories | work tools

lighting	17
work tools	17
power supplies	18
wire management	19

Height adjustable Metal desks

General

- Widths: 48"w, 60"w, 66"w, 72"w
- Depth: 30"d
- Long grain direction
- Offset square column leg
- Flat foot with glide

Options

- Optional partial modesty attaches to underside of worksurface on approach side
- Optional grommets: left, right, or left and right

Model overview



[Q-5-7230HAD-3](#) shown
User side, no modesty



Approach side, with optional
partial modesty

Optional grommets




Plan view
optional left and right grommets

Leg details



Square leg, flat foot
on glides



Offset leg

Built up components Desks

General notes

- 3" recessed full panel modesty
- Lock cores for pedestal desks located inside the kneespace area

Double pedestal

- Overall dimensions: 30x60, 30x66, 30x72, 36x72

Single pedestal

- Overall dimensions: 30x66, 30x72, 36x72
- Handed left or right

$\frac{3}{4}$ double pedestal

- Overall dimensions: 30x66

Shell

- Overall dimensions: 30x72

Options

- Optional breakfront modesty for full pedestal desks
- Optional USB charging drawer in pedestals with box drawers
- Optional grommets: left, right, or left and right

Double pedestal



[Q-5-7230FDP2](#) shown

Single pedestal



[Q-5-7230FRPD2](#) shown

$\frac{3}{4}$ Double pedestal



[Q-5-6630DP2](#)

Shell



[Q-5-7230SHEL2](#)

Modesty options



Full panel (FS)
standard



Breakfront (FT)
full panel modesty only

Optional grommets



Plan view
optional left and right grommets

Built up components Peninsula tables | bullet

General

- Widths: 66"w, 72"w
- Depths: 30"d, 36"d
- Handed left or right
- **Note:** Cannot be used as freestanding unit

Options

- Wood partial modesty standard. Optional painted modesty
- Metal post base standard (4" dia.). Optional veneer cylinder (4" dia.), or veneer square (4x4)
- Optional worksurface grommet along end panel depth, on user side of the modesty

Surface shapes

standard post and modesty



[Q-5-7230EBTL](#) shown with post base and wood modesty (standard)

Optional grommet



Bullet with standard grommet shown on left hand desk

Post bases



Metal cylinder (standard)



Veneer cylinder



Veneer square

Modesty option



Painted partial modesty

Built up components Returns | bridges

General notes

- **Note:** Cannot be used as freestanding unit, or with cockpit components

Return

- Widths: 42"w, 48"w
- Depth: 22"d
- Handed left or right
- Full height modesty standard. Optional half modesty, or full height hinged modesty
- Lock cores for pedestal located inside the kneespace area

Bridge

- Widths: 42"w, 48"w
- Depth: 22"d
- Short grain direction
- Hinged modesty with latches standard


Options

- Center grommet standard. Additional grommets can be specified in any combination of left, right, and center

Return



Q-5-224_F(L/R)PR2



Optional hinged access panel for full height back panels (FLFZ)




Half height back panel (HLMD) shown with file/file pedestal (CB5)

Bridge



Q-5-224_BR2



Optional hinged access panel for full height back panels only (FZ)

Optional grommets



Center grommet standard. optional left and right grommets

Built up components Credenzas | single pedestals

General

- Handed left or right based on pedestal location

File/file

- Overall dimensions: 22x72
- Two file drawers

Lateral file

- Overall dimensions: 22x72
- Two 30"w lateral file drawers

Options

- Unfinished back standard (LW). Optional finished back (LX)
- Full or half back panel
- Full back panel has option to be hinged for wall access. Hinged back panel is 4"d. Back panel insets between pedestal and end panel
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

File/file




[Q-5-7222FCRR2](#)

Lateral file




[Q-5-7222CRRL2](#)

Full height back panel option



File/file credenza hinged access panel (FZ)



Lateral and multi file credenza hinged access panel FZ

Optional grommets



Center grommet standard
Shown with left, center, and right locations

Built up components Credenzas | storage

Lateral file credenza

- Overall dimensions: 22x60
- Four lateral file drawers
- Anti tilt mechanism

Options

- Unfinished back standard (LW). Optional finished back (LX)

Buffet credenza

- Overall dimensions: 20x71
- Two drawers and four doors. Adjustable shelf behind each set of doors

Lateral file credenza



[Q-5-6022CLF2](#)

Buffet credenza



[Q-5-7036BCC2](#)

Worksurface storage Highback organizer | hinged doors

Highback organizer

- Widths: 60"w, 66"w, 72"w
- Depth: 15"d
- Height: 42.5 (for 72" overall height)
- Features two sections with two doors per section
- 24" clearance from worksurface top to bottom of cabinet
- Wire management grommet on upper back panel, centered
- Task light specified separately, see [lighting](#) section

Tackboards

- Available as all tackboard, or tackboard/white markerboard/tackboard combination
- **Note:** Tackboard is separate model number, tackboard/white markerboard/tackboard combination is specified within the highback organizer model

Options

- Unfinished back standard, optional finished back
- Wood door standard. Optional painted doors
- Optional locking on wood or painted doors

Highback organizer



[Q-5-7243HD4-2](#)

Tackboard



[Q-5-FT7022](#) shown

Tackboard/MB/tackboard



Specify as option within highback organizer model number

Grommet



Standard in upper back panel

Door options



Wood standard



Painted

Wallmount components Wallmount organizer

General

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Height: 18.5"h
- Widths 30"w-42"w features two hinged door
- 48"w features three hinged doors
- 60"w-72"w features four hinged doors
- Task light specified separately, see [lighting](#) section

Options

- Wood door standard. Optional painted doors
- Optional locking on wood or painted doors

Model overview



[Q-5-7219HDW4-2](#) shown

Door options



Wood (standard)



Painted

Wallmount components Wallmount Tackboards

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Heights: 23.75"h
- Depth: 1"d
- Mounts directly to the wall



[Q-5-FT7223](#) shown

Freestanding storage Lateral files

General

- Widths: 30"w, 36"w. **Note:** 4 drawer lateral available as 36"w only
- Depth: 22"d
- Heights:
 - 2 Drawer lateral: 30/30.375"h
 - 4 Drawer lateral: 57.75/58.125"h
- **Note:** Overall height depends on top thickness specified
- Anti-tilt mechanism included

Options

- Unfinished back (LW) standard. Optional finished back (LX)

2 drawer lateral



[Q-5-3022LF2-2](#) shown

4 drawer lateral



[Q-5-3658LF4](#) shown

Worksurface storage Bookcase organizers

General

- Widths: 30"w, 36"w
- Depth: 14"d
- Height: 42.5"h
- 42.5"h used for 72" overall height
- One stationary and one adjustable shelf

Options

- Unfinished back (LW) standard. Optional finished back (LX)

Bookcase organizer



[Q-5-3043BC3](#) shown

Freestanding storage Bookcases

General

- Widths: 30"w, 36"w
- Depth: 14"d
- Height: 72.5"h
- Two stationary and three adjustable shelves

Options

- Unfinished back (LW) standard. Optional finished back (LX)

Bookcase



[Q-5-3072BC2](#) shown

Freestanding storage Towers

General

- Depth: 22"d
- Height: 72.5"h

Door/lateral file

- Widths: 30"w, 36"w
- One stationary and two adjustable shelves behind doors
- Door options: wood panel (standard), or painted
- Pulls on doors standard

Wardrobe tower

- Width: 15.625"w
- Door handed left or right
- Full length storage with hanging bar
- One stationary and one adjustable shelf

Storage wardrobe

- Width: 36"w
- Two hinged doors with pulls
- Left side:
 - One stationary and one adjustable shelf
- Right side:
 - Wardrobe with metal coat rod
 - One stationary and one adjustable shelf

Options

- Unfinished back standard (LW). Optional finished back (LX)

Door/lateral file



[Q-5-3072SCL](#) shown



Wood door
(standard)



Painted door

Wardrobe tower



[Q-5-1672RSW](#) shown

Storage wardrobe



[Q-5-3672SW](#)

Modular components 22"d workspace


General

- Use as return and credenza workspace
- Long or short grain
- Long grain widths: 60"w, 66"w, 72"w
- Short grain widths: 42"w, 48"w
- Depth: 22"d
- Maximum unsupported workspace span is 48"w
- Maximum unsupported workspace span when using back panel is 72"w

Options

- Optional grommet. Any combination of right, left and, center locations

Long grain



[Q-5-4822MCT2](#) shown with optional left, right, and center grommet

Short grain



[Q-5-2248MCT2](#) shown with optional left, right, and center grommet

Modular Pedestals

General

- Use with modular workspaces
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units

Box/box/file | file/file

- Width: 15.625"w
- Depth: 20.75"d
- Optional USB charging in upper box drawer

Lateral file

- Widths: 30"w, 36"w
- Depth: 20.75"d

Door cabinet

- Hinged door
- Widths: 30"w, 36"w
- Depth: 20.75"d
- One stationary and one adjustable shelf

Box/box/file



[Q-5-1621MBFC](#)

File/file



[Q-5-1621MFFC](#)

Lateral file



[Q-5-3021MFC](#) shown

Door cabinet



[Q-5-3021MDC2](#) shown

Freestanding storage Mobile pedestals

General

- Recessed casters

Finished top

- Overall dimensions: 15.625"w x 20.75"d x 25.375"h
- Box and file drawer
- Finished top

Cushion top

- Overall dimensions: 15.625"w x 20.75"d x 20.9375"h
- Tray and file drawer
- Seat cushion

Finished top



[Q-5-1621MP2](#)

Cushion top



[Q-5-1621MPC](#)

Modular Worksurface supports

General

- Height: 28.8125"h

End panels

- Width: 20.9375"w
- Use with back panel or 5-2812SP support panel

Support panel

- Width: 12"w
- Depths: 1.0625"d
- For 22"d worksurfaces
- Use to create L support with end panel, or as perpendicular support with back panel

Filler panel

- Width: 3"w
- Depth: 1.0625"d
- Height: 28.8125"h
- Use to fill the gap between a modular pedestal back and surface overhang when static back panel is not used

Static back panel

- Widths: 15.625"w, 30"w, 36"w, 60"w, 66"w, 72"w
- Depth: 1.0625"d
- Spans entire worksurface width, behind pedestals
- Unfinished back standard (LW). Optional finished back (LX)

Worksurface straightener

- Widths: 47.5"w, 54"w, 60"w, 66"w
- Height: .75"h
- Depth: 1.6875"d
- Used when unsupported worksurface span is greater than 48"w
- Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces

Mounting block

- Used with Q-PD-1 pencil drawer when worksurface straighteners are used
- Four per package
- Black wood blocks

End panel



[Q-5-2922MEP2](#)

Support panel



[Q-5-2812SP2](#)

Filler panel




[Q-5-2903BFP2](#)

Static back panel




[Q-5-2960MCB2](#) shown

Worksurface straightener



[Q-SPTR48](#) shown


Mounting block



[Q-TFBLK](#)

Accessories Lighting

- For wallmount and highback organizers only
- Fluorescent (Q-TL-1 and Q-TL-6):
 - Q-TL-1 cannot be used with 30" or 36"w organizers
 - Q-TL-6 use with organizers 72"w and wider
 - On/off switch
- LED Energy Efficient 5200K (Q-TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K (Q-TL-27, Q-TL-28, Q-TL-30): Black alloy frame, touch and hold dimming



Fluorescent
[Q-TL-1](#), [Q-TL-6](#)



LED
[Q-TL-16](#)



LED
[Q-TL-27](#), [Q-TL-28](#), [Q-TL-30](#)

Accessories Work tools


Center drawer

- Integrated pencil tray mounts to underside of surface
- Not compatible with tables that use straighteners or troughs
- Use OCD with single and double pedestal desks and peninsula tops with no modesty
- Use OCD1 with peninsula tops with a modesty

Pencil drawer


- Black molded plastic
- Flush mounts to the underside of worksurface

Center drawer



[Q-OCD](#)/[Q-OCD1](#)

Pencil drawer



[Q-PD-1](#)

Accessories Power supplies

- OFS offers a wide variety of recessed, undermount, and clamp mounted power supplies. You can view all available power options through this [link](#)



[PS-3UM](#)




[PS-3CM](#)



[PS-77](#)



[PS-69](#)



[PS-71S](#) shown



[PS-92W](#) shown



[PS-100WL](#) shown



[PS-90B](#) shown with H8P accent

Accessories Wire management

Velcro wire manager

- Set of four
- Not intended for heavy duty cabling

Plastic wire manager

- Widths: 12"W, 24"w, 36"W, 48"w, 60"w, 72"w
- Depth: 2.5"d
- Height: 1.125"h
- Black plastic
- Can be field cut

Wire basket manager

- Widths: 18.13"w, 33.13"w
- Depth: 2.25"d
- Height: 4.25"h

Height adjustable

- Table desk manager is used with freestanding height adjustable tables
- Table to table is used when a height adjustable worksurface is next to a static worksurface

Velcro



Velcro wire manager
[Q-WM-V4](#)

Plastic



Plastic wire manager
[Q-WM-36](#) shown

Basket



Wire basket manager
[Q-WBT33H](#) shown

Height adjustable



Table desk manager
[Q-WM-HA](#)




Table to table manager
[Q-WM-HA2](#) shown