

QuickShip Impulse building blocks



Table of contents

Height adjustable - metal base desks	3
Built up - desk shell	3
Built up - desks	4
Built up - peninsula tables	5
Built up - returns and bridges	6
Built up - credenzas	7
Storage - highback organizers	8
Storage - wallmount organizers	9
Storage - lateral files/bookcases	10
Storage - towers	11
Modular - 22"d worksurface/ pedestals	12
Modular - mobile pedestals/worksurface supports	13
Lighting, work accessories, wire management	14
Power supplies	15

Height adjustable Metal base

- Surface sizes: 30x48, 30x60, 30x66, 30x72
- Long grain direction
- Offset column leg, flat base foot with glide
- Optional partial modesty attaches to underside of worksurface. Available in veneer or paint
- Optional grommets: left, right, or left and right



User side, no modesty
Q-5-__30HAD-3



Approach side with partial modesty




Plan view
optional left and right grommets

Details



Leg detail



Offset leg

Built Up Shell desk

- 30x72
- Optional grommet: right, left, or right and left
- Optional center drawer, see accessories section

Shell desk



Desk Shell
Q-5-7230SHEL2



Plan view desk
optional left and right grommets



Built up Desks

General notes

- Full panel modesty standard, optional breakfront modesty for full pedestal desks
- Full panel features 3" recessed modesty panel
- Lock cores for pedestal desks located inside the kneespace area
- Optional grommets: left, right, or left and right
- Optional center drawer, see accessories section

Single pedestal desk

- 30x66, 30x72, or 36x72
- Handed left or right

3/4 double pedestal desk

- 30x66, with 28.125"w kneespace
- Two file drawers, two box drawers

Double pedestal desk

- 30x60, 30x66, 30x72 or 36x72
- 60"w has 28.125"w kneespace
- 66"w has 34.125"w kneespace
- 72"w has 40.125"w kneespace

User Side



Double pedestal desk
Q-5-__30FDP2 for 30"d
Q-5-7236FDP2 for 36"d



Single pedestal desk
Q-5-__30F(L/R)PD2 for 30"d
Q-5-7236F(L/R)PD2 for 36"d



3/4 double pedestal desk
Q-5-6630DP2

Approach



Optional Breakfront



Grommets



Plan view
optional left and right grommets

Built up Peninsula Tables

General

- Handed left or right
- Optional center drawer, see accessories section
- Optional grommet along end panel depth, on user side of the modesty
- **Note:** Cannot be used as freestanding unit

Bullet

- Depths: 30"d or 36"d
- Widths: 66"w or 72"w

Post bases

- Metal cylinder, 4" dia (standard)
- Veneer cylinder, 4" dia
- Veneer square, 4"

Modesty panels

- Wood partial (standard)
- Painted partial

Surface shapes

approach side shown
standard post and modesty



Bullet
Q-5-__ 30EBT(L/R) for 30"d
Q-5-__ 36EBT(L/R) for 36"d

Grommet locations

left hand shown



Bullet with standard grommet

Post bases



Metal cylinder
standard

Veneer cylinder

Veneer square

Modesty panel

optional options



Painted partial modesty

Built up Returns and bridges

General notes

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- **Note:** Bridge must be connected on both sides and return must be connected on open end. Cannot be standalone units

Bridge

- 22x42 or 22x48
- Straight top on user side. Cannot be used with cockpit desks
- Hinged modesty with latches standard

Return

- 22x42 or 22x48, handed left or right
- Full back panel standard
- Lock cores for pedestal located inside the kneespace area

Return



Q-5-224_F(L/R)PR2

Bridge



Q-5-224_BR2

Bridge/return options



Plan view
Center grommet standard. optional left and right grommets

Built up Credenzas

Single pedestal general notes

- Unfinished back standard, optional finished back
- Single pedestal credenzas: Center grommet standard. Additional grommets can be specified in any combination of left, right and center

File/file, single pedestal

- 22x72
- Two file drawers
- Handed left or right

Lateral file, single pedestal

- 22x72
- Two 30"w lateral file drawers
- Handed left or right

Lateral file, storage credenza

- 22x60
- Four lateral file drawers
- Anti tilt mechanism

Buffet, storage credenza

- 20x71
- Two drawers, four doors. Adjustable shelf behind each set of doors

Single pedestal credenza



File/file
Q-5-7222FCR(L/R)2



Lateral file
Q-5-7222FCR(L/R)L2

Options



Plan view
Center grommet standard. optional left and right grommets

Storage credenza



Double lateral
Q-5-6022CLF2



Buffet
Q-5-7036BCC2

Storage Highback organizer

Highback organizer

- Hinged doors
- Single high (42.5"h)
- Widths: 60"w, 66"w, 72"w
- Depth: 15"d with doors
- Widths 60-72"w feature four hinged doors
- Unfinished back standard, optional finished back
- 24" clearance from worksurface top to bottom of cabinet
- Optional task light, see lighting section
- Wire management grommet on upper back panel, centered

Tackboards

- Available as all tackboard, or tackboard/white markerboard/tackboard combination

Door styles

- Door options: wood (standard) or painted
- Optional locking on wood or painted doors

Highback organizer



Q-5-__42HD4-2

Tackboard



Q-FT1089 for 60"w organizers
Q-FT1088 for 66"w organizers
Q-FT1087 for 72"w organizers

Tackboard/MB/tackboard



Specify as option within highback organizer model number

Grommet



Standard in upper back panel

Door options



Wood standard



Painted

Storage Wallmount organizer

General

- Single high (18.5"h)
- Wood doors standard, additional door front styles available
- Optional wallmount tackboard available
- Locking available for wood and painted doors
- Optional task light, see lighting section

Hinged door organizer

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Widths 30-42"w feature two hinged doors, 48"w three hinged doors, 54"-72"w four hinged doors

Tackboard

- For use with wallmount organizers only
- **Note:** Cannot be used as stand alone or mounted directly to the wall
- Models:
 - Q-FT2076 30"w
 - Q-FT2075 36"w
 - Q-FT2074 42"w
 - Q-FT2073 48"w
 - Q-FT2071 60"w
 - Q-FT2070 66"w
 - Q-FT2069 72"w

Door styles

- wood panel (standard) or painted

Hinged door organizers



Q-5-__19HDW2-2 for 30"w-42"w
Q-5-4819HDW3-2 for 48"w
Q-5-__19HDW4-2 for 60"w-72"w

Tackboard



Door styles



Wood panel
standard



Painted

Storage Lateral files/bookcases

Lateral files

- Depth: 22"d
- Widths: 30", 36"w. **Note:** 4 drawer lateral available as 36"w only
- Heights: 30"h (2 drawer) and 57.75"h (4 drawer)
- Unfinished back standard, optional finished back
- Anti tilt mechanism included

Bookcase

- Widths: 30"w, 36"w
- Depth: 14"d
- Height: 72.5"h
- Two stationary and three adjustable shelves
- Unfinished back standard, optional finished back

Bookcase organizer

- Mounts on worksurface
- Widths: 30"w, 36"w
- Depth: 14"d
- 42.5"h: one stationary and one adjustable shelf
- Unfinished back standard, optional finished back

Lateral files



2 Drawer lateral
Q-5-3_22LF2-2



4 Drawer lateral
Q-5-3_58LF2-2

Bookcase organizer



Q-5-3_43BC3

Bookcase



Q-5-3_72BC2

Storage Towers

General

- Unfinished back standard, optional finished back

Closed door/lateral file

- Widths: 30"w, 36"w
- One stationary and two adjustable shelves
- Door options: wood panel (standard) or painted

Wardrobe cabinet

- Door handed left or right
- Full length storage with hanging bar
- One stationary and one adjustable shelf

Storage wardrobe cabinet

- Two hinged doors
- Left side:
 - One stationary and one adjustable shelf
- Right side:
 - Wardrobe with metal coat rod
 - One stationary and one adjustable shelf

Closed door/lateral file



Q-5-3_72SCL

Door styles



Wood door
standard



Painted door

Wardrobe cabinet



Q-5-1672(L/R)SW

Storage wardrobe cabinet



Q-5-3672SW

Modular 22"d worksurface

- Use as return and credenza worksurfaces, long or short grain
- Long grain widths: 60"w, 66"w, 72"w
- Short grain widths: 42"w, 48"w
- Depth: 22"d
- Maximum unsupported worksurface span is 48"w
- Maximum unsupported worksurface span when using back panel is 72"w
- Optional grommet: Any combination of right, left and center locations



Plan view short grain
optional left, right and center grommet
Q-22-_MCT2



Plan view short grain
optional left, right and center grommet
Q-__22MCT2

Modular Pedestals

Drawer pedestals general

- Use with modular worksurfaces
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units

Box/box/file and file/file

- Width: 15.625"w
- Depth: 20.75"d

Lateral file

- Widths: 30"w, 36"w
- Depth: 20.75"d

Door cabinet

- Hinged door
- Widths: 30"w, 36"w
- Depth: 20.75"d for hinged door
- One stationary and one adjustable shelf

Box/box/file



Q-5-1621MBFC

File/file



Q-5-1621MFFC

Lateral file



Q-5-3_21MFC

Door cabinet



Q-5-3_21MFC

Modular Mobile pedestals

Mobile pedestal, finished top

- 15.625"w x 20.75"d x 25.375"h
- Box and file drawer
- Finished top
- Exposed casters



Finished top
Q-5-1621MP2



Cushion top
Q-5-1621MPC

Mobile pedestal, cushion top

- 15.625"w x 20.75"d x 20.9375"h
- Tray and file drawer
- Seat cushion
- Recessed casters

Modular Worksurface supports

- End panels: Must use with back panel or support panel
- Support panel: Used to create L support, use with end panel or back panel
- Filler panel: Used to fill surface overhang gap behind modular pedestal when back panel is not used
- Back panel, pedestal: 16"w, use to finish pedestal backs
- Back panel, static: 16"w, 30"w, 36"w, 60"w, 66"w, 72"w. Use 16"w to finish 15.625"w pedestal backs. Vertical grain. Optional finished back, optional wire access slot
- Worksurface straightener: Used when a span of unsupported worksurface is greater than 48"w. Available widths: 48"w, 54"w, 60"w and 66"w. Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces
- Mounting block: Used with Q-PD-1 pencil drawer when worksurface straighteners are used. Four per package, black



End panel
Q-5-2922MEP2




Support panel
Q-5-2812SP




Filler panel
Q-5-2903BFP2



Back panel, static
Q-5-29__MCB2




Worksurface straightener
Q-SPTR __



Mounting block
Q-TFBLK

Lighting

- For wallmount and highback organizers only
- Fluorescent (Q-TL-1 and Q-TL-6):
 - Q-TL-1 cannot be used with 30" or 36" w organizers
 - Q-TL-6 use with organizers 72" w and wider
 - On/off switch
- LED Energy Efficient 5200K (Q-TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K (Q-TL-27, Q-TL-28, Q-TL-30): Black alloy frame, touch and hold dimming



Fluorescent
Q-TL-1, Q-TL-6




LED
Q-TL-16




LED
Q-TL-27, Q-TL-28, Q-TL-30

Work accessories

- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface.
 - Q-OCD: Use with single, double pedestal desks or peninsula tops with no modesty
 - Q-OCD1: Use with peninsula tops with a modesty



Pencil drawer
Q-PD-1



Center drawer
Q-OCD/Q-OCD1

Wire management

- Q-WM-V4 Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Plastic wire manager: Use under surface. widths include 12" w, 24" w, 36" w, 48" w, 60" w, 72" w. Can be field cut
- Wire basket manager: Use under surface. widths include 18" w, 33" w, 57" w, 69" w
- Q-WM-HA height adjustable wire manager commonly used in stand alone height adjustable table applications
- Q-WM-HA2 and Q-WM-HA3 height adjustable wire manager commonly used in table to table connections. HA2 is black/silver combination, HA3 is silver/silver combination



Velcro wire manager
Q-WM-V4




Plastic wire manager
Q-WM-__



Wire basket manager
Q-WBT-__H



Height adjustable
table desk manager
Q-WM-HA




Height adjustable
table to table manager
Q-WM-HA-__


Power supplies

- Requires factory cutout
- Recesses into worksurface
- Q-PS-68: One outlet, two USB charging ports, 9' cord, silver or black
- Q-PS-69: Two outlets, two USB charging ports, 9' cord, silver or black
- Q-PS-70: Two outlets, two USB charging ports, one data jack, 9' cord, silver or black
- Q-PS-99: Two outlets, two USB charging ports, one data jack, one HDMI coupler, 9' cord, anodized aluminum
- Q-PS-78: Two outlets, two USB charging ports, one data jack, 6' cord, anodized aluminum
- Q-PS-80: One touch open and close, two outlets, one HDMI port, one USB charging port, 12' cord, silver or black
- Q-PS-81: Three 110v outlets each side, one HDMI port, one VGA port, RJ-11 voice jack, RJ-45 data jack, two USB charging port, 10' cord, silver or black


Recessed




Q-PS-68




Q-PS-69




Q-PS-70




Q-PS-99



Q-PS-78



Q-PS-80



Q-PS-81