

QuickShip Pulse building blocks





Table of contents

Height adjustable - metal base desk	3
Built up - peninsula table	3
Built up - desks/shells	4
Built up - return/bridge	5
Built up - credenzas	6
Storage - highback organizers/tackboards	7
Storage - wallmount organizers/tackboard	8
Storage - towers	9
Storage - lateral files/bookcases/mobile peds	10
Modular - 22"d worksurface/ pedestals	11
Modular - worksurface supports	12
Conference - tops	13
Conference - bases	14
Work accessories	15
Lighting/wire management	16
Power supplies	17

Height adjustable Metal base desk

Metal base table desk

- Surface sizes: 30x48, 30x60, 30x66, 30x72
- Long grain direction
- Offset square column leg, flat base foot with glide
- Optional grommets: left, right, or left and right

Metal base table desk



User side, no modesty
Q-4-__30HAD-3


Details



Plan view
optional left and right grommets



Leg detail



Offset leg

Built up Peninsula table

- 30x66 bullet worksurface
- Handed left or right
- Metal cylinder, 4"d
- 12"h laminate modesty
- Optional grommet along end panel depth, on user side of modesty
- Optional center drawer, see accessories section
- **Note:** Cannot be used as freestanding unit



Bullet
approach side



Plan view
Optional grommet location



Metal cylinder post base



Built up Desks/shells

General

- Full fixed 3" recessed modesty panel. 9" recessed modesty on 36"d desks
- Lock cores for pedestal desks located inside the kneespace area
- Optional grommets: right, left, or right and left
- Optional center drawer, see accessories section
- Short grain

Double pedestal desk

- Rectangular: 30x60, 30x66, 30x72, 36x72
- 60"w has 28.25"w kneespace
- 66"w has 34.25"w kneespace
- 72"w has 40.125"w kneespace

Double pedestal, 3/4 double pedestals

- 30x60, with 28.125"w kneespace
- Two file drawers, two box drawers

Single pedestal desk

- Rectangular: 30x66, 30x72, 36x72
- 66"w has 51.125"w kneespace
- 72"w has 55.125"w kneespace
- Handed left or right

Shell desk

- 30x72
- Use alone, or with 20.75"d modular pedestals

Approach side



Rectangular/Shell front

Grommets



Plan view rectangular desk
optional left and right grommet shown

Double pedestal



Double pedestal desk
Q-4-__30FDP

Double pedestal, 3/4 pedestals



3/4 pedestal desk
Q-4-6630DP

Single pedestal



Single pedestal desk
right hand shown
Q-4-__30F(L/R)PD

Shell



Shell desk
Q-4-7230SHEL

Built up Return/bridge

General

- Lock cores for pedestals located inside the kneespace area
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

Bridge

- 22x42 or 22x48
- Hinged modesty with latches standard
- **Note:** Cannot be used with cockpit desks

Return

- 22x42 or 22x48, handed left or right
- Full back panel standard
- **Note:** Cannot be used with cockpit corner unit

Return



User side
Q-4-22_2F(L/R)PR

Bridge



User side
Q-4-224_BR

Grommets - return and bridge



Plan view
Center grommet standard, optional left and right grommets

Built up Credenzas

Single pedestal general notes

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- Finished back
- Handed left or right

Single pedestal, file/file

- 22x72
- Two file drawers

Single pedestal, lateral file

- 22x72
- Two 30"w lateral file drawers

Storage credenza, double lateral file

- 22x60
- Four lateral file drawers
- Anti tilt mechanism
- Finished back

Storage credenza, buffet

- 20x71
- Two drawers, four doors. Adjustable shelf behind each set of doors
- Finished back

Single pedestal credenzas



File/file
Q-4-7222FCR(L/R)



Lateral file
Q-4-7222FCR(L/R)L

Grommets



Plan view
Center grommet standard. optional left and right grommets

Storage credenzas



Lateral
Q-4-6022CLF



Buffet
Q-4-7030BCC



Storage Highback organizer

- Depth: 15"d
- Widths: 60"w, 66"w, 72"w
- Height: 42.5"h
- 23.9375" clearance from worksurface top to bottom of cabinet
- Four hinged doors
- Finished back with wire management
- Optional tackboard
- Optional task light, see lighting section



Q-4-__ 43HD4-2



Grommet standard in upper back panel

Storage Highback organizer tackboard

- Fully upholstered tackboard
- One piece tackboard



Q-FT1089 - for 60"w highback
Q-FT1088 - for 66"w highback
Q-FT1087 - for 72"w highback



Storage Wallmount organizers

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Height: 18.63"h
- Widths 30-42"w feature two hinged doors, 48"w three hinged doors, 60"-72"w four hinged doors
- Optional task light, see lighting section



Q-4-__21HDW2 for 30"w-42"w
Q-4-4821HDW3 for 48"w
Q-4-__19HDW4 for 60"w-72"w

Storage Wallmount organizer tackboards

- For use with wallmount organizers only
- **Note:** Cannot be used as stand alone or mounted directly to the wall



Q-FT2076 (30"w) Q-FT2071 (60"w)
Q-FT2075 (36"w) Q-FT2070 (66"w)
Q-FT2074 (42"w) Q-FT2069 (72"w)
Q-FT2073 (48"w)

Storage Towers

General

- Finished back
- Optional locking

Wardrobe

- 15.63"w x 22"d x 72.5"h
- Door hinges left or right
- Full length storage with hanging bar
- One adjustable shelf

Storage wardrobe

- Width: 36"w
- Depth: 22"d
- Height: 72.5"h
- Two hinged doors
- Left side: Two stationary and three adjustable shelves
- Right side: Wardrobe with metal coat rod and one adjustable shelf

Storage cabinet with laterals

- Widths: 30" and 36"w
- Depth: 22"d
- Height: 72.5"h
- Top section: Two hinged doors and two adjustable shelves
- Bottom section: Two lateral file drawers and two adjustable shelves
- Anti tilt mechanism

Wardrobe



Q-4-7216(L/R)SW

Storage wardrobe



Q-4-7236SW

Storage cabinet with laterals



Q-4-723_SCL

Storage Lateral files/bookcases

Lateral files

- Widths: 30"w, 36"w. **Note:** four drawer lateral only available in 36"w
- Depth: 22"d
- Heights: 29.94"h (two drawers) and 57.69"h (four drawers)
- Anti tilt mechanism included
- Finished back

Freestanding bookcase

- Widths: 30"w, 36"w
- Depth: 14"d
- Finished back

Bookcase organizer

- For use on desks, returns, credenzas and two drawer lateral files
- Widths: 30"w, 36"w
- Depth: 14"d
- Height: 42.5"h
- One stationary and one adjustable shelf
- Finished back

Lateral files



2 Drawer lateral
Q-4-3 _ LF2

4 Drawer lateral
Q-4-3656LF2

Bookcases



Freestanding bookcase
Q-4-3 _ 72BC

Bookcase organizer
Q-4-3 _43BC2

Storage Mobile pedestals

Mobile pedestal, finished top

- 15.63"w x 20.75"d x 25.38"h
- Box and file drawer
- Finished top
- Exposed casters

Mobile pedestal, cushion top

- 15.63"w x 20.75"d x 20.94"h
- Tray and file drawer
- Seat cushion
- Recessed casters



Finished top
Q-4-1621MP

Cushion top
Q-4-1621MPC

Modular 22"d worksurface

- Use as return and credenza worksurfaces, long or short grain
- Long grain widths: 60"w, 66"w, and 72"w
- Short grain widths: 42"w, 48"w
- Depth: 22"d
- Maximum unsupported worksurface span is 48"w
- Maximum unsupported worksurface span when using back panel is 72"w
- Optional grommet: any combination of right, left and center locations



Plan view short grain
optional left, right and center grommet
Q-4-__22MCT



Plan view short grain
optional left, right and center grommet
Q-4-224_MCT

Modular pedestals

Drawer pedestals general

- Use with modular worksurfaces
- Unfinished back, use with modular back panels or filler strip
- **Note:** Cannot be used as freestanding units

Box/box/file and file/file

- Width: 15.625"w
- Depth: 20.75"d

Lateral file

- Widths: 30"w, 36"w
- Depth: 20.75"d

Door cabinet

- Hinged door
- Widths: 30"w, 36"w
- Depth: 20.75"d for hinged door
- One stationary and one adjustable shelf

Box/box/file



Q-4-1621MBFC

File/file



Q-4-1621MFFC

Lateral file



Q-4-3_21MFC

Hinged door



Q-4-3_21MDC

Modular Worksurface supports

- End panel: Must use with back panel or support panel
- Support panel is used to create L support, use with end panel or back panel
- Filler panel is used to fill surface overhang gap behind modular pedestal when back panel is not used
- Back panel, pedestal: 16"w, use to finish pedestal backs, vertical grain
- Back panel, static: 30"w, 36"w, 60"w, 66"w, 72"w. Finished back, horizontal grain
- Worksurface straightener is used when a span of unsupported worksurface is greater than 48"w. Available in widths of 48"w, 54"w, 60"w and 66"w. Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces
- Mounting block is used with Q-PD-1 pencil drawer when worksurface straighteners are used. Four per package, black



End panel
Q-4-2922MEP



Support panel
Q-4-2812SP




Filler panel
Q-4-2904BFP2




Back panel, pedestal
Q-4-2916MCB



Back panel, static
Q-4-29__MCB2



Worksurface straightener
Q-SPTR__



Mounting block
Q-TFBLK

Conference Tops

Round

- 36"dia. (seats 3-4)
- 42"dia. (seats 4)
- 48"dia. (seats 4-5)
- One base required

Boat

- 42x96: One piece worksurface, two bases required, seats 8
- 48x120: Two piece worksurface, three bases required, seats 10
- 48x144: Two piece worksurface, three bases required, seats 12

Rectangular/racetrack

- 36x72: One piece worksurface, two bases required, seats 6
- 42x96: One piece worksurface, two bases required, seats 8
- 48x120: Two piece worksurface, three bases required, seats 10
- 48x144: Two piece worksurface, three bases required, seats 12

Round



Q-4-36RT
Q-4-42RT
Q-4-48RT

Rectangle



Q-4-7236RT
Q-4-9642RT
Q-4-12048RT
Q-4-14448RT

Racetrack



Q-4-7236AT
Q-4-9642AT
Q-4-12048AT
Q-4-14448AT

Boat



Q-4-9642BT
Q-4-12048BT
Q-4-14448BT

Conference Bases

X base, static

- For use with 36" or 42" round tops

Metal circular base

- For use with 36", 42" or 48" round tops
- 4" diameter post

Panel base

- For rectangular, racetrack and boat surfaces
- Use two Q-4-21PB bases with 6' surface
- Use two Q-4-24PB bases with 8' surface, or three bases with 10' and 12' surfaces

Panel base, with cutout

- For rectangular, racetrack and boat surfaces
- Wire pass-thru from worksurface to bottom
- Use two Q-4-21PBW bases with 6' surface
- Use two Q-4-24PBW bases with 8' surface, or three bases with 10' and 12' surfaces

X base, static



Q-TSX32

Metal circular base



Q-MCB-28

Panel base



Q-4-21PB
Q-4-24PB

Panel base, with cutout




Q-4-21PBW
Q-4-24PBW




Work accessories

- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface.
 - Q-OCD: Use with single, double pedestal desks or peninsula tops with no modesty
 - Q-OCD1: Use with peninsula tops with a modesty




Pencil drawer
Q-PD-1



Center drawer
Q-OCD/Q-OCD1

Lighting


- For wallmount and highback organizers only
- Fluorescent (Q-TL-1 and Q-TL-6):
 - Q-TL-1 cannot be used with 30" or 36"w organizers
 - Q-TL-6 use with organizers 72"w and wider
 - On/off switch
- LED Energy Efficient 5200K (Q-TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K (Q-TL-27, Q-TL-28, Q-TL-30): Black alloy frame, touch and hold dimming



Fluorescent
Q-TL-1, Q-TL-6



LED
Q-TL-16



LED
Q-TL-27, Q-TL-28, Q-TL-30

Wire management

- Q-WM-V4 Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Plastic wire manager: Use under surface. widths include 12"w, 24"w, 36"w, 48"w, 60"w, 72"w. Can be field cut
- Wire basket manager: Use under surface. widths include 18"w, 33"w, 57"w, 69"w
- Q-WM-HA height adjustable wire manager commonly used in stand alone height adjustable table applications
- Q-WM-HA2 and Q-WM-HA3 height adjustable wire manager commonly used in table to table connections. HA2 available as black/silver combination. HA3 available as silver/silver combination



Velcro wire manager
Q-WM-V4




Plastic wire manager
Q-WM-__H



Wire basket manager
Q-WBT-__H



Height adjustable
table desk manager
Q-WM-HA




Height adjustable
table to table manager
Q-WM-HA-__


Power supplies

- Requires factory cutout
- Recesses into worksurface
- Q-PS-68: One outlet, two USB charging ports, 9' cord, silver or black
- Q-PS-69: Two outlets, two USB charging ports, 9' cord, silver or black
- Q-PS-70: Two outlets, two USB charging ports, one data jack, 9' cord, silver or black
- Q-PS-99: Two outlets, two USB charging ports, one data jack, one HDMI coupler, 9' cord, anodized aluminum
- Q-PS-78: Two outlets, two USB charging ports, one data jack, 6' cord, anodized aluminum
- Q-PS-80: One touch open and close, two outlets, one HDMI port, one USB charging port, 12' cord, silver or black
- Q-PS-81: Three 110v outlets each side, one HDMI port, one VGA port, RJ-11 voice jack, RJ-45 data jack, two USB charging port, 10' cord, silver or black


Recessed




Q-PS-68




Q-PS-69




Q-PS-70




Q-PS-99



Q-PS-78



Q-PS-80



Q-PS-81