

QuickShip Range building blocks



Table of contents

Bench kit/components	3
Bench kit - worksurfaces	4
Bench kit - rail mount privacy screens	5
Height adjustable desk - bases/worksurfaces	6
Privacy screens - worksurface edge mount	7
Electrical	8
Wire management/power supplies	9

Bench kit

- Widths: 54"w, 60"w, 66"w, 72"w
- Includes height adjustable legs, top racks, cross bars, digital control panel, control box and cables
- Worksurfaces, cable carrier, ganging kits and privacy panels ordered separately
- Creep factor is accounted for in frame size when ganging benches
- Ships KD
- Accommodates two users



Q-HB-__HABK

Bench kit Components

Cable carrier

- Widths: 54"w, 60"w, 66"w, 72"w
- Stores and conceals electrical and data
- Available with no power, three circuit (five wire) or four circuit (eight wire) power option
- Carrier includes power block assembly with four outlets each user when power option is selected
- Supports rail mounted privacy panel
- **Note:** Duplex receptacles, power in-feeds and jumpers not included

End cap

- Use to finish end of benching run on cable carrier
- Set of two

Cable entry pole

- Conceals power and data from floor to bench
- Removable panel for cable access

Ganging kit

- Use when ganging benches together
- Version for use with cable carrier, and without



Cable carrier
Q-HB-__CC



End cap
Q-HB-EC



Cable entry pole
Q-HB-CEP



Cable carrier ganging
Q-HB-GKT



No cable carrier ganging
Q-HB-GKR

Bench kit Worksurfaces

- Widths: 52"w, 58"w, 64"w, 70"w
- Depths: 24"d, 30"d
- Worksurfaces are 2" shorter than overall bench kit width
- Worksurface shapes: Rectangle and soft rectangle
- Not for use with side mount modesty panels



Rectangle worksurface

24"d



Q-HB-__24HART

Rectangle worksurface

30"d



Q-HB-__30HART

Soft rectangle worksurface

24"d



Q-HB-__24HASRT

Soft rectangle worksurface

30"d



Q-HB-__30HASRT

Bench kit Rail mount privacy screens

- Widths: 40"w (54"w bench kit), 46"w (60"w bench kit), 52"w (66"w bench kit), 58"w (72"w bench kit)
- Heights: 21.75"h (creates overall height of 42"h) or 27.75"h (creates overall height of 48"h)
- For double sided applications
- Mounts directly to cable carrier, includes post mount brackets
- Available in TFL or HPL laminate (horizontal grain), veneer (vertical grain), or tackable fabric

Laminate



Q-HB-__22LP
42" overall height



Q-HB-__28LP
48" overall height

Veneer



Q-HB-__22WP
42" overall height



Q-HB-__28WP
48" overall height

Fabric



Q-HB-__22FP
42" overall height



Q-HB-__28FP
48" overall height

Height adjustable desk Bases

- Offset freestanding height adjustable base
- Widths: 48"w, 54"w, 60"w, 66"w, 72"w
- Depths: 24"d or 30"d
- Includes height adjustable legs, feet, top racks, digital control panel, control box and cables
- Glides standard, optional casters available
- Accommodates one user
- Worksurface, privacy panel and wire management ordered separately
- **Note:** Worksurface edge privacy panel cannot be used on 24"d worksurfaces
- Ships KD

24"d



Q-HB-__24FSE

30"d



Q-HB-__30FSE

Height adjustable desk Worksurfaces

- Widths: 48"w, 54"w, 60"w, 66"w, 72"w
- Depths: 24"d or 30"d
- Worksurface shapes: Rectangle and soft rectangle
- Privacy panel and wire management ordered separately
- **Note:** Worksurface edge privacy panel cannot be used on 24"d worksurfaces

24"d rectangle



Q-HB-__24HART

30"d rectangle



Q-HB-__30HART

24"d soft rectangle



Q-HB-__24HASRT

30"d soft rectangle



Q-HB-__30HASRT

Privacy screens Worksurface edge mount

Worksurface edge modesty general

- Height: 22.5"h (18" above and 3" below worksurface)
- Requires four brackets
- Leaves a 1.5"w gap between modesty panel and worksurface edge for wire management

Worksurface edge modesty Bench kit

- Widths: 50"w, 56"w, 62"w, 68"w
- Worksurface is 2" shorter than worksurface width. Use with 52"w, 58"w, 64"w and 70"w worksurfaces
- Requires four brackets

Worksurface edge modesty Height adjustable desk

- Widths: 46"w, 52"w, 58"w, 64"w, 70"w
- Privacy screen is 2" shorter than worksurface width. Use with 48"w, 54"w, 60"w, 66"w, and 72"w worksurfaces
- **Note:** Cannot be used with 24"d freestanding desks

Screen brackets

- Use Q-WEBKT-3 for fabric edge surface modesty panels
- Use Q-WEBKT-2 for TFL and veneer edge surface modesty panels

Bench kit



Laminate
Q-HB-WEMK-__/22.5



Veneer
Q-HB-WEMW-__/22.5



Fabric
Q-HB-WEMF-__/22.5

Height adjustable desk



Laminate
Q-HB-WEMK-__/22.5




Veneer
Q-HB-WEMW-__/22.5




Fabric
Q-HB-WEMF-__/22.5

Screen brackets



Fabric bracket
Q-WEBKT-3



Laminate bracket
Q-WEBKT-2

Electrical 3 circuit / 5 wire


- Infeed: Metal, 10' cord
- Jumper used to connect powered cable carriers when ganged
- Duplexes available in circuit I, II and III



Metal infeed
Q-PWF5M120



Power jumper
Q-MCJ5W38M



Duplex
Q-DPX5W_

Electrical 4 circuit / 8 wire


- Infeed: Metal, 10' cord
- Jumper used to connect powered cable carriers when ganged
- Duplexes available in circuit I, II, III and IV (isolated and dedicated)



Metal infeed
Q-PWF3M120



Power jumper
Q-MCJ8W38M



Duplex
Q-DPX8W_

Wire management

- Q-WM-V4 Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Plastic wire manager: Use under worksurface. Widths include 12"w, 24"w, 36"w, 48"w, 60"w, 72"w. Can be field cut
- Wire basket manager: Use under worksurface. Widths include 18"w, 33"w, 57"w
- Q-WM-HA height adjustable wire manager commonly used in stand alone height adjustable table applications
- Q-WM-HA2 and Q-WM-HA3 height adjustable wire manager commonly used in table to table connections. HA2 is black/silver combination. HA3 is silver/silver combination



Velcro wire manager
Q-WM-V4




Plastic wire manager
Q-WM-__



Wire basket manager
Q-WBT-__H



Height adjustable
table desk manager
Q-WM-HA



Height adjustable
table to table manager
Q-WM-HA_